


Azure Training Day

Run cloud-native apps with
Azure Kubernetes Service



Run Docker containerized workloads on Azure

Part 1 of 4 in the Run cloud-native apps with Azure Kubernetes Service series

About us...

David Hoerster

 Sr. Cloud Solution Architect

Matthew Calder (macalde@microsoft.com)

 Sr. Product Marketing Manager – Azure, US Marketing and Operations

For questions or help with this series

MSUSDev@Microsoft.com

For the lab guides and sample code

<https://github.com/MSUSDEV/Run-Cloud-Native-Apps-With-AKS>

Setting the scene



Overview of the workshop

About the workshop content...

About:

This series is the second half of a longer workshop that teaches how to build a proof of concept (POC) that will transform an existing ASP.NET-based Web application (SimplCommerce) to a container-based application. You can register to view the modules from the first half at <https://aka.ms/web-app-series> You can find all the presentations form the first half at <https://github.com/MSUSDEV/Migrating-web-apps-to-Azure>

At the end of this workshop, you will have a good understanding of container concepts, Docker architecture and operations, Azure Container Services, Azure Kubernetes Services and Azure DevOps tools.

Target Audience:

The workshop is targeted to Cloud Architects, Cloud Solution designers, developers and IT sysadmins, CIO's, CTO's and anybody else who is interested in learning about Azure, containers, application cloud migration and digital transformation.

Focus of the workshop (40%) is getting hands-on experience, complemented with presentations and whiteboard sessions (if in-person delivery).

Time Estimate:

11 hours (+/- 5 hours presentations, 6 hours of optional hands-on labs for attendees)

Workshop Agenda - Presentations

What we will talk about...

Series 1: <https://aka.ms/web-app-series>

- Module 1: Digital App Transformation with Azure
- Module 2: Running Azure Infrastructure and execute Lift & Shift Migrations
- Module 3: Performing proper assessments to smooth Azure Migrations
- Module 4: Why and how migrating databases to Azure PaaS
- Module 5: Migrating to Azure App Services – Azure Web Apps (.NET)

Series 2: <https://aka.ms/cloud-native-series>

- Module 1: Deploying Containers on Azure (**YOU ARE HERE**)
- Module 2: Deploying Azure Kubernetes Services
- Module 3: Optimizing Azure Operations and Monitoring
- Module 4: Introduction to Azure DevOps

Workshop Agenda – Hands On Labs

From series 1

- **Module 2: Running Azure Infrastructure and execute Lift & Shift Migrations**
 - *Lab 1: Deploy an Azure VM Infrastructure using ARM-Templates*
- **Module 3: Performing proper assessments to smooth Azure Migrations**
 - *Lab 2: Using Azure assessment tools*
- **Module 4: Why and how migrating databases to Azure PaaS**
 - *Lab 3: Migrating SQL Databases to Azure using Database Migration Assistant*
- **Module 5: Migrating to Azure App Services – Azure Web Apps (.NET)**
 - *Lab 4: Publishing application source code to Azure Web Apps using Visual Studio 2019*

Workshop Agenda – Hands On Labs

For this series 2

- **Module 1: Deploying Containers on Azure**
 - *Lab 5: Containerizing applications using Docker and running it in Azure Container Instance and Azure WebApp for Containers*
- **Module 2: Deploying Azure Kubernetes Services**
 - *Lab 6: Deploying Azure Kubernetes Services and running containerized apps from Azure Container Registry*
- **Module 3: Optimizing Azure Operations and Monitoring**
 - *Lab 7: Monitoring and Managing your Azure deployed workloads*
- **Module 4: Introduction to Azure DevOps**
 - *Lab 8: Deploying Azure DevOps with CI/CD Pipelines and deploy your applications to Azure WebApps, WebApp for Containers, Azure Container Instance and Azure Kubernetes Services*

Technical Requirements

What you need...

- See appendix slides for lab dependencies and / or alternate path for workshop
- Client workstation running recent Windows, Linux or Mac OS and latest internet browser
- Access to ports 80 (HTTP), 443 (HTTPS) and 3389 (Remote Desktop)
- Full Azure subscription (MSDN, AzurePass, Paid subscription, AE, CSP,...), where you have Owner permissions on subscription level
- Lab consumption estimate: \$15-35

Questions and HOL support

For questions or help with this series

MSUSDev@Microsoft.com

For the lab guides and sample code


<https://github.com/MSUSDEV/Run-Cloud-Native-Apps-With-AKS>

For information about lab dependencies and alternate approach please see the appendix slides at the end of this presentation.


Introduction to Containers

The **journey** to the cloud


From Virtual Machines to Software as a Service



What are containers?




- Virtualize the **hardware**
- **VMs** as units of scaling
- Hypervisor **dependent**
- **Not** easily movable



- Virtualize the **operating system**
- **Applications** as units of scaling
- Platform **independent**
- **Easily** movable across environments (on-premises, multi-cloud)

How do containers help in app modernization?

Containers are stand-alone, smaller application instances, running at scale



Running Containers on Azure: a full set of choices



App Service

Deploy web apps or APIs using **containers** in a PaaS environment



Service Fabric

Modernize **.NET applications** to microservices using **Windows Server containers**



Kubernetes Service

Scale and orchestrate **Linux containers** using **Kubernetes**



Container Instance

Elastically burst from your **Azure Kubernetes Service** (AKS) cluster



Partner Ecosystem

Bring your **Partner solutions** that run great on Azure



Azure Container Registry



Docker Hub

----- Choice of developer tools and clients -----

How Containers help in App Migration

Enterprises can't get away from their legacy apps just like that:


- Expensive
- Risk involved
- Developers are gone
- Complexity



Enterprises benefit from Containers:

- Legacy apps are supported
- Containers are future-proof
- Cost optimized
- Secure

How Containers help in App Migration




Docker Containers Overview

Docker Containers - Overview

What is Docker?

- Leading Open-Source Containerization Platform
- Natively Supported in Azure
- Cross-Platform (Win, Linux,...)



Docker containers wrap up a piece of software in a complete filesystem that contains everything it needs to run: code, runtime, system tools, system libraries – anything you can install on a server. This guarantees that it will always run the same, regardless of the environment it is running in

Source: www.docker.com

Docker High-Level Architecture

Docker Concepts

1

Client

Docker build

Docker pull

Docker Run


Docker ...

2

Host

Docker Daemon / Docker Service

Containers



Images



3

Registry


Docker Hub

Azure Container Registry

Cloud XYZ
Container Registry

Docker Host

- Windows-based (Win10/Win2016-2019)
- Linux-based




```
sudo docker run -it microsoft/azure-cli
d image 'microsoft/azure-cli:latest' locally
ng from microsoft/azure-cli

Pull complete
Pull complete
Pull complete
Pull complete
5:63122c945fc648333b5ae633dc532ef4d6c3c3cf474a945a9fb0b50bd4c753e9
oaded newer image for microsoft/azure-cli:latest
e5f1:/#
```

Docker Containers on Windows

- Runs on Windows 10 client or Windows Server 2016/2019
- Supports both Windows and Linux Containers, and you can easily switch
- Requires Hyper-V or « Containers » Feature
- CLI integration with PowerShell or command prompt
- Docker CE = Free !!



Docker CLI

Command Line Interface

```
C:\Users\P>docker

Usage:  docker [OPTIONS] COMMAND

A self-sufficient runtime for containers

Options:
  --config string      Location of client config files (default
                        "C:\\Users\\P\\.docker")
  -D, --debug          Enable debug mode
  -H, --host list      Daemon socket(s) to connect to
  -l, --log-level string Set the logging level
                        ("debug"|"info"|"warn"|"error"|"fatal")
                        (default "info")
  --tls               Use TLS; implied by --tlsverify
  --tlscacert string  Trust certs signed only by this CA (default
                        "C:\\Users\\P\\.docker\\ca.pem")
  --tlscert string    Path to TLS certificate file (default
                        "C:\\Users\\P\\.docker\\cert.pem")
  --tlskey string     Path to TLS key file (default
                        "C:\\Users\\P\\.docker\\key.pem")
  --tlsverify         Use TLS and verify the remote
  -v, --version        Print version information and quit

Management Commands:
  builder      Manage builds
  config       Manage Docker configs
  container    Manage containers
  engine       Manage the docker engine
```

```
Administrator: Windows PowerShell

PS C:\WINDOWS\system32> docker pull microsoft/azure-cli
Using default tag: latest
latest: Pulling from microsoft/azure-cli
693502eb7dfb: Pull complete
995988fe2b30: Pull complete
4ef74641d502: Pull complete
a18d90d86a2e: Pull complete
Digest: sha256:d3ee5a39ee681389e25ffe9fc4413d388bee34b5477bb0b47a1c24c6d9beb60e
Status: Downloaded newer image for microsoft/azure-cli:latest
PS C:\WINDOWS\system32> docker run -it microsoft/azure-cli
```

```
ubuntu:~$ docker version
Client:
 Version:      1.11.2
 API version:  1.23
 Go version:   go1.6.2
 Commit:      b9f10c9
 Built:        Thu, 16 Jun 2016 21:17:51 +1200
 Architecture: linux/amd64
 Error: failed to connect to the Docker daemon. Is the docker
```

Demo

Running Docker for Windows

Docker Host

Where do you run your Docker Container Images?


On top of a « Docker » cloud platform:

- Azure Container Instance
- Azure Container Services (AKS)
- Azure Virtual Machines



On top of a « host » Operating System, like:

- Windows 10
- Windows Server 2016/2019
- Linux
- Mac OS



Where do Docker Images come from?

Docker Hub

- Hub.docker.com
- Free resource of PUBLIC images
- Option to create PRIVATE images



Docker Hub

Cloud Container Registry

- Library of Docker Images
- Azure Container Registry
- Mainly used for storing PRIVATE images



Azure Container Registry

Running a Docker Container

`docker run -i -t ubuntu /bin/bash`

Docker CLI
command

Run container
with interactive
terminal

Pull "ubuntu"
image from
Docker Hub or
local registry

Command to
execute inside
the container

Common Docker CLI operations

docker run	- Use an image to run a container
docker pull	- Pull an image from a registry
docker build	- Build a Docker image
docker images	- List available Docker images
docker ps	- List running Docker containers
docker exec	- Execute a command in a container
docker stop	- Stop a running container

Demo

Common Docker CLI Operations

Migrating apps to Docker Images

Building a Docker Image - CLI

1 **docker build** - Build a Docker image

```
Administrator: Windows PowerShell
PS C:\DockerImage1> docker build -t webvmsamplesitedocker .
Sending build context to Docker daemon 15.52MB
Step 1/3 : FROM microsoft/aspnet:4.7.2-windowsservercore-ltsc2016
----> 02dfa1e1baeb
Step 2/3 : ADD WebVMSampleSite_Docker /inetpub/wwwroot/
----> 5acc27ff4280
Step 3/3 : EXPOSE 80
----> Running in 000ca273b693
Removing intermediate container 000ca273b693
----> 42dbf989e20f
Successfully built 42dbf989e20f
Successfully tagged webvmsamplesitedocker:latest
PS C:\DockerImage1>
```

2 **docker images** - List available Docker images

```
PS C:\DockerImage1> docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
webvmsamplesitedocker	latest	42dbf989e20f	4 minutes ago	13.6GB
microsoft/aspnet	4.7.2-windowsservercore-ltsc2016	02dfa1e1baeb	2 weeks ago	13.6GB
hello-world	latest	476f8d625669	3 weeks ago	1.14GB


Building a Docker Image - DockerFile

A Dockerfile is a text document that contains all the commands a user could call on the command line to assemble an image. Using **docker build**, users can create an automated build that executes several command-line instructions in succession.

```
FROM microsoft/aspnet:4.7.2-windowsservercore-ltsc2016
ADD WebVMSampleSite_Docker /inetpub/wwwroot/
EXPOSE 80
```


Building a Docker Image – VS2017-2019

When using Visual Studio 2017-2019, together with Docker for Windows on the same client, you get Docker integration features



<https://docs.microsoft.com/en-us/aspnet/core/host-and-deploy/docker/visual-studio-tools-for-docker?view=aspnetcore-2.1>

Demo

Building a Docker Image (CLI and VS Code)

Troubleshooting Docker Containers

- 1 **docker container ls**
 - Lists all containers on a host

```
Administrator: Windows PowerShell
PS C:\Users\labadmin> docker container ls
CONTAINER ID        IMAGE               COMMAND                  CREATED             STATUS             
86ed72d1e6d4        webvmsamplesitedocker:latest  "C:\\ServiceMonitor.e..." 5 minutes ago       Up 4 minutes
tcp                 penstive_bohr
```

- 2 **docker inspect**
 - Shows all information of a container

```
Administrator: Windows PowerShell
PS C:\Users\labadmin> docker inspect 86e
[
  {
    "Id": "86ed72d1e6d4c4446a52cf20f393f6c27c1cbd3039cb96b3d0a058263a5b1ddc",
    "Created": "2018-09-30T19:47:08.7562687Z",
    "Path": "C:\\ServiceMonitor.exe",
    "Args": [
      "w3svc",
      "webvmsamplesitedocker",
      "--p",
      "80"
    ],
    "State": {
      "Status": "running",
      "Running": true,
      "Paused": false,
      "Restarting": false,
      "OOMKilled": false,
      "Dead": false,
      "Pid": 6192,
      "ExitCode": 0,
      "Error": "",
      "StartedAt": "2018-09-30T19:47:13.0676977Z",
      "FinishedAt": "0001-01-01T00:00:00Z"
    }
  }
]
```

```
    "NetworkSettings": {
      "Bridge": "86ed72d1e6d4c4446a52cf20f393f6c27c1cbd3039cb96b3d0a058263a5b1ddc",
      "SandboxID": "86ed72d1e6d4c4446a52cf20f393f6c27c1cbd3039cb96b3d0a058263a5b1ddc",
      "HairpinMode": false,
      "LinkLocalIPv6Address": "",
      "LinkLocalIPv6PrefixLen": 0,
      "Ports": {
        "80/tcp": null
      },
      "Sandboxkey": "86ed72d1e6d4c4446a52cf20f393f6c27c1cbd3039cb96b3d0a058263a5b1ddc",
      "SecondaryIPAddresses": null,
      "SecondaryIPv6Addresses": null,
      "EndpointID": "",
      "Gateway": "",
      "GlobalIPv6Address": "",
      "GlobalIPv6PrefixLen": 0,
      "IPAddress": "",
      "IPPrefixLen": 0,
      "IPv6Gateway": "",
      "MacAddress": "",
      "Networks": {
        "nat": {
          "IPAMConfig": null,
          "Links": null,
          "Aliases": null,
          "NetworkID": "075b37fba26fba20fb9eb4ee9fdea8580e401031b61b8d767a33fbc09fec7373",
          "EndpointID": "1acc8f1118e6f382ca3c96d6e61ee66e527f940d03601f62207a23aedeb6ea53",
          "Gateway": "172.22.48.1",
          "IPAddress": "172.22.61.218",
          "IPPrefixLen": 16,
          "IPv6Gateway": "",
          "GlobalIPv6Address": "",
          "GlobalIPv6PrefixLen": 0,
          "MacAddress": "00:15:5d:66:7f:0c",
          "DriverOpts": null
        }
      }
    }
  }
]
```

Azure Container Registry

Azure Container Registry (ACR)



Azure Container Registry is a managed Docker registry service based on the open-source Docker Registry 2.0. Create and maintain Azure container registries to store and manage your private Docker container images.

- Pull images from ACR and use it in different deployment targets:
 - Azure Kubernetes Services (AKS)
 - DC/OS Mesosphere
 - Docker Swarm
 - Azure compute solutions
 - Azure WebApp for Containers
 - Azure Container Instance (ACI)
- 3 different SKU's:
 - Basic
 - Standard
 - Premium

Azure Container Registry (ACR)



Home > Container registries > nopacr1

nopacr1
Container registry

Search (Ctrl+ /)

Overview

- Activity log
- Access control (IAM)
- Tags
- Quick start
- Events

Settings

- Access keys
- Firewalls and virtual network...
- Locks
- Export template

Services

- Repositories
- Webhooks
- Replications
- Tasks

Policies

Move Delete Update

Resource group (change) : noprg

Location : Central US

Subscription (change) : 007FFFLearning Labs

Subscription ID : 0a407898-c077-442d-8e17-71420aa82426

Login server : nopacr1.azurecr.io

Creation date : 8/9/2019, 8:24 PM GMT+2

SKU : Standard

Provisioning state : Succeeded

Usage

Included in SKU	Used	Additional storage
100 GiB	0.71 GiB	0.00 GiB

ACR Tasks

Build, Run, Push and Patch containers in Azure with ACR Tasks. Tasks supports Windows, Linux and ARM with QEMU.

[Learn more](#)

Container security integrations

Aqua Security

Aqua provides development-to-production lifecycle controls for securing containerized applications.

[Azure Marketplace](#)

Twistlock

Providing vulnerability management and runtime protection across your environments.

[Azure Marketplace](#)

Similar to the public Docker Hub, but running within an Azure Subscription, offering Private images

Azure Container Registry (ACR)



Automating OS and Framework Patching



Azure Container Registry (ACR)

3 different SKUs to choose from

Basic	Standard	Premium
Cost optimized entry-point for developers	Sufficient for most production workloads	For the enterprise-use of containerized apps
Same capabilities than Standard and Premium, but limitations on size and usage	Increased storage limits and image throughput	Higher offerings on storage, concurrent operations and high-volume scenarios
		Geo-Replication for managing a single registry across multiple regions

Azure Container Registry Tasks

Cloud-based container building, including OS updates and patching

- Quick Tasks – container lifecycle management
- Trigger container image build when updates happen to Git Repo
- Automate OS and Framework patching (base image)
- Automatically rebuild application images (app image)
- Multi-Step Tasks (preview)

Demo

Deploying an Azure Container Registry

Azure Container Instance


Azure Container Instance (ACI)



Azure Container Instances offers the fastest and simplest way to run a container in Azure, without having to provision any virtual machines and without having to adopt a higher-level service.

Run Containers directly from Azure Container Registry:

- Detailed Event Logging
- No additional Orchestration needed
- Integrates with Azure monitoring and diagnostics capabilities



Events Properties Logs Connect						
Display time zone <input checked="" type="radio"/> Local time <input type="radio"/> UTC						
NAME	TYPE	FIRST TIMESTAMP	LAST TIMESTAMP	MESSAGE	COUNT	
Started	Normal	9/30/2018, 5:19 PM C...	9/30/2018, 5:19 PM C...	Started container with docker id bb...	1	
Pulled	Normal	9/30/2018, 5:19 PM C...	9/30/2018, 5:19 PM C...	Successfully pulled image "adsacr.a...	1	
Created	Normal	9/30/2018, 5:19 PM C...	9/30/2018, 5:19 PM C...	Created container with docker id b...	1	
Pulling	Normal	9/30/2018, 5:16 PM C...	9/30/2018, 5:17 PM C...	pulling image "adsacr.azurecr.io/w...	2	
Failed	Warning	9/30/2018, 5:16 PM C...	9/30/2018, 5:16 PM C...	Failed to pull image "adsacr.azurecr...	1	

Demo

Running an Azure Container Instance

Webapp for Containers

Running Containers as WebApps

Web App now supports running Containers

Bring your code



Bring your container



Web App for Containers

- ✓ Deploy to Azure in seconds
- ✓ Scale easily on demand
- ✓ Designed for your agile web development needs


Containers as Web Apps - Benefit

Why running Containers as Azure Web Apps

- Treat the container as a web app
- **All common Azure Web App features are valid for Containers as well:**
 - Backup
 - Monitoring
 - App Insights
 - App Service Plan (Although the plans are different for containers!)

Azure App Service: Build and Deploy Options

Deploying containers



Web app for containers

High productivity development



Deployment with ease



CI/CD build and deploy



Testing in production




Staged deployment with slots

Fully managed platform



Built-in auto scale and load balancing



High availability with auto-patching



Monitoring and diagnosis



Backup and recovery

Enterprise-grade apps



Global data center footprint



Private registry support



AAD integrated



Secure + compliant

Windows Container Support Public Preview

Windows Server 2019 Host Support


- Smaller containers, higher density of apps, faster pull and start times
- Server Core Containers reduced by over 60% from WS2016LTSC
- Take advantage of improvements not available on WS2016

Key Scenarios

- Lift and Shift to PaaS
- Applications which have dependencies
- Applications blocked by traditional App Service Sandbox
- Data center migration

Capabilities

- Available in six regions globally
- PowerShell and CLI Support
- Bring Your Own Storage – Azure Files



Demo

Deploying Azure WebApps for Containers

Section Take-Aways

1. Docker is the standard for containerized applications
2. Containers allow for digital transformation, by supporting your (legacy) applications to modern platforms, both on-premises and in the cloud
3. Azure fully supports running containers using Azure Container Registry, Azure Container Instance, WebApp for Containers and Azure Kubernetes Services

Questions Landing Spot

“...If you want good answers,
ask better questions...”

© Randy Glasbergen



Azure

Next Module...

Deploying and Running Azure Kubernetes Services



Appendix

Lab dependencies and alternate path

Alternate path

To avoid the SQL dependencies from the first series labs

- SimplCommerce offers a Docker container that uses a built-in non-SQL database
- <https://hub.docker.com/r/simplcommerce/ci-build>
- If you run this locally (or in ACI or AKS) it will spin up the web app and give you the option to select “sample products” (phones or fashion)

Create container instance

✓ Validation passed

Basics Networking Advanced Tags Review + create

Basics

Subscription	007FFFLearning Labs
Resource group	simplwebappRG
Region	(Europe) North Europe
Container name	nodbcontainer
Image type	Public
Image name	simplcommerce/ci-build
OS type	Linux
Memory (GiB)	1.5
Number of CPU cores	1
GPU type	None
Number of GPU cores	0

Networking

Include public IP address	Yes
Ports	80 (TCP)

Advanced

Restart policy	On failure
Command override	[]

Tags

(none)

Full workshop


Dependencies from first series

The lab guide assumes that the learner has completed the first 3 labs from the previous series “[Migrate a web app to Azure](#)”

[Deploying VM baseline using ARM Templates](#)

[Performing Assessments](#)

[Migrating SQL Databases](#)





Thank You