Indeterminate Forms & L'Hospital Rule

Sunday, 10 November 2024 12:48 am

| Determinate-Indeterminate Forms Table | |
|---------------------------------------|------------------------------------|
| Indeterminate Forms | Determinate Forms |
| 0/0 | $\infty + \infty = \infty$ |
| $\pm \infty / \pm \infty$ | $-\infty-\infty=-\infty$ |
| $\infty - \infty$ | $0^{\infty}=0$ |
| $0(\infty)$ | $0^{-\infty}=\infty$ |
| 00 | $(\infty)\cdot(\infty)=\infty$ |
| 1^{∞} | |
| ∞^0 | |
| Use L'Hôpital's Rule | Do <i>Not</i> Use L'Hôpital's Rule |

L'Hospital's Rule Suppose f and g are differentiable and $g'(x) \neq 0$ on an open interval I that contains a (except possibly at a). Suppose that

$$\lim_{x \to a} f(x) = 0 \qquad \text{and} \qquad \lim_{x \to a} g(x) = 0$$

or that


$$\lim_{x \to a} f(x) = \pm \infty \qquad \text{and} \qquad \lim_{x \to a} g(x) = \pm \infty$$


(In other words, we have an indeterminate form of type $\frac{0}{0}$ or ∞/∞ .) Then

$$\lim_{x \to a} \frac{f(x)}{g(x)} = \lim_{x \to a} \frac{f'(x)}{g'(x)}$$

if the limit on the right side exists (or is ∞ or $-\infty$).







V EXAMPLE 1 Find
$$\lim_{x \to 1} \frac{\ln x}{x - 1}$$
.

SOLUTION Since

$$\lim_{x \to 1} \ln x = \ln 1 = 0$$
 and $\lim_{x \to 1} (x - 1) = 0$

we can apply l'Hospital's Rule:

$$\lim_{x \to 1} \frac{\ln x}{x - 1} = \lim_{x \to 1} \frac{\frac{d}{dx} (\ln x)}{\frac{d}{dx} (x - 1)} = \lim_{x \to 1} \frac{1/x}{1}$$
$$= \lim_{x \to 1} \frac{1}{x} = 1$$

EXAMPLE 2 Calculate
$$\lim_{x\to\infty} \frac{e^x}{x^2}$$
.



SOLUTION We have $\lim_{x\to\infty}e^x=\infty$ and $\lim_{x\to\infty}x^2=\infty$, so l'Hospital's Rule gives

$$\lim_{x \to \infty} \frac{e^{x}}{x^{2}} = \lim_{x \to \infty} \frac{\frac{d}{dx}(e^{x})}{\frac{d}{dx}(x^{2})} = \lim_{x \to \infty} \frac{e^{x}}{2x}$$

Since $e^x \to \infty$ and $2x \to \infty$ as $x \to \infty$, the limit on the right side is also indeterminate, but a second application of l'Hospital's Rule gives

$$\lim_{x \to \infty} \frac{e^x}{x^2} = \lim_{x \to \infty} \frac{e^x}{2x} = \lim_{x \to \infty} \frac{e^x}{2} = \infty$$

EXAMPLE 3 Calculate
$$\lim_{x\to\infty} \frac{\ln x}{\sqrt[3]{X}}$$
.

SOLUTION Since $\ln x \to \infty$ and $\sqrt[3]{x} \to \infty$ as $x \to \infty$, l'Hospital's Rule applies:

$$\lim_{x \to \infty} \frac{\ln x}{\sqrt[3]{x}} = \lim_{x \to \infty} \frac{1/x}{\frac{1}{3}x^{-2/3}}$$

Notice that the limit on the right side is now indeterminate of type $\frac{0}{0}$. But instead of applying l'Hospital's Rule a second time as we did in Example 2, we simplify the expression and see that a second application is unnecessary:

$$\lim_{x \to \infty} \frac{\ln x}{\sqrt[3]{x}} = \lim_{x \to \infty} \frac{1/x}{\frac{1}{3}x^{-2/3}} = \lim_{x \to \infty} \frac{3}{\sqrt[3]{x}} = 0$$

V EXAMPLE 5 Find
$$\lim_{x \to \pi^-} \frac{\sin x}{1 - \cos x}$$
.

Indeterminate Products

$$fg = \frac{f}{1/g}$$
 or $fg = \frac{g}{1/f}$

indeterminate form of type $\frac{0}{0}$ or ∞/∞

EXAMPLE 6 Evaluate $\lim_{x\to 0^+} x \ln x$.



SOLUTION The given limit is indeterminate because, as $x \to 0^+$, the first factor (x) approaches 0 while the second factor $(\ln x)$ approaches $-\infty$. Writing x = 1/(1/x), we have $1/x \to \infty$ as $x \to 0^+$, so l'Hospital's Rule gives

$$\lim_{x \to 0^+} x \ln x = \lim_{x \to 0^+} \frac{\ln x}{1/x} = \lim_{x \to 0^+} \frac{1/x}{-1/x^2} = \lim_{x \to 0^+} (-x) = 0$$

NOTE In solving Example 6 another possible option would have been to write

$$\lim_{x \to 0^+} x \ln x = \lim_{x \to 0^+} \frac{x}{1/\ln x}$$

7-66 Find the limit. Use l'Hospital's Rule where appropriate. If there is a more elementary method, consider using it. If l'Hospital's Rule doesn't apply, explain why.

Screen clipping taken: 14/04/2025 12:18 am

$$\lim_{x \to 1} \frac{x^2 - 1}{x^2 - x}$$

$$\lim_{x \to 1} \frac{x^3 - 2x^2 + 1}{x^3 - 1}$$

$$\lim_{x \to (\pi/2)^+} \frac{\cos x}{1 - \sin x}$$

$$\lim_{t\to 0} \frac{e^{2t}-1}{\sin t}$$

$$\lim_{x\to 0^+} \frac{\ln x}{x}$$

$$\lim_{x\to 0}\frac{e^x-1-x}{x^2}$$

$$\lim_{u\to\infty}\frac{e^{u/10}}{u^3}$$

