Linear systems in two unknowns

Throughout Linear Algebra, we'll be really interested in solving systems of linear equations, or linear systems. A **linear system** is a system of equations, defined for a set of unknown variables, where each of the variables is linear (the variables are first degree, or raised to the power of 1).

Later on we'll learn about matrices and how to use them to solve linear systems. So in order to have a foundational understanding of what we're doing when we solve systems, we want to take this lesson to review other basic methods for solving systems.

In an introductory Algebra class, we would have learned three ways to solve systems of linear equations: substitution, elimination, and graphing. Let's review the steps for each of those methods.

Substitution method

- 1. Get a variable by itself in one of the equations.
- 2. Take the expression you got for the variable in step 1, and plug it (substitute it using parentheses) into the other equation.
- 3. Solve the equation in step 2 for the remaining variable.
- 4. Use the result from step 3 and plug it into the equation from step 1.



Let's look at an example to make things a little more clear.

Example

Find the unique solution to the system of equations.

$$y = x + 3$$

$$2x - 3y = 10$$

Let's solve the system using the substitution method. Since y is already solved for in the first equation, step 1 is completed, and we'll go on to step 2 by substituting x + 3 for y in the other equation.

$$2x - 3y = 10$$

$$2x - 3(x + 3) = 10$$

Solve for x. Start by distributing the -3.

$$2x - 3x - 9 = 10$$

Combine like terms.

$$-x - 9 = 10$$

Add 9 to both sides.

$$-x - 9 + 9 = 10 + 9$$

$$-x = 19$$



Multiply both sides by -1.

$$-x(-1) = 19(-1)$$

$$x = -19$$

To find y, we'll plug in -19 for x in the first equation.

$$y = x + 3$$

$$y = -19 + 3$$

$$y = -16$$

The unique solution is (-19, -16).

Elimination method

- 1. If necessary, rearrange both equations so that the *x*-terms are first, followed by the *y*-terms, the equals sign, and the constant term (in that order). If an equation appears to have not constant term, that means that the constant term is 0.
- 2. Multiply one (or both) equations by a constant that will allow either the *x*-terms or the *y*-terms to cancel when the equations are added or subtracted (when their left sides and their right sides are added separately, or when their left sides and their right sides are subtracted separately).



- 3. Add or subtract the equations.
- 4. Solve for the remaining variable.
- 5. Plug the result of step 4 into one of the original equations and solve for the other variable.

Let's look at an example with elimination.

Example

Find the unique solution to the system of equations.

$$y = 3x - 4$$

$$-x + 2y = 12$$

First, we'll rearrange the first equation so that its individual parts are in the correct places for elimination. Subtract 3x from both sides.

$$y = 3x - 4$$

$$-3x + y = 3x - 3x - 4$$

$$-3x + y = -4$$

Next, multiply the result above by 2 so that the y-terms will cancel when we subtract the equations.

$$2(-3x + y) = 2(-4)$$



$$-6x + 2y = -8$$

Now we'll subtract the equations.

$$-6x + 2y - (-x + 2y) = -8 - (12)$$

$$-6x + 2y + x - 2y = -8 - 12$$

Combine like terms.

$$-6x + x + 2y - 2y = -20$$

$$-5x + 0 = -20$$

$$-5x = -20$$

Divide both sides by -5.

$$\frac{-5x}{-5} = \frac{-20}{-5}$$

$$x = 4$$

To solve for y, we'll plug in 4 for x in the original first equation.

$$y = 3x - 4$$

$$y = 3(4) - 4$$

$$y = 12 - 4$$

$$y = 8$$

The unique solution is (4,8).



Graphing method

- 1. Solve for *y* in each equation.
- 2. Graph both equations on the same Cartesian coordinate system.
- 3. Find the point of intersection of the lines (the point where the lines cross).

Let's look at an example using the graphing method.

Example

Graph both equations to find the solution to the system.

$$x + 3y = 12$$

$$2x - y = 5$$

In order to graph these equations, let's put both of them into slopeintercept form. Start with the first equation of the system. We get

$$x + 3y = 12$$

Subtract *x* from both sides.

$$x - x + 3y = -x + 12$$



$$3y = -x + 12$$

Divide both sides by 3.

$$\frac{3y}{3} = -\frac{x}{3} + \frac{12}{3}$$

$$y = -\frac{1}{3}x + 4$$

Now we take the second equation.

$$2x - y = 5$$

Subtract 2x from both sides.

$$2x - 2x - y = -2x + 5$$

$$-y = -2x + 5$$


Multiply both sides by (-1).

$$(-y)(-1) = (-2x + 5)(-1)$$


$$y = 2x - 5$$

The line y = -(1/3)x + 4 intersects the y-axis at 4, and then has a slope of -1/3, so its graph is





The line y = 2x - 5 intersects the y-axis at -5, and then has a slope of 2, so if you add its graph to the graph of y = -(1/3)x + 4, you get





Looking at the intersection point, it appears as though the solution is approximately (3.75,2.75). In actuality, the solution is $(27/7,19/7)\approx(3.86,2.71)$, so our visual estimate of (3.75,2.75) wasn't that far off.

