

Effective and Complete Decomposition of Per- and Polyfluoroalkyl¹ Substances and Byproducts in Incineration

Feng ‘Frank’ Xiao, Ph.D., P.E., M.ASCE²

Associate Professor³

Department of Civil and Environmental Engineering⁴

University of Missouri⁵

E2509 Lafferre Hall⁶

Columbia, MO 65211⁷

Email: Feng.Xiao@Missouri.edu⁸

Phone: 573.882.6408⁹

KEYWORDS: PFAS, PPOA, PFOS, GenX, Temperature, Solid Waste¹⁰

Prepared for:¹¹

Environmental Research and Education Foundation¹²

Year of Publication: 2025¹³

FINAL REPORT¹⁴

Prepared for the¹⁵

Environmental Research and Education Foundation¹⁶

EREF¹⁷

Environmental Research & Education Foundation¹⁸

www.erefnd.org¹⁹

Executive Summary¹

The study, led by Dr. Feng ‘Frank’ Xiao from the University of Missouri, investigates various PFAS compounds under different incineration conditions to understand their stability and decomposition mechanisms better. This research is timely as it addresses the persistent challenge posed by per- and polyfluoroalkyl substances (PFAS) in municipal solid wastes, particularly in groundwater and soil impacted by industrial activities and waste disposal practices.²

The report details the conditions under which complete degradation of PFAS occurs,³ emphasizing the temperature-time profiles that achieve high degradation efficiencies. For example, higher temperatures (up to 1000 °C) significantly expedite the degradation process, with all studied PFAS achieving nearly total decomposition within minutes, if not seconds. Findings of this kind are crucial for the development of more effective and efficient waste treatment technologies that can operate at optimal temperatures, thus minimizing the environmental impact of PFAS. The study provides a scientific basis for these operational improvements and also offers a benchmark for regulatory standards concerning the thermal treatment of PFAS.

Moreover, we focused on the post-treatment of products of incomplete degradation (PIPs)⁴ of PFAS, in particular perfluoroalkanes and perfluoroalkenes. We demonstrated that near-complete degradation ($\geq 99\%$) of unsaturated perfluorocarbons (PFCs) like C₇F₁₄ and C₈F₁₆ is achievable at temperatures above 300°C, forming organofluorine compounds as the dominant pathway, whereas saturated PFCs require temperatures exceeding 500°C for similar results. The use of granular activated carbon significantly enhances the degradation efficiency, particularly at lower temperatures, by influencing the pathways and increasing the yield of fluorine. By integrating these findings into their operations, facilities can achieve higher degradation efficiencies, thereby reducing the long-term environmental footprint of PFAS disposal.

Based on the results of this project, incineration appears to be a promising approach for PFAS waste management. However, it is important to note that existing incineration systems were not specifically designed to handle PFAS-containing waste. Our previous studies have shown that certain PFAS compounds can become volatile at moderate temperatures. Therefore, suboptimal incinerator operation may lead to the release of PFAS from the system. Sustainability and efficiency depend on addressing PIPs, potentially by implementing emission control systems to capture fugitive emissions, though such measures would require a thorough cost-benefit analysis and appropriate regulatory support.⁵

In conclusion, the report highlights the potential applications of its findings in improving solid waste management practices through the adoption of scientifically backed thermal treatment strategies. By providing a comprehensive analysis of PFAS degradation under various conditions, it equips stakeholders with the knowledge to implement more effective waste treatment solutions aimed at limiting the environmental circulation of PFAS, thereby contributing to environmental protection and public health. The report advocates for continued research into PFAS treatment technologies, underscoring the importance of innovation in tackling one of the most persistent and challenging pollutants in modern waste management.⁶