

Assignment6

#ASSIGNMENT NO:-6

Data Analytics III 1. Implement Simple Naïve Bayes classification algorithm using Python/R on iris.csv dataset. 2. Compute Confusion matrix to find TP, FP, TN, FN, Accuracy, Error rate, Precision, Recall on the given dataset.

Import libraries and create alias for Pandas, Numpy

```
[1]: import pandas as pd
import numpy as np
```

Import the Iris Dataset

```
[2]: from google.colab import files
files.upload()
```

<IPython.core.display.HTML object>

Saving Iris.csv to Iris.csv

```
[2]: {'Iris.csv': b'Id,SepalLengthCm,SepalWidthCm,PetalLengthCm,PetalWidthCm,Species\n1,5.1,3.5,1.4,0.2,Iris-setosa\n2,4.9,3.0,1.4,0.2,Iris-setosa\n3,4.7,3.2,1.3,0.2,Iris-setosa\n4,4.6,3.1,1.5,0.2,Iris-setosa\n5,5.0,3.6,1.4,0.2,Iris-setosa\n6,5.4,3.9,1.7,0.4,Iris-setosa\n7,4.6,3.4,1.4,0.3,Iris-setosa\n8,5.0,3.4,1.5,0.2,Iris-setosa\n9,4.4,2.9,1.4,0.2,Iris-setosa\n10,4.9,3.1,1.5,0.1,Iris-setosa\n11,5.4,3.7,1.5,0.2,Iris-setosa\n12,4.8,3.4,1.6,0.2,Iris-setosa\n13,4.8,3.0,1.4,0.1,Iris-setosa\n14,4.3,3.0,1.1,0.1,Iris-setosa\n15,5.8,4.0,1.2,0.2,Iris-setosa\n16,5.7,4.4,1.5,0.4,Iris-setosa\n17,5.4,3.9,1.3,0.4,Iris-setosa\n18,5.1,3.5,1.4,0.3,Iris-setosa\n19,5.7,3.8,1.7,0.3,Iris-setosa\n20,5.1,3.8,1.5,0.3,Iris-setosa\n21,5.4,3.4,1.7,0.2,Iris-setosa\n22,5.1,3.7,1.5,0.4,Iris-setosa\n23,4.6,3.6,1.0,0.2,Iris-setosa\n24,5.1,3.3,1.7,0.5,Iris-setosa\n25,4.8,3.4,1.9,0.2,Iris-setosa\n26,5.0,3.0,1.6,0.2,Iris-setosa\n27,5.0,3.4,1.6,0.4,Iris-setosa\n28,5.2,3.5,1.5,0.2,Iris-setosa\n29,5.2,3.4,1.4,0.2,Iris-setosa\n30,4.7,3.2,1.6,0.2,Iris-setosa\n31,4.8,3.1,1.6,0.2,Iris-setosa\n32,5.4,3.4,1.5,0.4,Iris-setosa\n33,5.2,4.1,1.5,0.1,Iris-setosa\n34,5.5,4.2,1.4,0.2,Iris-
```

```
setosa\n35,4.9,3.1,1.5,0.1,Iris-setosa\n36,5.0,3.2,1.2,0.2,Iris-setosa\n37,5.5,3.5,1.3,0.2,Iris-setosa\n38,4.9,3.1,1.5,0.1,Iris-setosa\n39,4.4,3.0,1.3,0.2,Iris-setosa\n40,5.1,3.4,1.5,0.2,Iris-setosa\n41,5.0,3.5,1.3,0.3,Iris-setosa\n42,4.5,2.3,1.3,0.3,Iris-setosa\n43,4.4,3.2,1.3,0.2,Iris-setosa\n44,5.0,3.5,1.6,0.6,Iris-setosa\n45,5.1,3.8,1.9,0.4,Iris-setosa\n46,4.8,3.0,1.4,0.3,Iris-setosa\n47,5.1,3.8,1.6,0.2,Iris-setosa\n48,4.6,3.2,1.4,0.2,Iris-setosa\n49,5.3,3.7,1.5,0.2,Iris-setosa\n50,5.0,3.3,1.4,0.2,Iris-setosa\n51,7.0,3.2,4.7,1.4,Iris-versicolor\n52,6.4,3.2,4.5,1.5,Iris-versicolor\n53,6.9,3.1,4.9,1.5,Iris-versicolor\n54,5.5,2.3,4.0,1.3,Iris-versicolor\n55,6.5,2.8,4.6,1.5,Iris-versicolor\n56,5.7,2.8,4.5,1.3,Iris-versicolor\n57,6.3,3.3,4.7,1.6,Iris-versicolor\n58,4.9,2.4,3.3,1.0,Iris-versicolor\n59,6.6,2.9,4.6,1.3,Iris-versicolor\n60,5.2,2.7,3.9,1.4,Iris-versicolor\n61,5.0,2.0,3.5,1.0,Iris-versicolor\n62,5.9,3.0,4.2,1.5,Iris-versicolor\n63,6.0,2.2,4.0,1.0,Iris-versicolor\n64,6.1,2.9,4.7,1.4,Iris-versicolor\n65,5.6,2.9,3.6,1.3,Iris-versicolor\n66,6.7,3.1,4.4,1.4,Iris-versicolor\n67,5.6,3.0,4.5,1.5,Iris-versicolor\n68,5.8,2.7,4.1,1.0,Iris-versicolor\n69,6.2,2.2,4.5,1.5,Iris-versicolor\n70,5.6,2.5,3.9,1.1,Iris-versicolor\n71,5.9,3.2,4.8,1.8,Iris-versicolor\n72,6.1,2.8,4.0,1.3,Iris-versicolor\n73,6.3,2.5,4.9,1.5,Iris-versicolor\n74,6.1,2.8,4.7,1.2,Iris-versicolor\n75,6.4,2.9,4.3,1.3,Iris-versicolor\n76,6.6,3.0,4.4,1.4,Iris-versicolor\n77,6.8,2.8,4.8,1.4,Iris-versicolor\n78,6.7,3.0,5.0,1.7,Iris-versicolor\n79,6.0,2.9,4.5,1.5,Iris-versicolor\n80,5.7,2.6,3.5,1.0,Iris-versicolor\n81,5.5,2.4,3.8,1.1,Iris-versicolor\n82,5.5,2.4,3.7,1.0,Iris-versicolor\n83,5.8,2.7,3.9,1.2,Iris-versicolor\n84,6.0,2.7,5.1,1.6,Iris-versicolor\n85,5.4,3.0,4.5,1.5,Iris-versicolor\n86,6.0,3.4,4.5,1.6,Iris-versicolor\n87,6.7,3.1,4.7,1.5,Iris-versicolor\n88,6.3,2.3,4.4,1.3,Iris-versicolor\n89,5.6,3.0,4.1,1.3,Iris-versicolor\n90,5.5,2.5,4.0,1.3,Iris-versicolor\n91,5.5,2.6,4.4,1.2,Iris-versicolor\n92,6.1,3.0,4.6,1.4,Iris-versicolor\n93,5.8,2.6,4.0,1.2,Iris-versicolor\n94,5.0,2.3,3.3,1.0,Iris-versicolor\n95,5.6,2.7,4.2,1.3,Iris-versicolor\n96,5.7,3.0,4.2,1.2,Iris-versicolor\n97,5.7,2.9,4.2,1.3,Iris-versicolor\n98,6.2,2.9,4.3,1.3,Iris-versicolor\n99,5.1,2.5,3.0,1.1,Iris-versicolor\n100,5.7,2.8,4.1,1.3,Iris-versicolor\n101,6.3,3.3,6.0,2.5,Iris-virginica\n102,5.8,2.7,5.1,1.9,Iris-virginica\n103,7.1,3.0,5.9,2.1,Iris-virginica\n104,6.3,2.9,5.6,1.8,Iris-virginica\n105,6.5,3.0,5.8,2.2,Iris-virginica\n106,7.6,3.0,6.6,2.1,Iris-virginica\n107,4.9,2.5,4.5,1.7,Iris-virginica\n108,7.3,2.9,6.3,1.8,Iris-virginica\n109,6.7,2.5,5.8,1.8,Iris-virginica\n110,7.2,3.6,6.1,2.5,Iris-virginica\n111,6.5,3.2,5.1,2.0,Iris-virginica\n112,6.4,2.7,5.3,1.9,Iris-virginica\n113,6.8,3.0,5.5,2.1,Iris-virginica\n114,5.7,2.5,5.0,2.0,Iris-virginica\n115,5.8,2.8,5.1,2.4,Iris-virginica\n116,6.4,3.2,5.3,2.3,Iris-virginica\n117,6.5,3.0,5.5,1.8,Iris-virginica\n118,7.0,3.8,6.7,2.2,Iris-virginica\n119,7.2,2.6,6.9,2.3,Iris-virginica\n120,6.0,2.2,5.0,1.5,Iris-virginica\n121,6.9,3.2,5.7,2.3,Iris-virginica\n122,5.6,2.8,4.9,2.0,Iris-virginica\n123,7.7,2.8,6.7,2.0,Iris-virginica\n124,6.3,2.7,4.9,1.8,Iris-virginica\n125,6.7,3.3,5.7,2.1,Iris-virginica\n126,7.2,3.2,6.0,1.8,Iris-virginica\n127,6.2,2.8,4.8,1.8,Iris-virginica\n128,6.1,3.0,4.9,1.8,Iris-
```

```
virginica\n129,6.4,2.8,5.6,2.1,Iris-virginica\n130,7.2,3.0,5.8,1.6,Iris-
virginica\n131,7.4,2.8,6.1,1.9,Iris-virginica\n132,7.9,3.8,6.4,2.0,Iris-
virginica\n133,6.4,2.8,5.6,2.2,Iris-virginica\n134,6.3,2.8,5.1,1.5,Iris-
virginica\n135,6.1,2.6,5.6,1.4,Iris-virginica\n136,7.7,3.0,6.1,2.3,Iris-
virginica\n137,6.3,3.4,5.6,2.4,Iris-virginica\n138,6.4,3.1,5.5,1.8,Iris-
virginica\n139,6.0,3.0,4.8,1.8,Iris-virginica\n140,6.9,3.1,5.4,2.1,Iris-
virginica\n141,6.7,3.1,5.6,2.4,Iris-virginica\n142,6.9,3.1,5.1,2.3,Iris-
virginica\n143,5.8,2.7,5.1,1.9,Iris-virginica\n144,6.8,3.2,5.9,2.3,Iris-
virginica\n145,6.7,3.3,5.7,2.5,Iris-virginica\n146,6.7,3.0,5.2,2.3,Iris-
virginica\n147,6.3,2.5,5.0,1.9,Iris-virginica\n148,6.5,3.0,5.2,2.0,Iris-
virginica\n149,6.2,3.4,5.4,2.3,Iris-virginica\n150,5.9,3.0,5.1,1.8,Iris-
virginica\n'}
```

Initialize the data frame

```
[3]: df=pd.read_csv("Iris.csv")
```

```
[4]: df.head()
```

```
[4]:   Id  SepalLengthCm  SepalWidthCm  PetalLengthCm  PetalWidthCm  Species
0    1             5.1             3.5             1.4             0.2  Iris-setosa
1    2             4.9             3.0             1.4             0.2  Iris-setosa
2    3             4.7             3.2             1.3             0.2  Iris-setosa
3    4             4.6             3.1             1.5             0.2  Iris-setosa
4    5             5.0             3.6             1.4             0.2  Iris-setosa
```

```
[ ]: df.tail()
```

```
[7]: df.describe()
```

```
[7]:   count      Id  SepalLengthCm  SepalWidthCm  PetalLengthCm  PetalWidthCm
count  150.000000    150.000000    150.000000    150.000000    150.000000
mean    75.500000     5.843333     3.054000     3.758667     1.198667
std     43.445368     0.828066     0.433594     1.764420     0.763161
min      1.000000     4.300000     2.000000     1.000000     0.100000
25%     38.250000     5.100000     2.800000     1.600000     0.300000
50%     75.500000     5.800000     3.000000     4.350000     1.300000
75%    112.750000     6.400000     3.300000     5.100000     1.800000
max    150.000000     7.900000     4.400000     6.900000     2.500000
```

Identification of Null Values

```
[6]: df.isnull()
```

```
[6]:   Id  SepalLengthCm  SepalWidthCm  PetalLengthCm  PetalWidthCm  Species
0  False           False           False           False           False  False
1  False           False           False           False           False  False
2  False           False           False           False           False  False
```

```
3  False           False           False           False           False  False
4  False           False           False           False           False  False
..  ...           ...           ...           ...           ...  ...
145 False           False           False           False           False  False
146 False           False           False           False           False  False
147 False           False           False           False           False  False
148 False           False           False           False           False  False
149 False           False           False           False           False  False
```

[150 rows x 6 columns]

```
[8]: df.isna()
```

```
[8]:   Id  SepalLengthCm  SepalWidthCm  PetalLengthCm  PetalWidthCm  Species
0  False           False           False           False           False  False
1  False           False           False           False           False  False
2  False           False           False           False           False  False
3  False           False           False           False           False  False
4  False           False           False           False           False  False
..  ...           ...           ...           ...           ...  ...
145 False           False           False           False           False  False
146 False           False           False           False           False  False
147 False           False           False           False           False  False
148 False           False           False           False           False  False
149 False           False           False           False           False  False
```

[150 rows x 6 columns]

```
[9]: df.isnull().sum()
```

```
[9]: Id              0
SepalLengthCm      0
SepalWidthCm       0
PetalLengthCm      0
PetalWidthCm       0
Species            0
dtype: int64
```

```
[10]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 150 entries, 0 to 149
Data columns (total 6 columns):
#   Column          Non-Null Count  Dtype
---  ---
0   Id              150 non-null   int64
1   SepalLengthCm   150 non-null   float64
```

```

2  SepalWidthCm    150 non-null    float64
3  PetalLengthCm   150 non-null    float64
4  PetalWidthCm    150 non-null    float64
5  Species         150 non-null    object
dtypes: float64(4), int64(1), object(1)
memory usage: 7.2+ KB

```


Detecting Outliers

Detecting outliers using Boxplot:

```
[12]: import seaborn as sns
import matplotlib.pyplot as plt
```

```
[13]: df.boxplot()
```

```
[13]: <Axes: >
```



Use Naive Bayes algorithm(Train the Machine) to Create Model

```
[11]: X = df.drop(['Species'], axis = 1)
Y = df['Species']
```

```
[14]: from sklearn.model_selection import train_test_split
xtrain, xtest, ytrain, ytest = train_test_split(X, Y, test_size =0.
<2,random_state = 0)
```

```
[15]: from sklearn.naive_bayes import GaussianNB
gaussian = GaussianNB()
```

```
[16]: gaussian.fit(xtrain, ytrain)
```

```
[16]: GaussianNB()
```

Predict the y_pred for all values of train_x and test_x

```
[17]: y_pred_xtest = gaussian.predict(xtest)
```

```
[18]: y_pred_xtrain = gaussian.predict(xtrain)
```

```
[19]: print(xtrain)
print("-----\n")
print(xtest)
print("-----\n")
print(ytrain)
print("-----\n")
print(ytest)
print("-----\n")
print(y_pred_xtest)
print("-----\n")
print(y_pred_xtrain)
```

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm
137	138	6.4	3.1	5.5	1.8
84	85	5.4	3.0	4.5	1.5
27	28	5.2	3.5	1.5	0.2
127	128	6.1	3.0	4.9	1.8
132	133	6.4	2.8	5.6	2.2
..
9	10	4.9	3.1	1.5	0.1
103	104	6.3	2.9	5.6	1.8
67	68	5.8	2.7	4.1	1.0
117	118	7.7	3.8	6.7	2.2
47	48	4.6	3.2	1.4	0.2

[120 rows x 5 columns]

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm
114	115	5.8	2.8	5.1	2.4
62	63	6.0	2.2	4.0	1.0

33	34	5.5	4.2	1.4	0.2
107	108	7.3	2.9	6.3	1.8
7	8	5.0	3.4	1.5	0.2
100	101	6.3	3.3	6.0	2.5
40	41	5.0	3.5	1.3	0.3
86	87	6.7	3.1	4.7	1.5
76	77	6.8	2.8	4.8	1.4
71	72	6.1	2.8	4.0	1.3
134	135	6.1	2.6	5.6	1.4
51	52	6.4	3.2	4.5	1.5
73	74	6.1	2.8	4.7	1.2
54	55	6.5	2.8	4.6	1.5
63	64	6.1	2.9	4.7	1.4
37	38	4.9	3.1	1.5	0.1
78	79	6.0	2.9	4.5	1.5
90	91	5.5	2.6	4.4	1.2
45	46	4.8	3.0	1.4	0.3
16	17	5.4	3.9	1.3	0.4
121	122	5.6	2.8	4.9	2.0
66	67	5.6	3.0	4.5	1.5
24	25	4.8	3.4	1.9	0.2
8	9	4.4	2.9	1.4	0.2
126	127	6.2	2.8	4.8	1.8
22	23	4.6	3.6	1.0	0.2
44	45	5.1	3.8	1.9	0.4
97	98	6.2	2.9	4.3	1.3
93	94	5.0	2.3	3.3	1.0
26	27	5.0	3.4	1.6	0.4

137	Iris-virginica
84	Iris-versicolor
27	Iris-setosa
127	Iris-virginica
132	Iris-virginica
	...
9	Iris-setosa
103	Iris-virginica
67	Iris-versicolor
117	Iris-virginica
47	Iris-setosa

Name: Species, Length: 120, dtype: object

114	Iris-virginica
62	Iris-versicolor
33	Iris-setosa
107	Iris-virginica

7	Iris-setosa
100	Iris-virginica
40	Iris-setosa
86	Iris-versicolor
76	Iris-versicolor
71	Iris-versicolor
134	Iris-virginica
51	Iris-versicolor
73	Iris-versicolor
54	Iris-versicolor
63	Iris-versicolor
37	Iris-setosa
78	Iris-versicolor
90	Iris-versicolor
45	Iris-setosa
16	Iris-setosa
121	Iris-virginica
66	Iris-versicolor
24	Iris-setosa
8	Iris-setosa
126	Iris-virginica
22	Iris-setosa
44	Iris-setosa
97	Iris-versicolor
93	Iris-versicolor
26	Iris-setosa

Name: Species, dtype: object

```
['Iris-virginica' 'Iris-versicolor' 'Iris-setosa' 'Iris-virginica'
'Iris-setosa' 'Iris-virginica' 'Iris-setosa' 'Iris-versicolor'
'Iris-versicolor' 'Iris-versicolor' 'Iris-virginica' 'Iris-versicolor'
'Iris-versicolor' 'Iris-versicolor' 'Iris-versicolor' 'Iris-setosa'
'Iris-versicolor' 'Iris-versicolor' 'Iris-setosa' 'Iris-setosa'
'Iris-virginica' 'Iris-versicolor' 'Iris-setosa' 'Iris-setosa'
'Iris-virginica' 'Iris-setosa' 'Iris-setosa' 'Iris-versicolor'
'Iris-versicolor' 'Iris-setosa']
```

```
['Iris-virginica' 'Iris-versicolor' 'Iris-setosa' 'Iris-virginica'
'Iris-virginica' 'Iris-versicolor' 'Iris-setosa' 'Iris-versicolor'
'Iris-versicolor' 'Iris-versicolor' 'Iris-virginica' 'Iris-setosa'
'Iris-virginica' 'Iris-setosa' 'Iris-setosa' 'Iris-versicolor'
'Iris-virginica' 'Iris-virginica' 'Iris-virginica' 'Iris-virginica'
'Iris-versicolor' 'Iris-virginica' 'Iris-versicolor' 'Iris-versicolor'
'Iris-virginica' 'Iris-virginica' 'Iris-versicolor' 'Iris-virginica'
'Iris-versicolor' 'Iris-virginica' 'Iris-versicolor' 'Iris-setosa'
'Iris-virginica' 'Iris-versicolor' 'Iris-versicolor' 'Iris-versicolor']
```

```

'Iris-versicolor' 'Iris-virginica' 'Iris-setosa' 'Iris-setosa'
'Iris-virginica' 'Iris-versicolor' 'Iris-setosa' 'Iris-setosa'
'Iris-versicolor' 'Iris-setosa' 'Iris-virginica' 'Iris-versicolor'
'Iris-setosa' 'Iris-versicolor' 'Iris-virginica' 'Iris-versicolor'
'Iris-setosa' 'Iris-virginica' 'Iris-virginica' 'Iris-virginica'
'Iris-virginica' 'Iris-setosa' 'Iris-setosa' 'Iris-virginica'
'Iris-virginica' 'Iris-setosa' 'Iris-virginica' 'Iris-setosa'
'Iris-virginica' 'Iris-virginica' 'Iris-setosa' 'Iris-setosa'
'Iris-virginica' 'Iris-setosa' 'Iris-setosa' 'Iris-setosa'
'Iris-versicolor' 'Iris-virginica' 'Iris-virginica' 'Iris-setosa'
'Iris-setosa' 'Iris-setosa' 'Iris-versicolor' 'Iris-versicolor'
'Iris-setosa' 'Iris-setosa' 'Iris-versicolor' 'Iris-setosa'
'Iris-virginica' 'Iris-versicolor' 'Iris-virginica' 'Iris-versicolor'
'Iris-setosa' 'Iris-virginica' 'Iris-setosa' 'Iris-virginica'
'Iris-setosa' 'Iris-setosa' 'Iris-virginica' 'Iris-setosa'
'Iris-virginica' 'Iris-versicolor' 'Iris-versicolor' 'Iris-versicolor'
'Iris-virginica' 'Iris-virginica' 'Iris-versicolor' 'Iris-versicolor'
'Iris-setosa' 'Iris-versicolor' 'Iris-virginica' 'Iris-virginica'
'Iris-setosa' 'Iris-versicolor' 'Iris-versicolor' 'Iris-versicolor'
'Iris-versicolor' 'Iris-setosa' 'Iris-setosa' 'Iris-setosa'
'Iris-virginica' 'Iris-versicolor' 'Iris-virginica' 'Iris-setosa']

```

Evaluate the performance of Model for train_y and test_y

```

[20]: from sklearn.metrics import
      precision_score, confusion_matrix, accuracy_score, recall_score, classification_report

```

Confusion Matrix

```

[21]: cm= confusion_matrix(ytest, y_pred_xtest)
      cm

```

```

[21]: array([[11,  0,  0],
            [ 0, 13,  0],
            [ 0,  0,  6]])

```

Accuracy Score

```

[25]: print ("Accuracy : ", accuracy_score(ytest, y_pred_xtest))

```

Accuracy : 1.0

Error Rate

```

[26]: error_rate = 1- accuracy_score(ytest, y_pred_xtest)
      error_rate

```

```

[26]: 0.0

```

Classification Report

```

[27]: print("classification report: ",classification_report(ytest, y_pred_xtest))

```

classification report:			precision	recall	f1-score	support
Iris-setosa	1.00	1.00	1.00	11		
Iris-versicolor	1.00	1.00	1.00	13		
Iris-virginica	1.00	1.00	1.00	6		
accuracy			1.00	30		
macro avg	1.00	1.00	1.00	30		
weighted avg	1.00	1.00	1.00	30		