



# **SPAI Manual**

Version 0.0.01

SPAI Group, IIT Kharagpur  
April 9, 2024

# Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>SPAI Groups' Expectations</b>	<b>3</b>
2.1	Desirable Research Projects/Questions . . . . .	4
2.2	Desirable Way to Conduct Research Project . . . . .	5
2.3	Desirable Target Venues for Publishing . . . . .	5
2.4	Desirable Target Aims for Different Group . . . . .	7
<b>3</b>	<b>SPAI Groups' Philosophy</b>	<b>8</b>
3.1	On Research . . . . .	8
3.2	On Doing Experiments . . . . .	9
3.3	On Doing Mathematics . . . . .	10
<b>4</b>	<b>Motivation for Complex-valued AI</b>	<b>12</b>
4.1	Notes on History . . . . .	13
<b>5</b>	<b>GPU Server Tips and Tricks</b>	<b>15</b>
5.1	How to Create a User Account in Server (only for Admin) . . . . .	15
5.2	How to Access a User Account in Server . . . . .	15
5.3	How to Transfer files from One's Computer to Server . . . . .	16
5.4	How to Create Project-Specific Virtual Environments . . . . .	16
5.4.1	How to Install Miniconda Dedicatedly for a User . . . . .	17
5.4.2	How to Create a Project-Specific Conda Environment . . . . .	17
5.5	How to use Screen for Training . . . . .	18
5.6	How to use VS Code as a Graphical Interface of Server . . . . .	19
5.7	Selecting Specific GPU(s) in a Server for Training . . . . .	20
<b>6</b>	<b>Pytorch Tips and Tricks</b>	<b>21</b>
6.1	Assignment for Beginners . . . . .	21
<b>7</b>	<b>L<sup>A</sup>T<sub>E</sub>X Tips and Tricks</b>	<b>22</b>
7.1	How to Start an Overleaf to Write Papers . . . . .	22
7.2	How to include Figures . . . . .	22
7.3	How to add Tables . . . . .	23
7.4	How to add Lists . . . . .	24
7.5	How to write Mathematics . . . . .	25
7.6	How to customize the template . . . . .	25




Figure 1: Motivation of the SPAI Manual

## 1 Introduction

Dear student, we welcome you to the Signal Processing and Artificial Intelligence (SPAI) Group! This document is a manual created by SPAI Group using  $\text{\LaTeX}$ . The main purpose of this document is to help you with understanding the SPAI Group expectations. Further this helps you to *not* reinvent the wheel our SPAI predecessors had already found out, but to stand on their shoulders to see further, and explore new research territories.

Let us start by remembering SPAI Group's Vision!

SPAI Group's Vision: "*As a young citizen of India, armed with technology, knowledge and love for my nation, I realize, small aim is a crime.*" – A P J Abdul Kalam, People's President **AND** "*Science is a collaborative effort. The combined results of several people working together is often much more effective than could be that of an individual scientist working alone.*" – John Bardeen, Nobel Prize in both 1956 and 1972.

## 2 SPAI Groups' Expectations



Figure 2: An Ideal Mentor-Student Relationship: John Bardeen (right), two-times Nobel Laureate and Nick Holonyak (left), the inventor of LED, who was his research student and later joined as a Professor in the Univ of Illinois.

SPAI Group's aim is World-class Research. We follow the clarion of Prof. Nick Holonyak's group in UIUC (pioneers of LED): *"We are a small group out here .... We have to beat the 200-person, large budget group in top places. We can do it as long as we work hard and fast. A small group with good ideas and hard work, we can do better than these large groups in well-funded places."*

We insist a healthy and professional environment within and outside the group. A scientific advancement of one member should be an advancement of the entire group. More important, getting motivation by comparing with others who did well is fine, but spoiling your self-esteem by comparisons is *not at all* acceptable. Ultimately, each SPAI member should develop an instinct for invention, an ability to focus on the problem at hand, the skillfulness to juggle multiple approaches, and a fierce determination to pursue that problem to a successful conclusion. We want your tenure in the SPAI group as one of your fondly remembered time period in your life – where you can revisit yourself growing *stronger* Scientifically, Morally, and Mentally!

## 2.1 Desirable Research Projects/Questions

First of all, SPAI group follow Nobel Laureate Robert Lefkowitz's philosophy<sup>1</sup>. A piece of advice that he gives to new members of his lab on their first day is, "You can work on any project you want, as long as two conditions are met: the first is that you should be very excited about your project, and the second is that I should be very excited about your project." Those two conditions are not sufficient for a given project to succeed, but they are necessary. Research is 90 percent failure, so it's easy for students to get down when their project isn't going well. A vital role for mentors is to help trainees pumped up so they can make it through the hard times and maintain their focus.

Next, we urge all works of SPAI Group to be of basic research<sup>2</sup>, with strong theories backed by rigorous experiments. Basic (aka fundamental or pure) research is driven by a scientist's curiosity or interest in a scientific question (as opposed to Applied research, where research is driven by a specific industrial application). What is then a good Scientific Question for conducting basic research? According to two-times Nobel Laureate John Bardeen<sup>3</sup>, a good question must have three important requirements:

1. "First of all", look at "whether there is a *technological basis*" for the work. "If you think something in some theory but it can never be realized because there is no technology there, you are working in empty space."
2. Second, the problem needed to be *challenging*, "because if it's so simple that you can do it on the back of an envelope, well, the project is over."
3. Third, the research should have *applications potential*. "That's what most people in basic science overlook. If you do something and you want it to have importance, it has to mean something to the people."

Bardeen's scientific legacy is extraordinary for its breadth and depth. According to him, it is very important to theorists to immerse themselves in experimental data and be guided by that. Some students have more aptitude in theoretical analysis, whereas others like more of experimental analysis. We insist both types of students to reinforce each others' research. Ultimately, we encourage everyone to find out for themselves derive mathematical insights, design an experiment, and interpret results.

<sup>1</sup><https://www.insidehighered.com/advice/2021/01/26/nobel-laureate-shares-10-rules-being-effective-mentor-young-research-scholars>

<sup>2</sup><https://www.nature.com/articles/028510a0>

<sup>3</sup><https://www.currentscience.ac.in/Volumes/85/11/1636.pdf>

## 2.2 Desirable Way to Conduct Research Project

We urge SPAI group to follow Bardeen's *nine-fold way*<sup>4</sup> to solve research problems:

- i Focus first on the experimental results through reading and personal contact – (Carefully analyse experimental results and identify gaps).
- ii Develop a phenomenological description that ties different experimental results together – (Reason out how and why this happen).
- iii Explore alternative physical pictures and mathematical descriptions *without* becoming wedded to any particular one – (Do not insist that a theory in some paper is right or your theory is right).
- iv Macroscopic arguments or higher-level view have precedence over microscopic calculations or intricate views – (A theory or logic should first carry a purpose or goal, then second, a reason for why it is true. After that only, a detailed mathematical proof or validity matters).
- v Focus on physical understanding or truth, *not* mathematical elegance, and use the simplest possible mathematical description of system – (Try to use simpler mathematics to prove theory or validate logic).
- vi Keep up with new theoretical techniques or new solutions – for one of them may prove useful – (Always stay updated on your research area).
- vii Decide on a specific model or method as the penultimate, not the first, step toward a solution – (Finalize a Theory or Logic after experiments).
- viii Choose the right collaborators – (Collaborators need to have complementary strength and willingness to work).
- ix **DON'T GIVE UP**: Stay with the problem until it is solved. – (Difficulties are natural in research. If you change problem, you tend to keep changing your problems when difficulties arise, and no problem bear fruit.)

## 2.3 Desirable Target Venues for Publishing

If you publish in top tier venues, then only your work gets better visibility. Getting one top tier publication is equivalent to getting three low impact publications; at the same time no one appreciates the latter. Top tier publications

---

<sup>4</sup><https://www.nasonline.org/publications/biographical-memoirs/memoir-pdfs/bardeen-john.pdf>



require solid idea, extensive experimentation that unambiguously validate your idea, and good paper presentation. The acceptance percentage is usually around 17%, which means 83 out of 100 papers will be rejected! To show the strength of SPAI Group, aiming for nothing less than the following venues in Tables 1-2 are acceptable (remember SPAI's Vision in Sec. 1).

Desirable Conference Venue List		
Conference Name	h5-index (↑)	Deadline
Conference on Computer Vision and Pattern Recognition ( <b>CVPR</b> )	422	Mid of Nov
Neural Information Processing Systems ( <b>NeurIPS</b> )	309	Mid of May
International Conference on Learning Representations ( <b>ICLR</b> )	303	Mid of March
International Conference on Machine Learning ( <b>ICML</b> )	254	End of January
International/European Conference on Computer Vision ( <b>ICCV/ECCV</b> )	228/238	Mid of March
AAAI Conference on Artificial Intelligence ( <b>AAAI</b> )	212	Mid of August

Table 1: Venues arranged according to h5-index. An h-5 index of 200 means that that conference has published 200 articles in the previous 5 years that have 200 or more citations each.

Desirable Journal Venue List		
Journal Name	h5-index (↑)	SJR (↑)
IEEE Transactions on Pattern Analysis and Machine Intelligence ( <b>TPAMI</b> )	397	4.447
Expert Systems with Applications ( <b>ESA</b> )	249	1.873
Journal of Machine Learning Research ( <b>JMLR</b> )	239	2.281
IEEE Transactions on Neural Networks & Learning Systems ( <b>TNLS</b> )	234	3.447

Table 2: Journal Venues arranged according to the h-5 index and SCImago Journal Rank (SJR). The SJR indicator is a measure of the prestige of scholarly journals that accounts for both the number of citations received by a journal and the prestige of the journals where the citations come from.

We prioritize conference submission as it has less and definite time for the paper to be published, if accepted (as compared to Journals). If at first a conference paper got rejected, we can revise and resubmit to utmost 2 more conferences; if still the paper is struggling, then we suggest submitting the revised version to a Journal.

## 2.4 Desirable Target Aims for Different Group

We expect the results in Table 3 after the completion of your tenure in SPAI Group. To accomplish this requires sincerity, hard work, and tenacity.

Role	Requirement	Desirable Target Aim
PhD	More than 3 first-author top-tier publications	Postdoc in top foreign Univ (MIT, Stanford, UIUC, etc)
BTP/MTP	More than 1 co-author top-tier publication	Direct PhD in top foreign Univ (NOT include MS Program)

Table 3: Desirable Target Aims for different Group.



### 3 SPAI Groups' Philosophy

*The one who follows the crowd will usually get no further than the crowd. The one who walks alone, is likely to find himself in places no one has ever been.*

— Albert Einstein

*Good timber does not grow with ease:  
The stronger wind, the stronger trees;  
The further sky, the greater length;  
The more the storm, the more the strength.  
By sun and cold, by rain and snow,  
In trees and men good timbers grow.*

*Where thickest lies the forest growth,  
We find the patriarchs of both.  
And they hold counsel with the stars  
Whose broken branches show the scars  
Of many winds and much of strife.  
This is the common law of life.*

– From Poem: "Good Timber" by Douglas Malloch

#### 3.1 On Research

"A researcher should get to the wood and not be lost in the foliage. The essence of Science is independent thinking, hard work and not equipment. When I got my Nobel Prize, I had hardly spent Rs. 200 on my equipment. See my 'Physiology of Vision' research. All the equipment with which I worked for this book is here in my table drawer, devised by me". Rarely indeed are any scientific discoveries made except as the result of a carefully thought-out programme of work. They come, if they do come, as the reward of months or years of systematic study and research in a particular branch of knowledge.

— Nobel Laureate C V Raman

I think one of the things that I would sort of come first to me is this idea of, *don't just believe that because something is trendy, that it's good*. I'd probably go the other extreme where if I find too many people adopting a certain idea I'd probably think it's wrong or if, you know, if my work had become too popular I probably would think I had to change. This is, of course, ridiculous but I see the the other side of it too: too often where people will do something

against their own gut instincts because they think the community wants them to do it that way, so people will work on a certain subject even though they aren't terribly interested in it because they think that they'll get more prestige by working on it. I think *you get more prestige by doing good science than by doing popular science because if you go with what you really think is important then it's a higher chance that it really is important in the long run and it's the long run which has the most benefit to the world.*

— "Father" of the analysis of algorithms, Donald Knuth

*My advice to young people is: be curious and use your energy to develop the skills, the confidence and the knowledge to make the big discoveries and the groundbreaking inventions that will mark this century. There is plenty we don't know yet. Invest in your future through study. Any research resembles a marathon race with numerous challenges on your path you need to overcome — that gives you the strength to continue the race and brings you one step closer to your goal. There are many fields that haven't yet been discovered and I want (younger researchers) to challenge the unknown and pave new ways, without following the paths of others*

— Nobel Laureate Akira Yoshino<sup>5</sup>

If you want to have impact, you've got to do the basic science. That said, the beauty of bench research in the laboratory is that in the end you know precisely what you have proven, or disproven, and with what plus or minus degree of confidence. Intellectually, I march to the beat of my own drum and have little interest in competing in "races". There are too few people working in my research area, too little funding, too many problems and too little time.

— Nobel Laureate Peter Dorothy

## 3.2 On Doing Experiments

"Failure in experiments happens many times. In the beginning I got disappointed. Soon after I realize that Failure was telling me something very important. It happened many times, and now I see any failure as a chance. In the beginning it is difficult, you can get disappointed; but you should realize its importance *as long as you did your experiments in a proper way. You must have good control in any experiment, don't skip control, both positive*

---

<sup>5</sup><https://www.nobelprize.org/prizes/chemistry/2019/yoshino/biographical/>

*and negative control. That I think is essential, very important. If you have good control, but did not get results, that result will teach you something new". "Now I can see any failure as a chance. That result will teach you something else, something new. After nine failures, there should be one success! (Make sure failure is not a bad failure, i.e., having done something hasty or without thoughts)".*

— Nobel Laureate **Shinya Yamanaka**<sup>6</sup>

*My pieces of advice are: Number one, become an expert in something you like. Try to be the best in something you like. Once you are an expert and someone criticizes you, then you can say "you may be the greatest scientist in the world but I am an expert in this". Number two, pay attention to details, especially surprising details that you don't expect. And if you find something strange, don't let it disappear. Study and find out what it is. Sometimes it will be an artifact, but in some cases, you've made a great discovery that will determine your success in science and your career. So be like a Rottweiler: bite and don't let go! And if somebody says this is rubbish, say "don't tell me it's not in the book. Show me what's wrong". Check yourself ten times before you start talking. Make sure you don't make a mistake. But as an expert, trust yourself.*

*"Know what to expect, know what not to expect. Be such an expert that when you make an observation and you check your results time and again, and you are sure you are correct, you can stand tall."*

— Nobel Laureate Daniel Shechtman

### 3.3 On Doing Mathematics

Most mathematicians are likely to be confined within a conceptual framework, a "Universe" fixed once and for all - one they basically found as "complete" during their education. They are like the heirs of a great and beautiful fully-equipped house, with living rooms and kitchens and workshops, and cookware and tools in all corners, but in which you can still cook and tinker. How this house was gradually built over generations, and how and why such tools (but not others) were designed and crafted...), why the rooms are laid out and developed in a certain way here, but in another way there - these are all issues that the heirs would not dream to question. That's "the universe", the "given" in which one must live, and that's all there is to it! It's something

---

<sup>6</sup><https://www.nobelprize.org/prizes/medicine/2012/yamanaka/biographical/>

that looks great (and they most likely haven't even explored all the rooms), but familiar at the same time; but most of all it is immutable.

But you have to work to be a rare-breed like me, a lineage of mathematicians whose spontaneous vocation and joy is constantly building new homes. Along the way, they also can't help inventing and giving shape to tools, utensils, furniture and required instruments, not only for building the house from the foundation all the way up to the top, but also for copiously filling in future kitchens and future workshops, and furnishing the home to be able to live in it comfortably. However, once everything to the last gutter and the last stool is set, it's rare that the worker takes the time to linger in these places, where every stone and every rafter bears the trace of the hand that has worked on it and put it in place. His place is not in the tranquility of the ready-made universe, as welcoming and as harmonious as it is - it has been arranged by his own hands or by those of his predecessors. Other tasks in other places are already calling him, pressing urges (to satisfy needs) that he is the only one to feel; or perhaps he anticipates needs that he's the only one to sense. His place is in the open air. He is a friend of the wind and is not afraid to be alone with his task.

*It is in this gesture of "going beyond," to be something in oneself rather than the pawn of a consensus, the refusal to stay within a rigid circle that others have drawn around one-it is in this solitary act that one finds true creativity. All others things follow as a matter of course.*

— Field Medalist (similar to Nobel in Mathematics) [Alexander Grothendieck](#)<sup>7</sup>

One of the reasons that some pupils have a fear of mathematics is that it is a subject where you can get stuck. The fear of being stuck may well return, even to an experienced teacher! even professional mathematicians get stuck on problems. Being stuck isn't a nasty side effect of doing mathematics – it is what the subject is all about. "Even people who are very good at mathematics sometimes find this hard to get used to. They feel they're failing ." *But being stuck, Wiles said, isn't failure. "It's part of the process. It's not something to be frightened of." Wiles knows that the mathematician's battle is emotional as much as intellectual. You need to quiet your fear, harness your joy, and cope effectively with the doubt we all feel when stuck on a problem. For Wiles, doing mathematics is not merely the flexing of an intellectual muscle. It is a long and harrowing journey, so rich and involving that it becomes tactile, sensory, literal.*

— Abel Medalist Andrew Wiles

---

<sup>7</sup><https://www.nobelprize.org/prizes/medicine/2012/yamanaka/biographical/>

## 4 Motivation for Complex-valued AI



Figure 3: Stamps related to Complex Values.

*Each Mathematician for himself, and not anyone for any other, not even all for one, must tread that more than royal road which leads to the palace and sanctuary of mathematical truth – Hamilton*

*At first, the thing seemed to me to be based more on sophism than on truth, but I searched until I found the proof – Rafael Bombelli*

*The imaginary numbers are a fine and wonderful refuge of the Divine Spirit, almost an amphibian between being and non being. – Leibniz*

*If this subject has hitherto been considered from the wrong viewpoint and thus enveloped in mystery and surrounded by darkness, it is largely an unsuitable terminology which should be blamed. Had +1, -1 and -1, instead of being called positive, negative and imaginary (or worse still, impossible) unity, been given the names say, of direct, inverse and lateral unity, there would hardly have been any scope for such obscurity. – Gauss*

*In effect, if one extends these functions by allowing complex values for the arguments, then there arises a harmony and regularity which without it would remain hidden. – Riemann*

*The shortest path between two truths in the real domain passes through the complex domain. – Jacques Hadamard*

## 4.1 Notes on History

Time	Development
50 AD	Heren of Alexandria obtained impossible pyramid when encountered $\sqrt{81 - 114}$
486 AD	Bhaskara Acharya says no square-root for negative number.
600 AD	Brahmagupta's soln for quadratic $-b \pm \sqrt{\frac{b^2 - 4ac}{2a}}$ , recognized only positive real roots.
850 AD	Mahavira Acharya says negative is not a square.
1500s	Tartaglia soln of cubic equations
1539	Cardano obtained Tartaglia's solution (promising not to reveal)
<b>1545</b>	Cardano's 'Ars Magna' acknowledged Imaginary numbers, but as mental torture.
1572	Rafael Bombelli* set down rules for complex multiplication
1685	John Wallis' geometry interpretation (that no more absurd than negative numbers).
1700s	Rene Disccartes coined the name imaginary, meaning fictious or derogatory
1750s	Euler coined $i = \sqrt{-1}$ and $e^{i\theta} = \cos \theta + i \sin \theta$
1800s	Gauss coined the phrase complex number.
1800s	Leibiniz provided deeper understanding of algebra using complex numbers.
1806	Argand provide geometrical interpretation of complex numbers and introduced modulus.
1814	Cauchy initiated complex function theory.
1820s	Henrik Abel boldly used complex numbers for Abelian functions.
1825	Cauchy introduced analytic function and Contour integration.
1843	Hamilton* expanded complex numbers to quartenion and $\nabla$ , used by Maxwell for Electromagnetics.
1850s	Weistrass connected absolute value to modulus.

Table 4: Complex Numbers' timeline

The descriptions of complex numbers in Table 4 are not the end of the story. Various developments in the 19th and 20th centuries enabled us to gain a deeper insight into the role of complex numbers in mathematics (algebra, analysis, geometry, and the most fundamental work of Peter Gustav Lejeune Dirichlet (1805-59) in number theory); engineering (stresses and strains on beams, resonance phenomena in structures as different as tall buildings and



suspension bridges, control theory, signal analysis, quantum mechanics, fluid dynamics, electric circuits, aircraft wings, and electromagnetic waves); and physics (relativity, fractals, and the Schrodinger equation).

\*[Table 4, 1572] Excerpts from Bombelli's algebra,

"Plus times plus makes plus

Minus times minus makes plus

Plus times minus makes minus

Minus times plus makes minus

Plus 8 times plus 8 makes plus 64

Minus 5 times minus 6 makes plus 30

Minus 4 times plus 5 makes minus 20

Plus 5 times minus 4 makes minus 20"

\*[Table 4, 1843] Quaternion, in algebra, is a generalization of two-dimensional complex numbers to three dimensions. Quaternions and rules for operations on them were invented by Irish mathematician Sir William Rowan Hamilton in 1843. Hamilton devoted the last 22 years of his life to the development of the theory of quaternions and related systems. For him, quaternions were a natural tool for the investigation of problems in three-dimensional geometry.




Figure 4: Theory of Complex Case = Theory of Everything



## 5 GPU Server Tips and Tricks

Pl read this if you are assigned a GPU server credential in the SPAI group (this usually happens once a student completes the literature study).

### 5.1 How to Create a User Account in Server (only for Admin)

An example of how to create a new user with the preferred location. Note that this needs Admin privileges.

```
1 $ pwd # See whether you are in the preferred dir
2 $ mkdir /SPAI_ons # This is a comment
3 $ sudo useradd -m -d /SPAI_ons SPAI_ons
4 $ sudo passwd SPAI_ons
5 $ spai_password # Provide password (you cannot see the characters)
```

An example of how to delete the new user. Note that this needs Admin privileges.

```
1 $ pwd # See whether you are in the preferred dir
2 $ sudo userdel SPAI_ons
```

(To avoid cluttering, please create various user accounts clubbed based on projects.)

### 5.2 How to Access a User Account in Server

An example of how to access a user account. Suppose the IP of the system is 10.21.9.14. Open a terminal and type:

```
1 $ ssh SPAI_ons@10.21.9.14
2 $ spai_password # Provide password (you cannot see the characters)
```

If you are accessing your allotted User Account for the first time, create a directory/folder with your name. All your data, codes, packages and operations must confine to your directory (specifically when deleting something).

```
1 $ mkdir my_name
2 $ cd my_name # Change working dir to yours
3 $ pwd # Print working dir; use this to verify you are in your dir
```

If needed, one can check the free space available and GPU spec as follows:

```
1 $ df -Ph . | tail -1 | awk '{print $4}' # Check free space available
2 $ nvidia-smi # Check number of GPUs, their utilization, and specs
```

### 5.3 How to Transfer files from One's Computer to Server

Use the command scp which stands for Secure copy (Linux/Unix) or pscp (Windows) to securely move folders or files from a local computer onto remote server. For pscp, one needs to install PuTTY software in Windows. Below is a demonstration of scp (change scp to pscp in Windows machine).

1. Transfer files from local machine to remote host.

```
1 $ scp -R /sourcepath/source_dir_or_file
   ↪ remote_user@10.13.13.11:/path/to/remote/directory
```

2. Transfer files from remote host to local machine.

```
1 $ scp -R remote_user@10.13.13.11:/path/to/remote/directory
   ↪ /sourcepath/source_dir_or_file
```

### 5.4 How to Create Project-Specific Virtual Environments

Suppose you are working on a research project that requires Pytorch 1.1, and its dependencies, while another environment associated with a finished project has Pytorch 2.1 (perhaps because version 1.1 was the most current version at the time the project finished). If you upgraded to V2.1, your previous project may throw errors due to some feature in V1.1 got superseded.

Virtual environments (like Conda) keep these dependencies in separate “sandboxes” so you can switch between both applications easily and get

them running. Conda is an open source package management system and environment management system that quickly installs, runs and updates packages and their dependencies. Conda comes in two broad forms: *Anaconda* with large with lots of programs in it already, and *Miniconda* that is more lightweight and then we can install just what we want. We recommend independent Miniconda for each user (Sec. 5.4.1). With this, a user can create as many project-specific Conda environment as needed (Sec. 5.4.1).

#### 5.4.1 How to Install Miniconda Dedicatedly for a User

A dedicated Miniconda for each user avoids accidental modification/deletion of other users' Conda environments. Each user is supposed to work using the Miniconda installed on one's own Directory. One can install Miniconda dedicatedly for oneself as

```
1 $ cd my_name # Change working dir to yours
2 $ mkdir -p ./miniconda3 # Create a subdir to install minicaonda
3 $ wget
   ↪ https://repo.anaconda.com/miniconda/Miniconda3-latest-Linux-x86_64.sh
   ↪ -O ./miniconda3/miniconda.sh # Download latest miniconda version
4 $ bash ./miniconda3/miniconda.sh -b -u -p ./miniconda3 # run the
   ↪ install script
5 $ rm -rf ./miniconda3/miniconda.sh # delete the install script
6 $ ./miniconda3/bin/conda list # If success, you will see a list.
```

#### 5.4.2 How to Create a Project-Specific Conda Environment

Suppose that you want to create a environment for your current project, say "CvnnProject".

```
1 $ ./miniconda3/bin/conda create --name CvnnProject # Create Env
2 $ ./miniconda3/bin/conda env list # Verify Env is created
3 $ source ./miniconda3/bin/activate ./miniconda3/envs/CvnnProject #
   ↪ If activated the Env, you may see (CvnnProject) in Terminal.
```

Suppose the current project require Pytorch GPU (note that default Pytorch installation is CPU based). Do an internet search 'how to install pytorch gpu in conda'. For example, staying inside the CvnnProject environment,

```
1 $ conda install conda-forge::pytorch-gpu # Install Pytorch-gpu
   ↳ inside CvnnProject
```

Suppose one wants to install Torchvision in CvnnProject environment:

```
1 $ conda install -c conda-forge libpng
2 $ conda install -c conda-forge libjpeg
3 $ conda install torchvision -c pytorch
```

Once you installed the packages/dependencies for the CvnnProject, now we can run the codes we want.

```
1 $ python my_pytorch_training.py
```

If one want to deactivate the current environment, and activate a different environment (already created before):

```
1 $ conda deactivate
2 $ ./miniconda3/bin/conda env list # See available envs and identify
   ↳ the required env
3 $ ./miniconda3/bin/conda create --name required_env
```

If one wants to *permanently delete* an environment

```
1 $ ./miniconda3/bin/conda env remove --name unwanted_env
```

## 5.5 How to use Screen for Training

Deep Learning training usually takes long hours; however closing your ssh terminal (Sec. 5.2) in your local computer terminates that particular session and hence your training program. Screen solves this issue. Screen allows to run a long-running task in screen, detach, disconnect. The job will still be running in screen and one can come back later, reattach, and check its progress. In addition, Screen allows to run multiple tasks without making multiple ssh connections to a remote server.

To create a screen named MyName (do this before activating your env),

```
1 $ screen -S MyName # Create screen
2 $ echo $STY # Verify if you are in Screen (MyName will be shown)
```

To detach a screen, type **ctrl-a + d** key combinations. To attach an old screen again,

```
1 $ screen -ls # List all existing screens, & identify old Screen name
2 $ screen -r OldScreen # Attach using the selected Screen name
```

To quit any screen, first detach and type

```
1 $ screen -X -S MyName quit
```

## 5.6 How to use VS Code as a Graphical Interface of Server

The Visual Studio Code Remote - SSH extension allows you to open a remote folder and edit files on any remote GPU server and run codes. Once connected to a server, you can edit program files and folders in an interactive fashion anywhere on the remote file system, using full advantage of VS Code's feature set. It appears as if you are working with VS Code in your Laptop, but the changes you made and code execution take place in the server. No source code needs to be on your local machine to gain these benefits since the extension runs commands and other extensions directly on the remote machine. Follow the following steps to use VS code ([See here for a nice detailed illustration<sup>8</sup>](#)):

1. Install VS Code from Microsoft in your system (if it is not present).
2. Open VS Code, and Install the Remote - SSH extension.
3. Click "Connect to" and give ssh details (see Sec. 5.2).
4. Click "Open Folder" and navigate to your particular folder.
5. Now you can find/edit your codes, and even open VSCode's terminal which is now nothing but the remote GPU Server terminal.

We recommend trying Jupyter notebook extension in VSCode to have an interactive way for troubleshooting and visualizing.

<sup>8</sup><https://carleton.ca/scs/2023/vscode-remote-access-and-code-editing/>

## 5.7 Selecting Specific GPU(s) in a Server for Training

To select specific GPUs to run a training code, say `YourScript.py`

```
1 $ CUDA_VISIBLE_DEVICES=0 python YourScript.py # Select first GPU
2 $ CUDA_VISIBLE_DEVICES=1 python YourScript.py # Select second GPU
3 $ CUDA_VISIBLE_DEVICES=0,1 python YourScript.py # Select 2 GPUs (if
   ↪ Pytorch code has multi-gpu training instructions.)
```

Note that the above command instructs the system that only the specified GPU(s) are visible. As a result, the system *re-index* the GPUs according to its visible GPUs. E.g., if you select `device=4`, the system outputs `cuda:0` corresponding to the 1st GPU (even though your code runs in the 4th GPU).

One has to explicitly code in Pytorch as illustrated [multi-gpu training](https://pytorch.org/tutorials/beginner/blitz/data_parallel_tutorial.html)<sup>9</sup>. Even if a code has multi-gpu training instructions, one can train using a single GPU by selecting a single GPU. However, if a code does *not* have multi-gpu training instructions, one *cannot* use multiple GPUs even if one selects multiple GPUs (here the training happens in the first GPU in the list).

---

<sup>9</sup>[https://pytorch.org/tutorials/beginner/blitz/data\\_parallel\\_tutorial.html](https://pytorch.org/tutorials/beginner/blitz/data_parallel_tutorial.html)

## 6 Pytorch Tips and Tricks

### 6.1 Assignment for Beginners

If you are a beginner, please understand completely the following [Pytorch Tutorial](#)<sup>10</sup>. If you got assigned a SPAI GPU Server, you should try executing the same in your assigned Server and collect similar results (following Sec. 5). First run in CPU and then run in GPU. Train the code using Screen (Sec. 5.5).

```
1 $ python my_pytorch_code.py # Run in One's Project-specific Conda  
  ↪ Environment
```

While the code is running, create a different Screen to find the GPU memory utilization and Volatile GPU utility. If your code runs in GPU, you should be able to find in the Terminal, your code in the processes section, the GPU where your code is running, and corresponding memory usage.

```
1 $ nvidia-smi -l
```

If there exist free GPU memory, you may run additional codes in the same GPU (no need to care about GPU utility even if it is 100% (or 30%) as this tells your data loader works faster (or slower) than GPU processes the data).

---

<sup>10</sup>[https://pytorch.org/tutorials/beginner/blitz/cifar10\\_tutorial.html](https://pytorch.org/tutorials/beginner/blitz/cifar10_tutorial.html)



## 7 $\text{\LaTeX}$ Tips and Tricks

Pl read this if you are ready to write a paper (this usually happens once a student completes the exploratory and/or experimental study). First of all, there are 3 rules to be followed while writing mathematics expressions: see [Mermin's description](#)<sup>11</sup>. Second, we recommend reading [Freeman's advice](#)<sup>12</sup> on how to write papers to avoid paper rejections due to some silly reasons (this doc is from pre-DeepLearning era, but it is true now as well).

### 7.1 How to Start an Overleaf to Write Papers

Two advantages of  $\text{\TeX}$  over text editors and word processors: high-quality typesetting (especially for math) and the ability to automate formatting.  $\text{\LaTeX}$  easily produce PDFs with hyperlinks, table of contents, indices, etc, with an excellent referencing system to cite papers.

Top tier conferences (ICLR, NeurIPS, CVPR, ICCV, ECCV, etc) and Journals (PAMI, TIP, TMLR, etc) provide their paper templates in zip file. To start writing paper, you can create a project in Overleaf and upload the zip file in your project (as illustrated [here](#)<sup>13</sup>). With Overleaf, all the formatting and numbering is handled automatically according to the template you've chosen. Overleaf allows you to share this with your collaborators, who can also write in parallel some other sections of the paper.

### 7.2 How to include Figures

First you have to upload the image file from your computer using the upload link in the file-tree menu. Then use the `includegraphics` command to include it in your document. Use the figure environment and the caption command to add a number and a caption to your figure. See the code for Figure 5 in this section for an example.

Note that your figure will automatically be placed in the most appropriate place for it, given the surrounding text and taking into account other figures or tables that may be close by. You can find out more about adding images to your documents in this help article on [including images on Overleaf](#).

```
1 \begin{figure}  
2 \centering
```

<sup>11</sup><http://www.ai.mit.edu/courses/6.899/papers/mermin.pdf>

<sup>12</sup><https://billf.mit.edu/sites/default/files/documents/cvprPapers.pdf>

<sup>13</sup>[https://www.overleaf.com/learn/how-to/Uploading\\_a\\_project](https://www.overleaf.com/learn/how-to/Uploading_a_project)



Figure 5: This frog was uploaded via the file-tree menu.

```

3 \includegraphics[width=0.3\textwidth]{frog.jpg}
4 \caption{\label{fig:frog}This frog was uploaded via the file-tree
  ↪ menu.}
5 \end{figure}

```

### 7.3 How to add Tables

Use the table and tabular environments for basic tables — see Table 5, for example. For more information, please see this help article on [tables](#).

Table 5 shows how to add a table caption and reference a table.

```

1 \begin{table}
2 \centering
3 \begin{tabular}{||c c c c||}
4 \hline
5 Col1 & Col2 & $\uparrow$ & Col2 & $\downarrow$ & Col3 & \\\ [0.5ex]
6 \hline\hline
7 1 & 6 & 87837 & 787 & \\\
8 \hline
9 2 & 7 & \underline{78} & 5415 & \\\
10 3 & 544 & 778 & 7507 & \\\
11 4 & \textbf{541} & 18744 & \textcolor{blue}{7560} & \\\
12 5 & 88 & 788 & 6344 & \\\ [1ex]
13 \hline
14 \end{tabular}
15 \caption{Table to test captions and labels. $\uparrow$ indicates
  ↪ higher is better.}

```

Col1	Col2 ↑	Col2 ↓	Col3
1	6	87837	787
2	7	<u>78</u>	5415
3	544	778	7507
4	<b>541</b>	18744	7560
5	88	788	6344

Table 5: Table to test captions and labels. ↑ indicates higher is better.

```

16 \label{table:data}
17 \end{table}

```

## 7.4 How to add Lists

You can make lists with automatic numbering ...

```

1 \begin{enumerate}
2 \item Like this,
3 \item and like this.
4 \end{enumerate}
5 \dots or bullet points \dots
6 \begin{itemize}
7 \item Like this,
8 \item and like this.
9 \end{itemize}

```

1. Like this,
2. and like this.

...or bullet points ...

- Like this,
- and like this.

## 7.5 How to write Mathematics

```

1 \LaTeX{} is great at typesetting mathematics. Let $X_1, X_2, \ldots,
  \hookrightarrow X_n$ be a sequence of independent and identically distributed
  \hookrightarrow random variables with $\text{E}[X_i] = \mu$ and $\text{Var}[X_i]
  \hookrightarrow = \sigma^2 < \infty$, and let
2 \begin{equation}
3 S_n = \frac{X_1 + X_2 + \cdots + X_n}{n} = \frac{1}{n} \sum_{i=1}^n X_i
4 \end{equation}
5 denote their mean. Then as $n$ approaches infinity, the random
  \hookrightarrow variables $\sqrt{n}(S_n - \mu)$ converge in distribution to a
  \hookrightarrow normal $\mathcal{N}(0, \sigma^2)$.

```

L<sup>A</sup>T<sub>E</sub>X is great at typesetting mathematics. Let  $X_1, X_2, \dots, X_n$  be a sequence of independent and identically distributed random variables with  $E[X_i] = \mu$  and  $\text{Var}[X_i] = \sigma^2 < \infty$ , and let

$$S_n = \frac{X_1 + X_2 + \cdots + X_n}{n} = \frac{1}{n} \sum_{i=1}^n X_i \quad (1)$$

denote their mean. Then as  $n$  approaches infinity, the random variables  $\sqrt{n}(S_n - \mu)$  converge in distribution to a normal  $\mathcal{N}(0, \sigma^2)$ .

## 7.6 How to customize the template

You may wish to customize the template for your own style, or to meet the specific needs of your documentation. If you're already familiar with LaTeX, you can go ahead and add the packages you're familiar with to the document preamble. If you run into any problems and can't find the answers in the package documentation or in the Overleaf [help library](https://www.overleaf.com/learn)<sup>14</sup>, the forums such as [TeX StackExchange](https://tex.stackexchange.com/)<sup>15</sup> and [LaTeX Community](https://latex.org/forum/)<sup>16</sup> are a great source of answers.

Some details on how to customize a .cls file (which sets the layout and overall format of the various elements of the template) can be found at [Writing your own class](https://www.overleaf.com/learn/latex/Writing_your_own_class)<sup>17</sup>, and [L<sup>A</sup>T<sub>E</sub>X2e for class and package writers](http://texdoc.net/pkg/clsguide)<sup>18</sup>.


<sup>14</sup><https://www.overleaf.com/learn>

<sup>15</sup><https://tex.stackexchange.com/>

<sup>16</sup><https://latex.org/forum/>

<sup>17</sup>[https://www.overleaf.com/learn/latex/Writing\\_your\\_own\\_class](https://www.overleaf.com/learn/latex/Writing_your_own_class)

<sup>18</sup><http://texdoc.net/pkg/clsguide>



If I have seen further,  
it is by standing  
on the shoulders of giants.

- ISAAC NEWTON

“Forward, the Light Brigade!  
Charge for the guns!” he said.  
Plunged in the battery-smoke  
Right through the line they broke; ...  
When can their glory fade?  
O the wild charge they made!  
All the world wondered.  
Honour the charge they made!  
Honour the Light Brigade ...

(From poem: The Charge of the Light Brigade)