Assignment -3

CONVOLUTIONAL NEURAL NETWORKS

Assignment Date	5 October 2022
Student Name	Kavipriya J
Student Roll Number	9517201906020
Maximum Marks	2 Marks

#Import necessary libraries

from tensorflow.keras.models import Sequential

from tensorflow.keras.layers import Dense

from tensorflow.keras.layers import Convolution2D

from tensorflow.keras.layers import MaxPooling2D

from tensorflow.keras.layers import Flatten

#Image augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train_datagen =

ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)

test_datagen = ImageDataGenerator(rescale=1./255)

```
#Import necessary libraries

from tensorflow.keras.layers import Dense

from tensorflow.keras.layers import Convolution2D

from tensorflow.keras.layers import MaxPooling2D

from tensorflow.keras.layers import Flatten

#Image augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train_datagen = ImageDataGenerator(rescale=1./255, shear_range=0.2, zoom_range=0.2, horizontal_flip=True, vertical_flip=True)

test_datagen = ImageDataGenerator(rescale=1./255)
```

#data set

```
x_train =
train_datagen.flow_from_directory(r"E:\Flowers\Training",target_size=(128,128),batch_size=32,class
_mode="categorical")
x_test =
test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=32,class_
mode="categorical")
x_train.class_indices
model = Sequential()
    x train = train datagen.flow_from_directory(r"E:\Flowers\Training",target_size=(128,128),batch_size=32,class_mode="categorical")
    x_test = test_datagen.flow_from_directory(r"E:\Flowers\Testing", target_size=(128,128), batch_size=32, class_mode="categorical")
    x_train.class_indices
  Found 3003 images belonging to 5 classes.
  Found 1325 images belonging to 5 classes.
  {'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
#Add layers
#Convolution layer
model.add(Convolution2D(32,(3,3),input shape=(128,128,3),activation='relu'))
#Maxpooling layer
model.add(MaxPooling2D(pool_size=(2,2)))
```

#flatten layer

model.add(Flatten())

#hidden layer

```
model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))
model.summary()
```

```
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
     model.add(MaxPooling2D(pool_size=(2,2)))
     model.add(Flatten())
     model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))
Model: "sequential"
                                    Output Shape
 Layer (type)
                                                                          Param #
 conv2d (Conv2D)
                                                                          896
  max_pooling2d (MaxPooling2D (None, 63, 63, 32)
                                       (None, 127008)
                                                                          38102700
  dense_1 (Dense)
                                       (None, 200)
                                                                          60200
  dense_2 (Dense)
```

#compile the model

model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=["accuracy"])

#Fit the model

model.fit_generator(x_train,steps_per_epoch=75,epochs=15,validation_data=x_test,validation_steps =80)

#Save the model

model.save("flower.h5")

from tensorflow.keras.models import load_model

from tensorflow.keras.preprocessing import image

import numpy as np

model = load_model("Flower.h5")

```
#Save the model
model.save("flower.h5")

[7]
```

#Test the model:

```
img = image.load_img(r"C:\Users\hp\Downloads\rose.jpg",target_size=(128,128))
img
type(img)
x = image.img_to_array(img)
x
x.shape
x = np.expand_dims(x,axis=0)
x.shape
pred_prob = model.predict(x)
```

```
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
model = load_model("Flower.h5")

#Testing with the image
img = image.load_img(r"C:\Users\hp\Downloads\rose.jpg",target_size=(128,128))
img
type(img)

PIL.Image.Image

x = image.img_to_array(img)
x
x.shape
x = np.expand_dims(x,axis=0)
x.shape
(1, 128, 128, 3)

pred_prob = model.predict(x)
pred_prob
array([[0., 0., 1., 0., 0.]], dtype=float32)
```

```
class_name = ["daisy","dandelion","rose","sunfower","tulip"]
pred_id = pred_prob.argmax(axis=1)[0]
pred_id
```

print("Predicted flower is",str(class_name[pred_id]))

```
class_name = ["daisy","dandelion","rose","sunfower","tulip"]

pred_id = pred_prob.argmax(axis=1)[0]
pred_id
print("Predicted flower is",str(class_name[pred_id]))

Predicted flower is rose
```