Assignment -3

CONVOLUTIONAL NEURAL NETWORKS

Assignment Date	5 October 2022
Student Name	G.Lakshmi Priya
Student Roll Number	9517201906023
Maximum Marks	2 Marks

#Import necessary libraries

from tensorflow.keras.models import Sequential

from tensorflow.keras.layers import Dense

from tensorflow.keras.layers import Convolution2D

from tensorflow.keras.layers import MaxPooling2D

from tensorflow.keras.layers import Flatten

#Image augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train_datagen =

 $Image Data Generator (rescale = 1./255, shear_range = 0.2, zoom_range = 0.2, horizontal_flip = True, vertical_flip = True)$

test_datagen = ImageDataGenerator(rescale=1./255)

```
#Import necessary libraries

from tensorflow.keras.models import Sequential

from tensorflow.keras.layers import Dense

from tensorflow.keras.layers import Convolution2D

from tensorflow.keras.layers import MaxPooling2D

from tensorflow.keras.layers import Flatten

#Image augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train_datagen = ImageDataGenerator(rescale=1./255, shear_range=0.2, zoom_range=0.2, horizontal_flip=True, vertical_flip=True)

test_datagen = ImageDataGenerator(rescale=1./255)
```

#data set

```
x_train =
train_datagen.flow_from_directory(r"E:\Flowers\Training",target_size=(128,128),batch_size=32,clas
s_mode="categorical")

x_test =
test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=32,class_
mode="categorical")

x_train.class_indices
model = Sequential()
```

```
x_train = train_datagen.flow_from_directory(r"E:\Flowers\Training",target_size=(128,128),batch_size=32,class_mode="categorical")
x_test = test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=32,class_mode="categorical")
x_train.class_indices

Found 3003 images belonging to 5 classes.
Found 1325 images belonging to 5 classes.

{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
```

#Add layers

#Convolution layer

model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))

#Maxpooling layer

model.add(MaxPooling2D(pool_size=(2,2)))

#flatten layer

model.add(Flatten())

#hidden layer

model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))
model.summary()

```
model = Sequential()
    model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
    model.add(MaxPooling2D(pool_size=(2,2)))
     model.add(Flatten())
    model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))
Model: "sequential"
 Layer (type)
                                     Output Shape
                                                                       Param #
 conv2d (Conv2D)
 max_pooling2d (MaxPooling2D (None, 63, 63, 32)
 flatten (Flatten)
                                     (None, 127008)
 dense (Dense)
                                    (None, 300)
                                                                       38102700
 dense 1 (Dense)
                                    (None, 200)
                                                                       60200
 dense 2 (Dense)
                                     (None, 5)
                                                                       1005
```

#compile the model

model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=["accuracy"])

#Fit the model

 $model.fit_generator(x_train,steps_per_epoch=75,epochs=15,validation_data=x_test,validation_steps=80)$

```
=] - 73s 962ms/step - loss: 0.8177 - accuracy: 0.6789
75/75 [=
Epoch 7/15
                                           73s 966ms/step - loss: 0.8099 - accuracy: 0.6868
75/75 [==
Epoch 9/15
                                           70s 926ms/step - loss: 0.7146 - accuracy: 0.7215
75/75 [=
Epoch 10/15
75/75 [=====
Epoch 12/15
                                        - 69s 920ms/step - loss: 0.6735 - accuracy: 0.7404
                                           70s 931ms/step - loss: 0.6735 - accuracy: 0.7562
75/75 [=:
                                      =] - 75s 995ms/step - loss: 0.6296 - accuracy: 0.7724
Epoch 15/15
                                     ==] - 75s 988ms/step - loss: 0.6024 - accuracy: 0.7775
```

#Save the model

```
model.save("flower.h5")
```

from tensorflow.keras.models import load_model

from tensorflow.keras.preprocessing import image

import numpy as np

model = load_model("Flower.h5")

```
#Save the model
model.save("flower.h5")
[7]
```

#Test the model:

```
img = image.load_img(r"C:\Users\hp\Downloads\rose.jpg",target_size=(128,128))
img
type(img)
x = image.img_to_array(img)
x
x.shape
```

x = np.expand_dims(x,axis=0)

x.shape

```
pred_prob = model.predict(x)
pred_prob
```

```
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
model = load_model("Flower.h5")

#Testing with the image
img = image.load_img(r"C:\Users\hp\Downloads\rose.jpg",target_size=(128,128))
img
type(img)

PIL.Image.Image

x = image.img_to_array(img)
x
x.shape
x = np.expand_dims(x,axis=0)
x.shape
(1, 128, 128, 3)

pred_prob = model.predict(x)
pred_prob
array([[0., 0., 1., 0., 0.]], dtype=float32)
```

```
class_name = ["daisy","dandelion","rose","sunfower","tulip"]
pred_id = pred_prob.argmax(axis=1)[0]
pred_id
print("Predicted flower is",str(class_name[pred_id]))
```

```
class_name = ["daisy", "dandelion", "rose", "sunfower", "tulip"]

pred_id = pred_prob.argmax(axis=1)[0]
pred_id
print("Predicted flower is", str(class_name[pred_id]))

Predicted flower is rose
```