✓ □ Case Study PayXpert E:\Python\Case Study PayX	<ķ
> : venv library root	
✓ □ Dao	
IEmployeeService.py	
IFinancialRecordService.py	
🥏 IPayrollService.py	
🥏 ITaxService.py	
∨ □ Entity	
🕏 Employee.py	
🥏 EmployeeService.py	
🥏 FinancialRecord.py	
🥏 FinancialRecordService.py	
🥏 Payroll.py	
PayrollService.py	
碠 Tax.py	
🗬 TaxService.py	
Exception	
Exceptions.py	
∨ □ Pyunit	
🔷 Test_Unittest.py	
> 🗀 util	
퀒 main.py	
> 🗓 External Libraries	
Scratches and Consoles	

SQL Tables:

1. Employee Table:

Field	Type	Null	Key	Default	Extra
EmployeeID	int	NO NO	PRI	NULL	
FirstName	text	YES		NULL	ĺ
LastName	text	YES	ĺ	NULL	ĺ
DateOfBirth	date	YES	ĺ	NULL	İ
Gender	text	YES	ĺ	NULL	ĺ
Email	text	YES	ĺ	NULL	İ
PhoneNumber	text	YES		NULL	
Address	text	YES		NULL	
Position	text	YES		NULL	
JoiningDate	date	YES		NULL	
TerminationDate	date	YES		NULL	

2. Payroll Table:

```
mysql> desc payroll;
 Field
                                 Null | Key | Default | Extra
                          Type |
 PayrollID
                          int
                                  NO
                                         PRI
                                               NULL
 EmployeeID
                           int
                                  YES
                                         MUL
                                               NULL
 PayPeriodStartingdate
                                  YES
                                               NULL
                           date
 PayPeriodEndingdate
                          date
                                  YES
                                               NULL
 BasicSalary
                                  YES
                           int
                                               NULL
 OvertimePay
                           int
                                  YES
                                               NULL
 Deductions
                          int
                                  YES
                                               NULL
 NetSalary
                          int
                                  YES
                                               NULL
 rows in set (0.00 sec)
```

3. Tax Table:

```
mysql> desc tax;
 Field
                  Type | Null | Key | Default |
                                       NULL
 TaxID
                         NO
                                 PRI
                  int
 EmployeeID
                         YES
                                 MUL
                  int
                                       NULL
 TaxYear
                         YES
                  year
                                       NULL
                  int
 TaxableIncome
                         YES
                                       NULL
 TaxAmount
                  int
                         YES
                                       NULL
 rows in set (0.00 sec)
```

4. FinancialRecord Table:

```
mysql> desc FinancialRecord ;
 Field
                                                         | Null | Key | Default | Extra |
              Type
 RecordID
                                                          NO
                                                                 PRI
                int
                                                                        NULL
 EmployeeID
                int
                                                          YES
                                                                 MUL
                                                                        NULL
  RecordDate
                date
                                                          YES
                                                                        NULL
 Description
                                                          YES
                                                                        NULL
                text
 Amount
                int
                                                          YES
                                                                        NULL
              enum('Income', 'Expense', 'Tax Payment')
 RecordType
                                                          YES
                                                                       NULL
 rows in set (0.00 sec)
```

Classes:

- Employee:
- Properties: EmployeeID, FirstName, LastName, DateOfBirth, Gender, Email,

PhoneNumber, Address, Position, JoiningDate, TerminationDate

```
return self._Lastname
def Lastname(self, new_Lastname):
@property
def DateofBirth(self, new_DateofBirth):
    self._DateofBirth = new_DateofBirth
def Gender(self, new_Gender):
  self._Gender = new_Gender
@property
@Phonenumber.setter
def Phonenumber(self, new_Phonenumber):
```

```
Turage

groperty

def Address(self):
    return self._Address

BAddress.setter

def Address(self, new_Address):
    self._Address = new_Address

1urage

gproperty

def Position(self):
    return self._Position

Position(self, new_Position):
    self._Position = new_Position

1urage

gproperty

def Position(self, new_Position):
    self._Position = new_Position

1urage

pproperty

def joiningDate(self):
    return self._joiningDate

gjoiningDate(self, new_joiningDate):
    self._joiningDate = new_joiningDate

1urage

pproperty

def terminationDate(self):
    return self._terminationDate

(gterminationDate(self):
    return self._terminationDate

(gterminationDate(self):
    return self._terminationDate

(gterminationDate(self):
    return self._terminationDate

(gterminationDate(self):
    self._terminationDate = new_terminationDate
```

Methods: CalculateAge()

- Payroll:
- Properties: PayrollID, EmployeeID, PayPeriodStartDate, PayPeriodEndDate, BasicSalary,

OvertimePay, Deductions, NetSalary

```
2 urages
groperty
def BasicSalary(self):
return self.BasicSalary

2 usages

8 (BasicSalary.setter
def BasicSalary = new_BasicSalary):
self.BasicSalary = new_BasicSalary

2 usages

8 (Broperty)
def def Overtimepay(self):
return self.Overtimepay

2 usages

8 (Sovertimepay.setter
def Overtimepay = new_Overtimepay):
self.Overtimepay = new_Overtimepay

2 usages

8 (Broperty)
def deductions(self):
return self.deductions

2 usages

8 (Bedouctions.setter
def deductions(self):
return self.deductions

2 usages

8 (Bedouctions.setter)
def deductions(self, new_deductions):
self.deductions = new_deductions

2 usages

8 (Bedouctions.setter)
def deductions(self, new_deductions):
self.deductions = new_deductions

50 (Broperty)
def deductions(self, new_deductions):
self.deductions.etter
def Metsalary(self):
return self.Retsalary

2 usages

8 (Bedouctions.etter):
return self.Retsalary = new_Bedouctions
```

- Tax:
- Properties: TaxID, EmployeeID, TaxYear, TaxableIncome, TaxAmount

```
class tax:
    def __init__(self_TaxID=None, EmployeeID=None, TaxYear=None, TaxableIncome=None, TaxAmount=None):
    self.taxAmount=TaxID
    self.taxAmount=TaxAmount
    self.TaxAmount=TaxA
```

```
return self.TaxableIncome

2 usages
@TaxableIncome(self, new_TaxableIncome):
    self.TaxableIncome = new_TaxableIncome

2 usages
@property
def TaxAmount(self):
    return self.TaxAmount

2 usages
@TaxAmount.setter
def TaxAmount(self, new_TaxAmount):
    self.TaxAmount = new_TaxAmount
```

- FinancialRecord:
- Properties: RecordID, EmployeeID, RecordDate, Description, Amount, RecordType

```
class financialrecord:
    def _init__(set/, RecordID=kone, EmployeeID=kone, RecordDate=kone, Description=None, Amount=None, RecordType=None):
        self.necordID=RecordID
        self.necordID=RecordID
        self.necordID=RecordID
        self.necordID=RecordID
        self.necordID=RecordID
        self.necordID=RecordID
        self.necordID=RecordID
        self.necordID
        self.necordID=RecordID
        self.necordID=RecordID
        self.necordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=RecordID=Recor
```

```
return self.RecordDate
@RecordDate.setter
def RecordDate(self, new_RecordDate):
   self.RecordDate = new_RecordDate
def description(self, new_description):
@property
def Amount(self, new_Amount):
   self.Amount = new_Amount
  return self.RecordType
@RecordType.setter
def RecordType(self, new_RecordType):
   self.RecordType = new_RecordType
```

- EmployeeService (implements IEmployeeService):
- Methods:

GetEmployeeById,

```
from Dao.IEmployeeService import IEmployeeService
from Exception.Exceptions import EmployeeNotFoundException
class employeeservice(IEmployeeService):
       self.db_connector.open_connection()
       cur=self.db_connector.connection.cursor()
       cur.execute("Select * from Employee Where employeeID =%s",(employeeId,))
       record=cur.fetchone()
        if record:
           print("Here are the details of th employee : ")
           print(f"Employee ID = {record[0]}")
           print(f"Last Name = {record[2]}")
           print(f"Date Of Birth = {record[3]}")
           print(f"Gender = {record[4]}")
           print(f"Position = {record[8]}")
           print(f"Joining Date = {record[9]}")
           print(f"Termination Date = {record[10]}")
           raise EmployeeNotFoundException(employeeId)
        self.db_connector.close_connection()
```

GetAllEmployees,

```
def GetAllEmployees(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    cur.execute("Select FirstName from Employee")
    record=cur.fetchall()
    if record:
        for i in record:
            print(i[0])
    else:
        print("No employee work here")
    self.db_connector.close_connection()
```

AddEmployee,

```
def AddEmployee(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    print(*Enter the details of employee you want to add*)
    employeeID=self.detuniqueEmployeeID()
    FirstName=input(*Enter Frist Name : *)
    LastName=input(*Enter Last Name : *)
    DateofBirth=input(*Enter Date of birth in the format 'YYYY-MM-DD' : *)
    Gender=input(*Enter Date of birth in the format 'YYYY-MM-DD' : *)
    Gender=input(*Enter Date of birth in the format 'YYYY-MM-DD' : *)
    PhoneNumber=input(*Enter Dender (Male, Female) : *)
    PhoneNumber=input(*Enter Phone Number : *)
    Address=input(*Enter Phone Number : *)
    Address=input(*Enter Position : *)
    Joiningdate=input(*Enter Position : *)
    Joiningdate=input(*Enter Position : *)
    Joiningdate=input(*Enter Dosition : *)
    Joiningd
```

UpdateEmployee,

RemoveEmployee

```
lusage
def RemoveEmployee(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    emploeeID=input("Enter the employee id of the employee you want to remove : ")
    cur.execute("belete from employee Where employeeId=%s"_(emploeeID,))
    print("Employee successfully removed")
    self.db_connector.connection.commit()
    self.db_connector.elose_connection()

lusage
def GetuniqueEmployeeID(self):
    return len(self.get_allemployee())+1

lusage
def get_allemployee(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    cur.execute("select FirstName from employee")
    record_cur.fetchall()
    return record
```

- PayrollService (implements IPayrollService):
- Methods:

GeneratePayroll,

```
from Bao.IPayrollService import IPayrollService
from Exception.Exceptions import PayrollGenerationException
Ausages
Class payrollService(IPayrollService):

def __init__(self,db_connector):
    self.db_connector= db_connector

lusage

def _GeneratePayroll(self):
    self.db_connector.open_connection()
    cur=self.db_connector.open_connection.cursor()
    employeeId=input("Enter the employeeID for which you want to generate payroll: *)
    payrollId=self.getuniquepayrollid()
    basesalary=int(input("Enter the base salary of the employee"))
    Payperiodstartingdate= input("Enter the pay period ending date in the format 'YYYY-RM-DD' : *)
    Payperiodendingdate = input("Enter the pay period ending date in the format 'YYYY-RM-DD' : *)
    OvertImePay=int(input("Enter the overtime pay of the employee"))
    Deductions=int(input("Enter the deduction for the employee : *))
    NetSalary=basesalary+OvertimePay-Deductions
    query="Insert into payroll values(%s, %s, %s, %s, %s, %s, %s, %s, %s)"
    values=(payrollid,employeeId,Payperiodstartingdate,Payperiodendingdate,basesalary,OvertimePay,Deductions,NetSalary,)
    cur.execute(query,yalues)
    self.db_connector.connection.commit()
    self.db_connector.close_connection()
```

GetPayrollById,

```
def GetPayrollById(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    payrollID=input("Enter the payrollId for details : ")
    cur.execute("Select * from payroll where PayrollId=%s",(payrollID,))
    record=cur.fetchone()
    if record:
       print(f"Payroll If : {record[0]}")
        print(f"Employee Id : {record[1]}")
        print(f"Pay period starting date : {record[2]}")
        print(f"Pay period ending date : {record[3]}")
        print(f"Base Salary : {record[4]}")
       print(f"Overt time pay : {record[5]}")
       print(f"deductions : {record[6]}")
        print(f"Net salary : {record[7]}")
       raise PayrollGenerationException()
    self.db_connector.close_connection()
```

GetPayrollsForEmployee,

```
def GetPayrollsForEmployee(self):
   self.db_connector.open_connection()
   cur = self.db_connector.connection.cursor()
   employeeID=input("Enter the employee Id for which you want Payrolls : ")
   cur.execute("Select * from payroll where EmployeeId=%s", (employeeID,))
   record = cur.fetchall()
   if record:
       print("Here are the details : ")
        for i in record:
           print(f"Employee Id : {i[1]}")
            print(f"Pay period starting date : {i[2]}")
            print(f"Pay period ending date : {i[3]}")
            print(f"Base Salary : {i[4]}")
            print(f"Net salary : {i[7]}")
            print(" ")
        raise PayrollGenerationException()
   self.db_connector.close_connection()
```

GetPayrollsForPeriod

```
def GetPayrollsForPeriod(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    startingdate=input("Enter the Starting date in the format 'YYYY-MM-DD' : ")
    query="select * from payroll where Payperiodstantingdate >= %s and Payperiodendingdate <= %s"</pre>
    values=(startingdate,endingdate,)
    cur.execute(query_values)
    record=cur.fetchall()
    if record:
        print("Here are the payroll for the given period : ")
        for i in record:
            print(f"Employee Id : {i[1]}")
       raise PayrollGenerationException()
    self.db_connector.close_connection()
def getuniquepayrollid(self):
   return len(self.geallpayroll())+1
   self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    self.db_connector.close_connection()
    return record
```

- TaxService (implements ITaxService):
- Methods:

CalculateTax,

GetTaxById,

```
def GettaxbyID(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    taxID = input("Enter the tax ID for details : ")
    cur.execute("Select * from tax where taxid=%s", (taxID,))
    record = cur.fetchone()
    if record:
        print("Here are the details : ")
        print(f"Tax ID : {record[0]}")
        print(f"Employee Id : {record[1]}")
        print(f"Tax Year : {record[2]}")
        print(f"Taxable Income : {record[3]}")
        print(f"Tax Amount : {record[4]}")
    else:
        raise InvalidInputException
    self.db_connector.close_connection()
```

GetTaxesForEmployee,

```
def GetTaxesForEmployee(self):
   self.db_connector.open_connection()
   cur = self.db_connector.connection.cursor()
   employeeID = input("Enter the employee Id for which you want tax : ")
   cur.execute("Select * from tax where EmployeeId=%s", (employeeID,))
   record = cur.fetchall()
   if record:
        print("Here are the details : ")
        for i in record:
           print(f"Tax ID : {i[0]}")
           print(f"Employee Id : {i[1]}")
           print(f"Tax Year : {i[2]}")
           print(f"Taxable Income : {i[3]}")
           print(f"Tax Amount : {i[4]}")
           print(" ")
   else:
        raise InvalidInputException
   self.db_connector.close_connection()
```

GetTaxesForYear

```
def GetTaxesForYear(self):
    self.db_connector.open_connection()
   cur = self.db_connector.connection.cursor()
   Year = input("Enter the Year for which you want taxes : ")
   cur.execute("Select * from tax where TaxYear =%s", (Year,))
   record = cur.fetchall()
    if record:
        for i in record:
           print("Here are the details : ")
           print(f"Tax ID : {i[0]}")
           print(f"Employee Id : {i[1]}")
           print(f"Tax Year : {i[2]}")
           print(f"Taxable Income : {i[3]}")
           print(f"Tax Amount : {i[4]}")
           print(" ")
        print("No taxes Found")
    self.db_connector.close_connection()
```

- FinancialRecordService (implements IFinancialRecordService):
- Methods:

AddFinancialRecord,

```
from Dao.IfinancialRecordService import IfinancialRecordService
from Exception.Exceptions import FinancialRecordException
2 usages
class FinancialRecordService(IFinancialRecordService):
    def __init__(self_db_connector):
        self.db_connector=db_connector

1 usage
    def AddFinancialRecord(self):
        self.db_connector.open_connection()
        cur = self.db_connector.connection.cursor()
        recordID=self.GetuniquerecordID()
        employeeId=input("Enter the Employee Id : ")
        RecordDate=input("Enter the record date in the format 'YYYY-MM-DD' : ")
        description=input("Enter the description : ")
        amount=input("Enter the amount : ")
        recordType=input("Enter the Record type from three options ('Income', 'Expense', 'Tax Payment') : ")
        query='Insert into financialrecord values(%s,%s,%s,%s,%s,%s,%s,%s)"
        values=(recordID_employeeId_RecordDate_description_amount_recordType,)
        cur.execute(query_values)
        print("Successfully Added")
        self.db_connector.connection.commit()
        self.db_connector.close_connection()
```

GetFinancialRecordById,

```
def GetFinancialRecordById(self):
    self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    recordId=input("Enter the record Id : ")
    cur.execute("Select * from financialrecord where recordid=%s",(recordId,))
    record=cur.fetchone()
    if record:
        print("Here are the details : ")
        print(f"Record ID : {record[0]}")
        print(f"employee ID : {record[1]}")
        print(f"Record Date : {record[2]}")
        print(f"Amount : {record[3]}")
        print(f"Record Type : {record[5]}")
    else:
        raise FinancialRecordException
    self.db_connector.close_connection()
```

GetFinancialRecordsForEmployee,

```
def GetFinancialRecordsForEmployee(self):
   self.db_connector.open_connection()
    cur = self.db_connector.connection.cursor()
    employeeID = input("Enter the employee Id for which you want record : ")
    cur.execute("Select * from financialrecord where EmployeeId=%s", (employeeID,))
    record = cur.fetchall()
    if record:
        print("Here are the details : ")
        for i in record:
           print(f"Record ID : {i[0]}")
            print(f"Employee Id : {i[1]}")
            print(f"Record Date : {i[2]}")
            print(f"Description : {i[3]}")
           print(f"Amount : {i[4]}")
        raise FinancialRecordException
    self.db_connector.close_connection()
```

GetFinancialRecordsForDate

```
def GetFinancialRecordsForDate(self):
   self.db_connector.open_connection()
   cur = self.db_connector.connection.cursor()
   recorddate = input("Enter the record date in the format 'YYYY-MM-DD' : ")
   cur.execute("Select * from financialrecord where recorddate=%s", (recorddate,))
   record = cur.fetchall()
   if record:
       for i in record:
           print(f"Amount : {i[4]}")
       raise FinancialRecordException
   self.db_connector.close_connection()
   return len(self.get_allrecord()+1)
   self.db_connector.open_connection()
   cur = self.db_connector.connection.cursor()
   record=cur.fetchall()
   return record
```

Abstract Class:

IEmployeeService:

```
from abc import ABC, abstractmethod

2 usages
class IEmployeeService(ABC):
    @abstractmethod
def GetEmployeeById(self):
    pass

@abstractmethod
def GetAllEmployees(self):
    pass

@abstractmethod
def AddEmployee(self):
    pass

@abstractmethod
def UpdateEmployee(self):
    pass

@abstractmethod
def UpdateEmployee(self):
    pass

@abstractmethod
def RemoveEmployee(self):

pass
```

IPayrollService:

```
from abc import ABC, abstractmethod

2 usages
class IPayrollService(ABC):
    @abstractmethod
    def GeneratePayroll(self):
        pass

@abstractmethod
    def GetPayrollById(self):
        pass

@abstractmethod
    def GetPayrollsForEmployee(self):
        pass

@abstractmethod
    def GetPayrollsForPeriod(self):
        pass

@abstractmethod
    def getuniquepayrollid(self):
        pass
```

ITaxService:

```
from abc import ABC, abstractmethod

2 usages

class ITaxService(ABC):
    @abstractmethod

def CalculateTax(self):
    pass

@abstractmethod

def GettaxbyID(self):
    pass

@abstractmethod

def GetTaxesForEmployee(self):
    pass

@abstractmethod

def GetTaxesForYear(self):
    pass
```

IFinancialRecordService:

```
from abc import ABC, abstractmethod

2 usages

class IFinancialRecordService(ABC):
    @abstractmethod
    def AddFinancialRecord(self):
        pass

@abstractmethod
def GetFinancialRecordById(self):
        pass

@abstractmethod
def GetFinancialRecordsForEmployee(self):
        pass

@abstractmethod
def GetFinancialRecordsForDate(self):
        pass
```

Exceptions:

```
class EmployeeNotFoundException(Exception):
       self.employee_id = employee_id
       self.message = f"Employee with ID {employee_id} not found"
class PayrollGenerationException(Exception):
class TaxCalculationException(Exception):
   def __init__(self, message="Error in tax calculation"):
       self.message = message
   def __init__(self, message="Financial record management error"):
       super().__init__(self.message)
class InvalidInputException(Exception):
   def __init__(self, message="Invalid input data"):
  class DatabaseConnectionException(Exception):
```

```
class DatabaseConnectionException(Exception):

    def __init__(self, message="Database connection error"):
        self.message = message
        super().__init__(self.message)
```

Database Connectivity:

```
import mysql.connector
class DBConnector:
   def __init__(self, host, user, password, port, database):
       self.password = password
       self.port = port
       self.database = database
       self.connection = None
       if self.connection is None or not self.connection.is_connected():
           self.connection = mysql.connector.connect(
               host=self.host,
               user=self.user,
               password=self.password,
               port=self.port,
               database=self.database
       if self.connection is not None and self.connection.is_connected():
           self.connection.close()
```

Main():

```
| From Entity.Employee import Employee | Femout 11.00 connection import Deconnector | From Entity.PaployeeService import employeeservice | From Entity.FinancialRecordService import payrollservice | From Entity.FinancialRecordService import Entity.FinancialRecordService | From Entity.FinancialRecordService import FinancialRecordService | From Entity.FinancialRecordService import FinancialRecordService | From Entity.FinancialRecordService | From Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord Entity.FinancialRecord FinancialRecord Entity.FinancialRecord FinancialRecord FinancialRecord FinancialRecord FinancialRec
```

```
It solutatetax()
elif tax=1:

15.Gatculatetax()
elif tax=2:

15.Gatculatetax()
elif tax=3:

15.Gatculatetax()
elif tax=4:

15.Gatculatetax()
elif tax=3:

15.Gatculatetax()
elif tax=4:

15.Gatculatetax()
elif tax=4:

15.Gatculatetax()
elif tax=3:

15.Gatculatetax()
elif tax=3:

15.Gatculatetax()
elif tax=3:

15.Gatculatetax()
elif tax=3:

16.Gatculatetax()
elif tax=4:

17.Gatculatetax()
elif tax=3:

18.Gatculatetax()
elif tax=4:

19.Gatculatetax()
elif tax=4:

10.Gatculatetax()
elif tax=5:

10.Gatculatetax()
elif tax=4:

10.Gatculatetax()
elif tax=5:

10.Gatculatetax()
elif tax=6:

1
```

Output:

```
"E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
Hi folks !! This is Pay Xpert
Choose from the following Options :

1. If you need help with the employee database
2. If you need help with the Payroll database
3. If you need help with the Tax database
4. If you need help with the Financial Record database
Now Enter Your Choice :
```

```
E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
Choose from the following Options :
1. If you need help with the employee database
2. If you need help with the Payroll database
4. If you need help with the Financial Record database
Now Enter Your Choice : 1
Employee Database Loading...
Now, Choose from the following options
1. If you want to know the age of employee
2. If you want employee Details
3. All the Employees working here
4. If you want to Add a new Employee
5. If you want to update database
6. If you want to delete the employee details from the database
Enter the choice : 1
Enter your EmployeeID for which you want to know the age : 5
Process finished with exit code \boldsymbol{\theta}
```

```
E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
Choose from the following Options :
1. If you need help with the employee database
2. If you need help with the Payroll database
3. If you need help with the Tax database
Now Enter Your Choice : 1
Employee Database Loading...
Now, Choose from the following options
1. If you want to know the age of employee
4. If you want to Add a new Employee
7. Exit
Please enter your employeeID : 5
Here are the details of th employee :
First name = Daniel
Date Of Birth = 1980-07-05
Gender = Male
Phone Number = 777-888-9999
Joining Date = 2022-05-15
Termination Date = 2023-10-30
Process finished with exit code 0
```

```
'E:\Python\Case Study PayXpert\.venv\Scripts\python.exe' *E:\Python\Case Study PayXpert\main.py*
Hi folks !! This is Pay Xpert
Choose from the following Options:
1. If you need help with the employee database
2. If you need help with the PayApoll database
3. If you need help with the Financial Record database
6. If you need help with the Financial Record database
7. If you need help with the Financial Record database
8. If you meed help with the Financial Record database
9. If you man to know the age of employee
9. If you want to know the age of employee
9. If you want to know the age of employee
9. If you want to Add a new Employee
9. If you want to Opdate database
9. If you want to date the employee details from the database
9. If you want to detet the employee details from the database
9. Exit
Enter the choice: 3

John
Jane
Hichael
Emily
Daniel
Eva
Andrew
Ollvia
Matthew
Sophia
William
Emma
Chrhistopher
Isabella
Alexander
```

```
"E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
Choose from the following Options :
2. If you need help with the Payroll database
3. If you need help with the Tax database
Employee Database Loading...
Now, Choose from the following options
2. If you want employee Details
4. If you want to Add a new Employee
6. If you want to delete the employee details from the database
Enter the choice : 5
Enter the employeeID you want to update : 2
1.First name
2.Last Name
3.Date Of Birth
4.Gender
6.Phone Number
7.Address
9.Joining Date
Updated Successfully
Process finished with exit code \theta
                    | Position | JoiningDate | TerminationDate | Proceedings | Position | JoiningDate | TerminationDate |
```

										
	Christopher Isabella Alexander	Doe Smith Jakson Davis Miller Anderson Taylor Clark Baker Wright Harris Martin Robinson Garcia	1996-01-01 1985-05-15 1988-09-20 1993-03-12 1980-07-05 1992-04-18 1987-11-25 1995-08-08 1983-12-03 1998-06-22 1991-02-15 1988-09-30 1981-07-12 1994-05-29	Male Female Male Female Male Female Male Female Male Female Male Female Male Female Male Female Male	john. dos@example.com jane.smlty@example.com michael.johnson@example.com daniel.johnson@example.com daniel.millen@example.com andrew.taylon@example.com andrew.taylon@example.com olivis.clample.com olivis.clample.com com ivis.clample.com com com daniel.com com daniel.com com com daniel.com com com com com com com com com com	123-456-7899 987-654-3210 555-123-4567 111-222-3333 777-888-999 444-555-6666 999-888-777 777-666-5555 111-999-4444 333-222-1111 666-777-8888 444-333-222 222-333-4444 858-999-1114	122 Nain St. City, Country 655 Oak St. City, Country 780 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Cade St. City, Country 180 St. City, Country 180 Nainus St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Country 180 Country 180 Country 180 Country 180 Pine St. City, Country 180 Elm St. City, Country 180 Elm St. City, Country 180 Elm St. City, Country 180 Elm St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country 180 Pine St. City, Country	Software Developer Namager HR Coordinator Project Manager Software Developer Namager Manager HR Coordinator HR Coordinator HR Coordinator Software Developer Analyst HR Coordinator Analyst HR Coordinator	2022-01-01 2022-02-15 2021-12-10 2023-03-01 2022-05-15 2022-07-01 2033-02-28 2022-04-15 2032-01-10 2032-01-10 2032-05-20 2032-08-15 2022-08-10 2032-08-15 2022-08-10	NULL NULL NULL NULL NULL NULL NULL NULL
vsal> select	*from employee	;								
EmployeeID	FirstName	LastName	DateOfBirth	Gender	Email	PhoneNumber	Address	Position	JoiningDate	TerminationDate

```
"E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
Hi folks !! This is Pay Xpert
Choose from the following Options :
1. If you need help with the employee database
2. If you need help with the Payroll database
3. If you need help with the Tax database
4. If you need help with the Financial Record database
Employee Database Loading...
Now, Choose from the following options
1. If you want to know the age of employee
2. If you want employee Details
4. If you want to Add a new Employee
5. If you want to update database
7. Exit
Enter the details of employee you want to add
Enter Frist Name : Manas
Enter Date of birth in the format 'YYYY-MM-DD' : 2002-06-16
Enter Gender (Male, Female) : Male
Enter Phone Number : 7982681438
Enter Address : karol bagh
Enter Joining Date in the format 'YYYY-MM-DD' :2024-02-01
Employee Added Successfully
                                                                                                               rows in set (0.00 sec)
```

```
E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
  Hi folks !! This is Pay Xpert
  Choose from the following Options :
  1. If you need help with the employee database
  2. If you need help with the Payroll database
  4. If you need help with the Financial Record database
  Now Enter Your Choice : 2
  Payroll Databasse Loading ...
  Now, Choose from the following options :
  1. If you want to generate payroll
  2. IF you want to Payroll Details
  3. If you want to know all Payrolls for an employee
  5. Exit
  Enter the employee Id for which you want Payrolls : 5
  Here are the details :
  Pay period starting date : 2022-06-01
  Pay period ending date : 2022-06-15
  Overt time pay : 300
  Process finished with exit code \theta
"E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
Hi folks !! This is Pay Xpert
Choose from the following Options:
1. If you need help with the employee database
2. If you need help with the Tax database
3. If you need help with the Tax database
4. If you need help with the Tax database
6. If you need help with the Tax database
7. If you man to help with the Financial Record database
8. Nom Enter Your Choice: 2
Payroll Database Loading ...
Now, Choose from the following options:
1. If you want to generate payroll
2. If you want to generate payroll
3. If you want to know all Payrolls for an employee
4. If you want to know all Payrolls for an employee
4. If you want all payrolls for a specific period
5. Exit
Enter your choice: 4
Enter the Starting date in the format 'YYYY-MM-D0': 2022-01-01
Enter the ending date in the format 'YYYY-MM-D0': 2022-05-01
Here are the payroll for the given period:
Payroll Id: 1
 Payroll Id : 1
Employee Id : 1
Employee Id : 1
Pay period starting date : 2022-01-01
Pay period ending date : 2022-01-15
Base Salary : 5000
Geductions : 300
Met salary : 49900
ceptoree 1d : Z
Pay period starting date : 2022-02-01
Pay period ending date : 2022-02-15
Base Salary : 55000
Overt time pay : 150
deductions : 250
Net salary : 54900
```

```
E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case_Study PayXpert\main.py"
1. If you need help with the employee database
3. If you need help with the Tax database
Now, Choose from the following options :
Hi folks !! This is Pay Xpert
Choose from the following Options :
1. If you need help with the employee database
2. If you need help with the Payroll database
3. If you need help with the Tax database
Now, Choose from the following options
Enter the employee Id for which you want tax : 5
Here are the details :
Tax ID : 5
Employee Id : 5
Taxable Income : 69800
 "E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
 Hi folks !! This is Pay Xpert
 Choose from the following Options :
 1. If you need help with the employee database
 2. If you need help with the Payroll database
 3. If you need help with the Tax database
 4. If you need help with the Financial Record database
 Now Enter Your Choice : \it 3
 Now, Choose from the following options
 1. If you want to Calculate Tax
 5. Exit
 Enter your Choice : 4
 No taxes Found
 Process finished with exit code 0
```

```
*E:\Python\Case Study PayXpert\.venv\Scripts\python.exe* "E:\Python\Case Study PayXpert\main.py"
Hi folks !! This is Pay Xpert
Choose from the following Options:
1. If you need help with the employee database
2. If you need help with the Payroll database
3. If you need help with the Tax database
4. If you need help with the Financial Record database
Now Enter Your Choice: 4
Financial Record Loading...
Now, Choose from the following options
1. If you want to add a financial record
2. If you want to Financial Record details
3. If you want to know all financial records for an employee
4. If you want to know all financial Records for a specific date
5. Exit
Enter Your Choice: 1
Enter the Employee Id: 5
Enter the Employee Id: 5
Enter the Employer Id: 5
Enter the description: phone
Enter the description: phone
Enter the Record type from three options ('Income', 'Expense', 'Tax Payment'): Expense
Successfully Added

Process finished with exit code 0
```

mysql> select*from financialrecord;

+				+		+
į	RecordID	EmployeeID	RecordDate	Description	Amount	RecordType
Ĭ	1	1	2022-01-05	Income	2000	Income
I	2	2	2022-02-10	Expense	500	Expense
İ	3	3	2022-02-20	Income	2500	Income
İ	4	4	2023-03-10	Expense	300	Expense
ı	5	5	2022-06-05	Income	3500	Income
ı	6	6	2022-08-05	Income	2500	Income
İ	7	7	2023-03-20	Expense	700	Expense
İ	8	8	2022-05-10	Income	3000	Income
I	9	9	2022-10-20	Expense	800	Expense
I	10	10	2023-02-05	Income	2000	Income
ĺ	11	11	2022-06-20	Expense	600	Expense
ĺ	12	12	2023-04-20	Income	3500	Income
ĺ	13	13	2022-09-10	Expense	900	Expense
ĺ	14	14	2023-05-05	Income	4000	Income
ĺ	15	15	2022-11-05	Expense	700	Expense
ĺ	16	5	2024-02-01	phone	5000	Expense
+		+	+	+	+	++

16 rows in set (0.00 sec)

Exception

```
"E:\Python\Case Study PayXpert\.venv\Scripts\python.exe" "E:\Python\Case Study PayXpert\main.py"
Hi folks !! This is Pay Xpert
Choose from the following Options :
1. If you need help with the employee database
2. If you need help with the Payroll database
3. If you need help with the Financial Record database
4. If you need help with the Financial Record database
Now Enter Your Choice : 4
Financial Record Loading...
Now, Choose from the following options
1. If you want to add a financial record details
3. If you want to Financial Record details
3. If you want to Financial Record sfor an employee
4. If you want to know all financial Records for a specific date
5. Exit
Enter Your Choice : 4
Enter the record date in the format 'YYYY-MM-DD' : 2024-05-01
Traceback (most recent call last):
File "E:\Python\Case Study PayXpert\main.py", line 121, in <module>
obj.main()
File "E:\Python\Case Study PayXpert\main.py", line 109, in main
FS.GetFinancialRecordScroptate()
File "E:\Python\Case Study PayXpert\main.py", line 109, in main
Exception.Exceptions.FinancialRecordException: Financial record management error

Process finished with exit code 1
```