



actirise

HTML Video


[< Previous](#)[Next >](#)

The HTML `<video>` element is used to show a video on a web page.

Video

Example

Courtesy of [Big Buck Bunny](#):

[Try it Yourself »](#)

The HTML <video> Element

To show a video in HTML, use the `<video>` element:

Example

```
<video width="320" height="240" controls>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
  Your browser does not support the video tag.
</video>
```

[Try it Yourself »](#)

How it Works

The `controls` attribute adds video controls, like play, pause, and volume.

It is a good idea to always include `width` and `height` attributes. If height and width are not set, the page might flicker while the video loads.

support the `<video>` element.

HTML `<video>` Autoplay

To start a video automatically, use the `autoplay` attribute:

Example

```
<video width="320" height="240" autoplay>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
Your browser does not support the video tag.
</video>
```

[Try it Yourself »](#)




Note: Chromium browsers do not allow autoplay in most cases. However, muted autoplay is always allowed.

Add `muted` after `autoplay` to let your video start playing automatically (but muted):

Example

```
<video width="320" height="240" autoplay muted>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
Your browser does not support the video tag.
</video>
```

[Try it Yourself »](#)

Element					
<video>	4.0	9.0	3.5	4.0	10.5

ADVERTISEMENT

[REMOVE ADS](#)

HTML Video Formats

There are three supported video formats: MP4, WebM, and Ogg. The browser support for the different formats is:

Browser	MP4	WebM	Ogg
Edge	YES	YES	YES
Chrome	YES	YES	YES
Firefox	YES	YES	YES
Safari	YES	YES	NO
Opera	YES	YES	YES

MP4

video/mp4

WebM

video/webm

Ogg

video/ogg


HTML Video - Methods, Properties, and Events

The HTML DOM defines methods, properties, and events for the `<video>` element.

This allows you to load, play, and pause videos, as well as setting duration and volume.

There are also DOM events that can notify you when a video begins to play, is paused, etc.

Example: Using JavaScript



Video courtesy of [Big Buck Bunny](#).

[Try it Yourself »](#)

For a full DOM reference, go to our [HTML Audio/Video DOM Reference](#).

Tag

Description

<video>


Defines a video or movie

<source>

Defines multiple media resources for media elements, such as <video> and <audio>

<track>

Defines text tracks in media players

[< Previous](#)
[Sign in to track progress](#)
[Next >](#)


COLOR PICKER



[REMOVE ADS](#)



Python Assign Multiple Values



Click on ► to watch the video

How to assign values to multiple variables at the same time



actirise



Tutorials ▼

References ▼

Exercises ▼



Get Certified

Sign In



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

C++



PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Get Certified](#)[Sign In](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[C++](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookies](#) and [privacy policy](#).

[Copyright 1999-2026](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).