Through the eyes of the teacher

1

3

Mandy Klatt¹ & Gregor Kachel¹

¹ University of Leipzig

Author Note

- Add complete departmental affiliations for each author here. Each new line herein
- 6 must be indented, like this line.
- Enter author note here.
- 8 Correspondence concerning this article should be addressed to Mandy Klatt,
- Egelstraße 2a 04103 Leipzig. E-mail: mandy.klatt@uni-leipzig.de

kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

2

10 Abstract

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita

18 Keywords: keywords

Word count: X

17

20

21

Through the eyes of the teacher

State of research

Teaching and classroom management are multidimensional settings in which teachers
have to respond immediately to events as they develop (Barnes, 2004). The different
interests and abilities of students must be managed in a way that maximizes the active
learning time of students and minimizes disruptions whilst teaching. Learning to develop
such classroom management skills and to teach effectively is a complicated and complex
process (Wolff, Jarodzka, & Boshuizen, 2017).

During teaching, teachers must be able to select from a variety of visual and acoustic impressions to focus their attention on the essential and to distinguish between relevant and irrelevant events. This ability is called professional vision and is a key component of teacher expertise and successful teaching (Barth, 2017). Eye tracking technology has become a reliable means to study teachers' visual focus of attention (Bogert, 2016; Pouta, Lehtinen, & Palonen, 2020; Wolff et al., 2017)

Educational research has repeatedly shown that there are differences between
experienced and novice teachers in terms of perception and behavioral competencies
(Barth, 2017; Bogert, 2016; Wolff et al., 2017). For example, experts direct their attention
more often and more evenly to all students, whereas novices only direct their attention to
some students. The frequency and duration of fixations as eye movement are decisive
(Stuermer, Seidel, Mueller, Häusler, & Cortina, 2017). Mobile eye-tracking technology has
also shown that experienced teachers distribute their focus more efficiently to solve tasks
(Jarodzka, Scheiter, Gerjets, & Van Gog, 2010). Furthermore, in contrast to novices,
experts are able to focus their attention on the entire class and guide the class while giving
feedback to individual students and answering questions (Cortina, Miller, McKenzie, &
Epstein, 2015).

- Hey Mandy, hier wollte ich dir mal zeigen wie man Bilder in papaja einbindet. Viel 45
- Spass damit. Ein Beispiel für Tabellen und Graphen machen wir auch zeitnah.



Figure 1. Illustration of comic material that made the second author of this paper chuckle a bit. For advice on how to insert images, please see the code chunk.

Research questions

53

- The first study is a laboratory study that uses a quasi-experimental cross-sectional 48 study design to investigate whether the experience of teachers has an influence on the perception of and response to disruptions. The disturbances are experimentally varied 50 using a previously written script. Thus, the aim is to find out whether differences in the 51 allocation of attention between expertise groups can be detected in this controlled context.
- In order to answer this question, the hypothesis was formulated that teachers with

- more professional experience not only notice more disturbances but also notice them faster.
- 55 In the hypothesis, therefore, it is necessary to check what has already been shown in the
- 56 research literature: In complex teaching situations, experts have a more structured and
- 57 elaborate professional knowledge than novices in order to perceive and interpret relevant
- events and to act appropriately (Berliner, 2001; Lachner, Jarodzka, & Nückles, 2016).

59 Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

62 Participants

For the sample recruitment of the subjects (N = 48, experts n = 24, novices n = 24), schools in the city of Leipzig in Saxony were contacted. The institutions as well as the subjects were informed in detail about the aim and intention of the dissertation project in advance. Participation in the study was voluntary and only took place after written consent has been given.

Table 1

Demographic Information

group	N	male	mean age	min age	max age	sd age
expert	2	1	47.50	44	51	4.95
novice	6	2	25.67	20	33	4.89

The selection of the subjects was based on extreme groups, whereby professional experience is the crucial criterion for the selection of experts or novices. Novices were recruited as teachers who have been working in the teaching profession for no more than 3

years, whereas experts were considered to have professional experience of 10 years or more (Messner & Reusser, 2000).

Procedure

For this study, lesson units of n = 24 experts and n = 24 novices were recorded by
the mobile laboratory of the Department of Empirical School and Classroom Research at
the University of Leipzig. The two extreme groups were each divided into groups of four,
with one group being invited on each of six different dates. All participants were asked to
hold a 15-minute lesson. The duration of each appointment was approximately 2h30min:
per extreme group 4 x 15min briefing, 15min lesson units, 10min technical preparation and
follow-up and 5min buffer/break.

One person from the group of 4 acted as a teacher, the other three subjects acted as
the class. The subjects, who represented the class, were given behavioral instructions in a
pre-written script to simulate typical events and disturbances in the classroom (e.g. putting
their heads on the table, chatting, looking at their mobile phones, etc.).

The lesson disturbances were displayed as instructions during the lesson for all "students" but not the teacher. In order to avoid learning effects, the disruptions in each lesson were distributed pseudo-randomly over the short teaching phase. In addition, the order of the data collection was taken into account in the analyses and variance caused by order was controlled.

By using mobile eye-trackers, the gaze and behavior of the experts and novices was recorded during the lesson. In addition, what the participating teachers said was recorded with a portable microphone. Other sounds and voices were recorded with an audio recorder installed in the middle of the laboratory. Movements, facial expressions and gestures of the subjects were recorded by four cameras from different angles. One camera was installed to film the class from the side. Two more cameras were installed on the blackboard and at the

end of the laboratory to film the teacher and class from the front and back. In addition, it
the fourth camera was installed in such a way that only facial expressions and gestures of
the teacher were recorded, which enables a semi-automated analysis of the movement
sequences.

The lessons recorded on video were coded in a post-hoc procedure with a coding software by previously trained raters. The statistical data have been analyzed by using the program RStudio [Link: https://rstudio.com/].

103 Measures

Questionnaire Data. Describe how we collect questionnaire data (paper or online). Add some basic information about the structure of the questionnaire. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Eye-tracking equipment. A binocular Tobii Pro Glasses 2 eye-tracker consisting
of a wearable head unit and a recording unit was used to record the eye movements. The
head unit is a measuring device with different sensitive sensors. A high-definition scene
camera captures a full HD video and an integrated microphone records the surrounding
sounds. Infrared light illuminators support the eye tracking sensors which record the eye
orientation. The videos were recorded with a sampling rate of 50 Hz and a video resolution
with 1920 x 1080 at 25 frames per second. The scene camera has a field of view of 90 deg.
in 16:9 format (82 deg. horizontal and 52 deg. vertical) and has a frame dimension of 179 x

159 x 57mm (width x depth x height). The Tobii Pro Glasses Controller software was used to record and calibrate the eye movements.

The Tobii Pro Glasses 2 software allows for non-screen based recordings of a 123 participants' attention while moving in real-world settings. The recordings of the glasses 124 contain both HD-video from the subject's perspective as well as the respective gaze data 125 mapped onto the video. In order to map multiple recordings to AOIs, it is necessary to 126 import the eye-tracking recordings into the Tobii Pro Analyzer software. Also, it is 127 necessary to create a reference image of the scene in which one wishes to plot the gaze data 128 (i.e. snapshot). Once the snapshot is imported, the gaze recordings of multiple recordings 129 can be mapped to the reference image and analyzed in aggregated form. Tobii Pro does 130 not allow to do AOI based analyses within Pro Lab. Also, the dependency on snapshot 131 reference images makes this approach impractical when working in different settings, i.e. different classrooms with various participants. Finally, mapping gaze to people or any moving objects complicated the analyses further.

Data analysis

We used R (Version 4.0.2; R Core Team, 2019) and the R-packages }dplyr

[@}R-dplyr], forcats (Version 0.5.0; Wickham, 2020a), ggplot2 (Version 3.3.2; Wickham,
2016), papaja (Version 0.1.0.9997; Aust & Barth, 2020), papayar (Muschelli, 2016), purrr

(Version 0.3.4; Henry & Wickham, 2020), readr (Version 1.3.1; Wickham, Hester, &
Francois, 2018), stringr (Version 1.4.0; Wickham, 2019), tibble (Version 3.0.5; Müller &
Wickham, 2021), tidyr (Version 1.1.2; Wickham, 2020b), and tidyverse (Version 1.3.0;
Wickham et al., 2019) for all our analyses.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

150 Results

Questionnaire Data. Start entering descriptives and plots here Lorem ipsum
dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut
labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo
duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem
ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam
nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam
voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd
gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod
tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos
et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata
sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing
elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat,
sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita
kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

166 Discussion

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing
elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat,
sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita
kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

174 References

- Aust, F., & Barth, M. (2020). papaja: Create APA manuscripts with R Markdown.
- Retrieved from https://github.com/crsh/papaja
- Barnes, D. (2004). The significance of teachers' frames for teaching. In *Teachers and teaching* (pp. 16–38). Routledge.
- Barth, V. L. (2017). Professionelle wahrnehmung von störungen im unterricht. Springer.
- Berliner, D. C. (2001). Learning about and learning from expert teachers. *International Journal of Educational Research*, 35(5), 463–482.
- Bogert, N. J. van den. (2016). On teachers' visual perception and interpretation of

 classroom events using eye tracking and collaborative tagging methodologies.

 Technische Universiteit Eindhoven.
- Cortina, K. S., Miller, K. F., McKenzie, R., & Epstein, A. (2015). Where low and high inference data converge: Validation of class assessment of mathematics instruction using mobile eye tracking with expert and novice teachers. *International Journal of Science and Mathematics Education*, 13(2), 389–403.
- Henry, L., & Wickham, H. (2020). Purr: Functional programming tools. Retrieved from https://CRAN.R-project.org/package=purrr
- Jarodzka, H., Scheiter, K., Gerjets, P., & Van Gog, T. (2010). In the eyes of the beholder:

 How experts and novices interpret dynamic stimuli. *Learning and Instruction*,

 20(2), 146–154.
- Lachner, A., Jarodzka, H., & Nückles, M. (2016). What makes an expert teacher?

 Investigating teachers' professional vision and discourse abilities. *Instructional*Science, 44(3), 197–203.
- Messner, H., & Reusser, K. (2000). Die berufliche entwicklung von lehrpersonen als
 lebenslanger prozess. Beiträge Zur Lehrerinnen-Und Lehrerbildung, 18(2), 157–171.

- Muschelli, J. (2016). Papayar: View medical research images using the papaya javascript
 library. Retrieved from https://CRAN.R-project.org/package=papayar
- Müller, K., & Wickham, H. (2021). *Tibble: Simple data frames*. Retrieved from https://CRAN.R-project.org/package=tibble
- Pouta, M., Lehtinen, E., & Palonen, T. (2020). Student teachers' and experienced teachers' professional vision of students' understanding of the rational number concept.
- R Core Team. (2019). R: A language and environment for statistical computing. Vienna,

 Austria: R Foundation for Statistical Computing. Retrieved from
- https://www.R-project.org/
- Stuermer, K., Seidel, T., Mueller, K., Häusler, J., & Cortina, K. S. (2017). What is in the
 eye of preservice teachers while instructing? An eye-tracking study about attention
 processes in different teaching situations. Zeitschrift Für Erziehungswissenschaft,
 20(1), 75–92.
- Wickham, H. (2016). *Ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. Retrieved from https://ggplot2.tidyverse.org
- Wickham, H. (2019). Stringr: Simple, consistent wrappers for common string operations.

 Retrieved from https://CRAN.R-project.org/package=stringr
- Wickham, H. (2020a). Forcats: Tools for working with categorical variables (factors).

 Retrieved from https://CRAN.R-project.org/package=forcats
- Wickham, H. (2020b). *Tidyr: Tidy messy data*. Retrieved from https://CRAN.R-project.org/package=tidyr
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ...
- Yutani, H. (2019). Welcome to the tidyverse. Journal of Open Source Software,

 4(43), 1686. https://doi.org/10.21105/joss.01686
- Wickham, H., Hester, J., & Francois, R. (2018). Readr: Read rectangular text data.

Retrieved from https://CRAN.R-project.org/package=readr

Wolff, C. E., Jarodzka, H., & Boshuizen, H. P. (2017). See and tell: Differences between expert and novice teachers' interpretations of problematic classroom management events. *Teaching and Teacher Education*, 66, 295–308.