# UNCERTAINTY PRINCIPLE

$$\Delta x.\Delta P \ge \frac{h}{4\pi}$$

$$\Delta x.m\Delta v \ge \frac{h}{4\pi}$$

- Q. According to Heisenberg's uncertainty principle,  $\Delta x. \Delta P \ge \frac{h}{4\pi}$  which of the following is correct?
- a) It  $\Delta x = 0$  then  $\Delta P = \infty$
- b) It  $\Delta v = 0$  then  $\Delta P = 0$
- c) It  $\Delta p = 0$  then  $\Delta x = \infty$
- d) All are correct
- R. Find uncertainty in velocity if uncertainty in

a) 
$$\frac{h}{2\sqrt{\pi m}}$$
 b)  $\frac{1}{2m}\sqrt{\frac{h}{\pi}}$  c)  $\frac{1}{m}\sqrt{\frac{h}{\pi}}$  d)  $\frac{1}{2}\sqrt{\frac{h}{m\pi}}$ 

- Q. The uncertainty involved in the measurement of velocity within a distance of 0.1A° is:
  - a) 5.79 x 10° m/s b) 5.79 x 10° m/s
  - c) 5.79 × 108 m/s d) 5.79 × 105 m/s

Angular momentum in nth orbit

Orbital angular momeutum

Spin angular momentum

### PRINCIPLE QUANTUM NUMBER

In nth Shell

Number of subshells = n

Number of orbitals =  $n^2$ Number of electrons = 2n2

Q. Find angular momentum of

(i) 2s orbital (ii) 3d orbital

(iii) 4p orbital (iv) e in 4th orbit

It describes shell or n = 1, 2, 3, 4,..... K, L, M, N,.....

It describes size & energy of shell. roxn2 Ex

It defines the angular momentum

Q. Find maximum no. of e having

(i) n=4,s=-1/2 (ii) n=3,l=1,m=0

(iii) n=2,l=0 (iv) n=3,l=1

AZIMUTHAL


QUANTUM NUMBER

which of the following set of quantum

It describes subshell Value from 0 to n-1 l=0→s l=2 →d |=1 →p |=3 →f

Orbital angular nomentum 1 (1+1) Th

Total no of orbital in a subshell =21 + 1 Maximum no of electrons in a subshell =41 + 2




If |=2

- 1) Orbital = d
- 2) No. of orbtals = 2(2+1)=5

$$(d_{xy}, d_{xz}, d_{yz}, d_x - y_2, d_{z2})$$

- 3) Total e-s = 2(21+1)= 10 e-s
- 4) Orbital angular momentum =

$$=\sqrt{2(2+1)} = \sqrt{6}$$



# STRUCTURE OF ATOM

#### ENERGY OF ORBITALS

1) Mono electronic species Energy defined upon n

2) Multi electronic species 3s < 3p < 4s < 3d

 $\rightarrow$  As (n + 1)  $\uparrow$  E  $\uparrow$ 

 $\rightarrow$  If (n + 1) is same as  $n\uparrow E \uparrow$ 


Orbital	2s	3d
(n+l) value	n = 2	n = 3
	I = 0	= 2
	n+l = 2	n+l = 5

## SHAPE OF ORBITALS

1) s orbital - Spherical shape

2) p orbital - dumb bell shape

3) d orbital - double dumb bell shape



 $\Psi \rightarrow e^-$  wave function

 $\Psi \rightarrow$  probability of finding the


\* Node → Probability of finding the electron is zero.


\* Node plane  $\rightarrow$  Plane where  $\Psi' = 0$ 

\* Radial node→ n-l-1

\* Angular nodes = 1

\* Total nodes = n-1





Pauli's exclusion principle

Electron fills in the increasing order of energy

1s < 2s < 2p < 3s < 3p < 4s < 3d .......

No two electrons have same four quantum numbers

> 1s3- against Pauli's exclusion principle

Hund's rule

Aufbau

principle

Pairing is only after each orbital singly occupied.

[↑] ↑ ] → Against Hund's rule