

HOMEWORK 2

TOPICS: SAMPLE SPACE, ALGEBRA, σ -ALGEBRA

Recall that a set is said to be countable if it is finite or countably infinite.

For all the problems below, unless explicitly stated otherwise, the sample space Ω can be countable or uncountable.

- Let Ω be a sample space, and let \mathcal{F} be a σ -algebra of subsets of Ω .
Argue that \mathcal{F} is closed under countable intersections.
Hint: Apply De Morgan's laws.
- Let Ω be a sample space. Let \mathcal{F}_1 and \mathcal{F}_2 be two σ -algebras of subsets of Ω .
Show, via an example, that $\mathcal{F} = \mathcal{F}_1 \cup \mathcal{F}_2$ is not necessarily a σ -algebra.
Note: **This exercise shows that union of σ -algebras is not necessarily a σ -algebra.**
- Let Ω be a sample space.
 - Let \mathcal{F}_1 and \mathcal{F}_2 be two σ -algebras of subsets of Ω . Show that $\mathcal{F} = \mathcal{F}_1 \cap \mathcal{F}_2$ is also a σ -algebra.
 - More generally, let \mathcal{I} be an arbitrary index set (finite, countably infinite, or uncountable), and for each $i \in \mathcal{I}$, let \mathcal{F}_i be a σ -algebra of subsets of Ω . Show that

$$\mathcal{F} = \bigcap_{i \in \mathcal{I}} \mathcal{F}_i$$

is also a σ -algebra.

This exercise shows that intersection of σ -algebras is necessarily a σ -algebra.

- Let Ω be a sample space, and let \mathcal{F} be a σ -algebra of subsets of Ω . Fix $B \in \mathcal{F}$, and consider the collection

$$\mathcal{G} = \{A \cap B : A \in \mathcal{F}\}.$$

That is, \mathcal{G} is a collection of subsets of B formed by taking the intersection of each set in \mathcal{F} with B .

Show that \mathcal{G} is a σ -algebra of subsets of B .

- Let Ω be a sample space. Consider the collection

$$\mathcal{A}_1 = \{A \subseteq \Omega : A \text{ is finite or } \Omega \setminus A \text{ is finite}\}. \quad (1)$$

- Prove that \mathcal{A}_1 is an algebra.
- Construct an example to show that \mathcal{A}_1 is not necessarily a σ -algebra.
Hint: Consider $\Omega = \mathbb{R}$ and $A = \mathbb{Q}$, the set of rational numbers. What do you know about \mathbb{Q} and $\mathbb{R} \setminus \mathbb{Q}$?

- Let Ω be a sample space. Consider the collection

$$\mathcal{A}_2 = \{A \subseteq \Omega : A \text{ is countable or } \Omega \setminus A \text{ is countable}\}. \quad (2)$$

Prove that \mathcal{A}_2 is a σ -algebra.

Hint: Recall that countable means finite or countably infinite.

Use the lemma “countable union of countable sets is countable” covered in class.