AutoCull End-User Documentation

Group 11

October 17, 2025

Contents

1	Introduction	2
2	System Requirements	2
3	Installation Guide 3.1 Step 1: Obtain AutoCull	2 2 3 3 3 3
4	Configuration	4
5	Dependencies	4
6	Key Features	5
7	Using AutoCull 7.1 Basic Workflow	5 5
8	Troubleshooting	6
9	Uninstallation	6
10	About	6
11	Credits and License	6

1 Introduction

AutoCull is an intelligent image management application that automatically identifies and removes near-duplicate or low-quality photos from a given collection. The program leverages AI/ML techniques to both streamline large-scale photo curation, and improve the user's photographic abilities.

This document serves as a comprehensive guide for end users, covering installation, usage, configuration, and troubleshooting.

2 System Requirements

- Operating System: Windows 10 or later / macOS / Linux
- Python 3.10 or higher
- PostgreSQL 14 or higher
- Recommended RAM: 8 GB+
- Disk space: Minimum 1 GB free

3 Installation Guide

3.1 Step 1: Obtain AutoCull

You can install AutoCull using one of the following two methods:

Option A: Download the Pre-Built Executable (Recommended for Most Users)

- 1. Visit the project's GitHub repository: https://github.com/Manwithacape/COSC345---Group_11/actions
- 2. Under the latest successful build, scroll to the **Artifacts** section.
- 3. Download the file named AutoCull.exe.
- 4. Follow steps below to set up the PostgreSQL database.
- 5. Once downloaded, simply double-click AutoCull.exe to launch the application. No setup or Python installation is required.

Option B: Clone and Run the Source Code (For Developers)

```
git clone https://github.com/Manwithacape/COSC345---Group_11.git cd COSC345---Group_11
```

3.2 Step 2: Create a Virtual Environment (Source Installation Only)

```
python -m venv venv
source venv/bin/activate  # macOS/Linux
venv\Scripts\activate  # Windows
```

3.3 Step 3: Install Dependencies (Source Installation Only)

```
pip install -r requirements.txt
```

3.4 Step 4: Set Up PostgreSQL Database

AutoCull uses PostgreSQL to store image metadata, similarity metrics, and user preferences.

- 1. Install PostgreSQL 14 or higher from https://www.postgresql.org/download/.
- 2. During installation, note your chosen **username**, **password**, and **port number** (default is 5432).
- 3. Open the PostgreSQL interactive terminal:

```
psql -U postgres
```

4. Create a new database and user for AutoCull:

```
CREATE DATABASE autocull_db;
CREATE USER autocull_user WITH PASSWORD 'yourpassword';
GRANT ALL PRIVILEGES ON DATABASE autocull_db TO autocull_user;
```

Example configuration file (.env or config.json):

```
{
    "dbname": "autocull_db",
    "user": "autocull_user",
    "password": "yourpassword",
    "host": "localhost",
    "port": 5432
}
```

5. Initialize the schema using the provided schema.db file. You should see a confirmation message indicating that tables were created successfully.

3.5 Step 5: Launch AutoCull

- If using the .exe file: Simply double-click AutoCull.exe to start the program.
- If running from source:

```
python app.py
```

If the program launches successfully, you should see the AutoCull interface.

4 Configuration

AutoCull requires a database configuration file named db_config.json or environment variables defined in a .env file in the project root.

```
{
    "dbname": "autocull_db",
    "user": "autocull_user",
    "password": "yourpassword",
    "host": "localhost",
    "port": 5432
}
```

Ensure this file is present before running the application.

5 Dependencies

AutoCull relies on several Python libraries for image processing, database interaction, and machine learning. All dependencies can be installed automatically using the requirements.txt file included with the project.

- ImageHash Perceptual hashing for duplicate detection
- numpy Numerical operations and data manipulation
- opencv_python Image analysis and computer vision tools
- **piexif** EXIF metadata reading and writing
- Pillow Image loading, display, and format conversion
- python-dotenv Environment variable and configuration management
- scikit_learn Machine learning and clustering algorithms
- scikit-image Advanced image processing utilities
- ttkbootstrap Modern themed interface for Tkinter
- rawpy RAW image file decoding
- psycopg2-binary PostgreSQL database connectivity
- google-genai Integration for Google Gemini-based text generation
- torch Core PyTorch deep learning framework
- torchvision Vision utilities for PyTorch models
- transformers Access to pretrained deep learning models
- face_recognition Face detection and recognition functionality
- exifread Lightweight EXIF metadata extraction

• CLIP (OpenAI) – Image-text embedding model for similarity and semantic scoring

To install all dependencies:

pip install -r requirements.txt

6 Key Features

- Intelligent duplicate detection using perceptual hashing
- Photo scoring based on exposure, focus, and composition
- EXIF metadata viewer
- Collection management interface
- Integrated PostgreSQL backend for image data
- Lightweight, dark-themed Tkinter GUI

7 Using AutoCull

7.1 Basic Workflow

- 1. Launch AutoCull.
- 2. Import images by selecting "Import" from the sidebar.
- 3. AutoCull scans for near duplicates and low-quality images.
- 4. Review detected clusters of similar images.
- 5. Suggest photos for deletion based on quality scores.
- 6. Confirm deletion or move duplicates to a separate folder.

7.2 GUI

The GUI provides options for:

- Photo importing
- Viewing detected duplicates
- Marking photos for deletion
- Previewing detected duplicates
- Batch delete/move operations
- Suggesting photos for deletion based on quality scores

- Viewing collections
- Creating collections
- Viewing exif data
- Viewing image metrics

8 Troubleshooting

- **Program doesn't start:** Ensure Python 3.10+ is installed and dependencies are correctly installed.
- Database connection error: Verify that PostgreSQL is running and credentials are correct.
- No duplicates found: Try lowering the threshold value.
- **Permission errors:** Run as administrator or check write permissions on output directories.

9 Uninstallation

To remove AutoCull, delete the application folder and its virtual environment. If desired, remove the PostgreSQL database using:

```
DROP DATABASE autocull_db;
DROP USER autocull_user;
```

10 About

This application was developed as part of a university project for COSC345. For more information, visit the GitHub repository: https://github.com/Manwithacape/COSC345---Group_11

Please do not attempt to contact anyone regarding bugs, issues, or feature requests. These will likely not be addressed.

11 Credits and License

Developed by Group 11, COSC345 2025 S2 as part of the AutoCull project. Licensed under the MIT License.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.