

Exercises FYS4480, week 38, September 16-20, 2024

Exercise 1

This exercise is a continuation of the exercises from last week on the so-called Lipkin model. We considered a state with all fermions in the lowest single-particle state

$$|\Phi_{J_z=-2}\rangle = a_{1-}^\dagger a_{2-}^\dagger a_{3-}^\dagger a_{4-}^\dagger |0\rangle.$$

This state has $J_z = -2$ and belongs to the set of projections for $J = 2$. We will use the shorthand notation $|J, J_z\rangle$ for states with different spin J and spin projection J_z . The other possible states have $J_z = -1$, $J_z = 0$, $J_z = 1$ and $J_z = 2$.

Use the raising or lowering operators J_+ and J_- in order to construct the states for spin $J_z = -1$, $J_z = 0$, $J_z = 1$ and $J_z = 2$. The action of these two operators on a given state with spin J and projection J_z is given by ($\hbar = 1$) by $J_+ |J, J_z\rangle = \sqrt{J(J+1) - J_z(J_z+1)} |J, J_z+1\rangle$ and $J_- |J, J_z\rangle = \sqrt{J(J+1) - J_z(J_z-1)} |J, J_z-1\rangle$.

Exercise 2

a) Show that the onebody part of the Hamiltonian

$$\hat{H}_0 = \sum_{pq} \langle p | \hat{h}_0 | q \rangle a_p^\dagger a_q$$

can be written, using standard annihilation and creation operators, in normal-ordered form as

$$\begin{aligned} \hat{H}_0 &= \sum_{pq} \langle p | \hat{h}_0 | q \rangle a_p^\dagger a_q \\ &= \sum_{pq} \langle p | \hat{h}_0 | q \rangle \{a_p^\dagger a_q\} + \delta_{pq \in i} \sum_{pq} \langle p | \hat{h}_0 | q \rangle \\ &= \sum_{pq} \langle p | \hat{h}_0 | q \rangle \{a_p^\dagger a_q\} + \sum_i \langle i | \hat{h}_0 | i \rangle \end{aligned}$$

Explain the meaning of the various symbols. Which reference vacuum has been used?

b) Show that the twobody part of the Hamiltonian

$$\hat{H}_I = \frac{1}{4} \sum_{pqrs} \langle pq | \hat{v} | rs \rangle a_p^\dagger a_q^\dagger a_s a_r$$

can be written, using standard annihilation and creation operators, in normal-ordered form as

$$\begin{aligned} \hat{H}_I &= \frac{1}{4} \sum_{pqrs} \langle pq | \hat{v} | rs \rangle a_p^\dagger a_q^\dagger a_s a_r \\ &= \frac{1}{4} \sum_{pqrs} \langle pq | \hat{v} | rs \rangle \{a_p^\dagger a_q^\dagger a_s a_r\} + \sum_{pq i} \langle p i | \hat{v} | q i \rangle \{a_p^\dagger a_q\} + \frac{1}{2} \sum_{ij} \langle i j | \hat{v} | i j \rangle \end{aligned}$$

Explain again the meaning of the various symbols. The two-body matrix elements are anti-symmetrized.