

# Least Squares as Projection 最小二乘法的投影解释

Marcobisky

2024-09-21

## Introduction

The goal is to find the linear model  $y = \beta_0 + \beta_1 x$  such that the sum of squared errors between the predicted values and the actual data is minimized.

## Linear Model

The form of the linear model is:

$$y_i = \beta_0 + \beta_1 x_i + \epsilon_i$$

where  $y_i$  is the observed value,  $x_i$  is the independent variable,  $\beta_0$  is the intercept,  $\beta_1$  is the slope, and  $\epsilon_i$  is the error term.

We wish to find  $\beta_0$  and  $\beta_1$  such that the predicted values  $\hat{y}_i = \beta_0 + \beta_1 x_i$  minimize the sum of squared errors between  $\hat{y}_i$  and the observed values  $y_i$ .

## Design Matrix and Observation Vector

To make the problem more convenient, we represent it using vectors and matrices.

### Design Matrix

Define the design matrix  $\mathbf{X}$  as:

$$\mathbf{X} = \begin{bmatrix} 1 & 1 \\ 1 & 2 \\ 1 & 3 \\ 1 & 4 \end{bmatrix}$$

The first column contains only 1s, representing the constant term  $\beta_0$ , and the second column contains the values of the independent variable  $x_i$ .

## Observation Vector

Define the observation vector  $\mathbf{y}$  as:

$$\mathbf{y} = \begin{bmatrix} 2 \\ 3 \\ 5 \\ 7 \end{bmatrix}$$

This vector contains all the observed values  $y_i$ .

## Parameter Vector

Define the parameter vector  $\beta = \begin{bmatrix} \beta_0 \\ \beta_1 \end{bmatrix}$ .

## Sum of Squared Errors Objective Function

In regression, our goal is to find the parameters  $\beta$  such that the predicted values  $\hat{\mathbf{y}} = \mathbf{X}\beta$  are as close as possible to the observed values  $\mathbf{y}$ , by minimizing the sum of squared errors (SSE):

$$S(\beta_0, \beta_1) = \sum_{i=1}^n (y_i - \hat{y}_i)^2 = (\mathbf{y} - \mathbf{X}\beta)^T (\mathbf{y} - \mathbf{X}\beta)$$

## Deriving the Normal Equation

The key idea of least squares is to find  $\beta$  such that the residual  $\mathbf{y} - \mathbf{X}\beta$  is minimized. Geometrically, this means that the residual should be orthogonal to the column space of the design matrix  $\mathbf{X}$ , which leads to the normal equation:

$$\mathbf{X}^T (\mathbf{y} - \mathbf{X}\hat{\beta}) = 0$$

Expanding this:

$$\mathbf{X}^T \mathbf{y} = \mathbf{X}^T \mathbf{X} \hat{\beta}$$

This is the normal equation, which can be solved to find the least squares estimate  $\hat{\beta}$ .

## Solving the Normal Equation

Now, let's compute the parts of the normal equation.

**Compute  $\mathbf{X}^T \mathbf{X}$**

$$\mathbf{X}^T \mathbf{X} = \begin{bmatrix} 1 & 1 & 1 & 1 \\ 1 & 2 & 3 & 4 \end{bmatrix} \begin{bmatrix} 1 & 1 \\ 1 & 2 \\ 1 & 3 \\ 1 & 4 \end{bmatrix} = \begin{bmatrix} 4 & 10 \\ 10 & 30 \end{bmatrix}$$

**Compute  $\mathbf{X}^T \mathbf{y}$**

$$\mathbf{X}^T \mathbf{y} = \begin{bmatrix} 1 & 1 & 1 & 1 \\ 1 & 2 & 3 & 4 \end{bmatrix} \begin{bmatrix} 2 \\ 3 \\ 5 \\ 7 \end{bmatrix} = \begin{bmatrix} 17 \\ 50 \end{bmatrix}$$

**Solve the Normal Equation**

Now we solve the normal equation:

$$\begin{bmatrix} 4 & 10 \\ 10 & 30 \end{bmatrix} \hat{\beta} = \begin{bmatrix} 17 \\ 50 \end{bmatrix}$$

To solve this, we first compute the inverse of  $\mathbf{X}^T \mathbf{X}$ :

$$(\mathbf{X}^T \mathbf{X})^{-1} = \frac{1}{(4)(30) - (10)(10)} \begin{bmatrix} 30 & -10 \\ -10 & 4 \end{bmatrix} = \frac{1}{20} \begin{bmatrix} 30 & -10 \\ -10 & 4 \end{bmatrix}$$

Next, we compute  $\hat{\beta}$ :

$$\hat{\beta} = (\mathbf{X}^T \mathbf{X})^{-1} \mathbf{X}^T \mathbf{y}$$

$$\hat{\beta} = \frac{1}{20} \begin{bmatrix} 30 & -10 \\ -10 & 4 \end{bmatrix} \begin{bmatrix} 17 \\ 50 \end{bmatrix} = \frac{1}{20} \begin{bmatrix} (30)(17) + (-10)(50) \\ (-10)(17) + (4)(50) \end{bmatrix}$$

$$\hat{\beta} = \frac{1}{20} \begin{bmatrix} 510 - 500 \\ -170 + 200 \end{bmatrix} = \frac{1}{20} \begin{bmatrix} 10 \\ 30 \end{bmatrix} = \begin{bmatrix} 0.5 \\ 1.5 \end{bmatrix}$$

## Least Squares Estimate

By solving the normal equation, we find  $\hat{\beta}_0 = 0.5$  and  $\hat{\beta}_1 = 1.5$ . Thus, the regression model is:

$$\hat{y} = 0.5 + 1.5x$$

## Conclusion

Using the projection approach, we see that the least squares estimate is the projection of the observation vector  $\mathbf{y}$  onto the space spanned by the columns of the design matrix  $\mathbf{X}$ . By solving the normal equation, we found the parameters  $\hat{\beta}_0 = 0.5$  and  $\hat{\beta}_1 = 1.5$ , which minimize the sum of squared errors.