



Welcome to this session
Skills Bootcamp:

Q&A Session

The session will start shortly...

Questions? Drop them in the chat.
We'll have dedicated moderators
answering questions.



Safeguarding & Welfare

We are committed to all our students and staff feeling safe and happy; we want to make sure there is always someone you can turn to if you are worried about anything.

If you are feeling upset or unsafe, are worried about a friend, student or family member, or you feel like something isn't right, speak to our safeguarding team:



Ian Wyles
Designated Safeguarding
Lead



Simone Botes



Nurhaan Snyman



Rafiq Manan



Ronald Munodawafa



Tevin Pitts

Scan to report a
safeguarding concern



or email the Designated
Safeguarding Lead:
Ian Wyles

safeguarding@hyperiondev.com

Skills Bootcamp Full Stack Web Development

- The use of disrespectful language is prohibited in the questions, this is a supportive, learning environment for all - please engage accordingly. **(Fundamental British Values: Mutual Respect and Tolerance)**
- No question is daft or silly - **ask them!**
- There are **Q&A sessions** midway and at the end of the session, should you wish to ask any follow-up questions. We will be answering questions as the session progresses as well.
- If you have any questions outside of this lecture, or that are not answered during this lecture, please do submit these for upcoming Academic Sessions. You can submit these questions here: **Questions**

Skills Bootcamp Cloud Web Development

- For all **non-academic questions**, please submit a query:
www.hyperiondev.com/support
- **Report a safeguarding incident:** www.hyperiondev.com/safeguardreporting
- We would love your feedback on lectures: [Feedback on Lectures.](#)
- Find all the lecture **content** in your [Lecture Backpack](#) on GitHub.
- If you are hearing impaired, kindly use your computer's function through Google chrome to enable captions.

Skills Bootcamp Progression Overview

✓ Criterion 1 - Initial Requirements

Specific achievements **within the first two weeks** of the program.

To meet this criterion, students need to, by no later than **01 December 2024 (C11)** or **22 December 2024 (C12)**:

- **Guided Learning Hours (GLH):** Attend a **minimum of 7-8 GLH per week** (lectures, workshops, or mentor calls) for a total minimum of **15 GLH**.
- **Task Completion:** Successfully complete the **first 4 of the assigned tasks**.

✓ Criterion 2 - Mid-Course Progress

Progress through the successful completion of tasks **within the first half** of the program.

To meet this criterion, students should, by no later than **12 January 2025 (C11)** or **02 February 2025 (C12)**:

- **Guided Learning Hours (GLH):** Complete at least **60 GLH**.
- **Task Completion :** Successfully complete the **first 13 of the assigned tasks**.

Skills Bootcamp Progression Overview

✓ Criterion 3 – End-Course Progress

Showcasing students' progress nearing the completion of the course.

To meet this criterion, students should:

- **Guided Learning Hours (GLH):** Complete the **total minimum required GLH**, by the **support end date**.
- **Task Completion : Complete all mandatory tasks**, including any necessary resubmissions, by the end of the bootcamp, **09 March 2025 (C11)** or **30 March 2025 (C12)**.

✓ Criterion 4 - Employability

Demonstrating progress to find employment.

To meet this criterion, students should:

- **Record an Interview Invite:** Students are required to record proof of invitation to an interview by **30 March 2025 (C11)** or **04 May 2025 (C12)**.
 - **South Holland Students** are required to proof and interview by **17 March 2025**.
- **Record a Final Job Outcome :** Within 12 weeks post-graduation, students are required to record a job outcome.

Learning Outcomes

- ❖ Differentiate between types of data visualizations
- ❖ Identify common mistakes in data visualization
- ❖ Analyze relationships between variables using scatterplots, boxplots, and heatmaps, and interpret trends, correlations, and outliers.
- ❖ Apply the IQR method to detect and handle boxplot outliers and explain their impact on data interpretation.

Lecture Overview

- Basic Visualisation
- Break
- Advanced Visualisation
- Q&A

Questions and Answers



Data Visualisation





Exercise

- ❖ Using the dataset provided, pick a suitable visualisation technique to visualise donations based on a region

Basic Plotting with Matplotlib

```
[1]: import matplotlib.pyplot as plt
```

```
# Sample data
```

```
months = ['Jan', 'Feb', 'Mar', 'Apr', 'May']
```

```
sales = [500, 700, 800, 750, 900]
```

```
# Create a line chart
```

```
plt.plot(months, sales, marker='o', linestyle='-', color='b')
```

```
# Labels and title
```


```
plt.xlabel('Months')
```

```
plt.ylabel('Sales ($)')
```

```
plt.title('Monthly Sales Data')
```

```
# Show the plot
```

```
plt.show()
```



- Why is a line chart a good choice here?



Boxplots: Identifying Outliers

❖ What is a Boxplot?

- A boxplot (also called a box-and-whisker plot) is a standardized way of displaying data distribution based on a five-number summary:
 - **Minimum** – The smallest data point (excluding outliers).
 - **First quartile (Q1)** – The 25th percentile (lower quartile).
 - **Median (Q2)** – The 50th percentile (middle value).
 - **Third quartile (Q3)** – The 75th percentile (upper quartile).
 - **Maximum** – The largest data point (excluding outliers).
- ❖ **Outliers** are data points that fall far outside the normal range of the dataset. They are usually plotted as individual points beyond the whiskers.

How to Identify Outliers Using a Boxplot?

- ❖ Whiskers extend to $1.5 \times \text{IQR}$ (Interquartile Range) beyond $Q1$ and $Q3$.
- ❖ Outliers are any data points that fall:
 - Below $Q1 - 1.5 \times \text{IQR}$
 - Above $Q3 + 1.5 \times \text{IQR}$
- ❖ Formula for IQR (Interquartile Range):

$$IQR = Q3 - Q1$$

$$\text{Lower Bound} = Q1 - 1.5 \times IQR$$

$$\text{Upper Bound} = Q3 + 1.5 \times IQR$$



Let's visualize a dataset and identify outliers using Seaborn and Matplotlib.

```
[7]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt


# Generate sample data with outliers
np.random.seed(42)
data = np.random.normal(loc=50, scale=15, size=100) # Normal distribution
data = np.append(data, [120, 130, 140]) # Add some outliers

# Convert to DataFrame
df = pd.DataFrame({'Revenue': data})

# Create a Boxplot
plt.figure(figsize=(6, 5))
sns.boxplot(y=df['Revenue'], color='skyblue')

# Add title and labels
plt.title('Boxplot of Revenue with Outliers')
plt.ylabel('Revenue')

plt.show()
```



What Do You See?

- ❖ The box represents the middle 50% of data (IQR).
- ❖ The horizontal line inside the box is the median (middle value).
- ❖ The whiskers extend to the smallest and largest values within $1.5 \times \text{IQR}$.
- ❖ The dots beyond the whiskers are outliers.



How to Handle Outliers?

- ❖ Remove Outliers – If they result from errors or do not contribute meaningful insights.
- ❖ Transform Data – Use log transformation or normalization to reduce their effect.
- ❖ Cap Outliers – Replace extreme values with upper and lower bounds.
- ❖ Use Robust Models – Some models, like decision trees, are less sensitive to outliers.





Advanced Visualisations


Using Seaborn for Advanced Visualizations

```
[4]: import seaborn as sns
import matplotlib.pyplot as plt
import pandas as pd

# Sample Data
data = {'Category': ['A', 'B', 'C', 'D'],
        'Sales': [300, 450, 150, 400]}
df = pd.DataFrame(data)

# Create bar chart
sns.barplot(x='Category', y='Sales', data=df, palette='coolwarm')

# Title
plt.title('Sales per Category')
plt.show()
```



- ❖ When should we use bar charts instead of pie charts?



Exercise




Good Visualisation?

```
[5]: import matplotlib.pyplot as plt

# Sample data (Too many categories and misleading proportions)
categories = ['A', 'B', 'C', 'D', 'E', 'F', 'G', 'H', 'I', 'J']
values = [10, 15, 5, 25, 20, 30, 10, 5, 50, 5] # No clear pattern

# Create a cluttered pie chart
plt.figure(figsize=(5, 5)) # Too small for readability
plt.pie(values, labels=categories, autopct='%1.1f%%', startangle=90)

# No title, legend, or color distinction
plt.show()
```



Questions

- ❖ What's wrong with this chart?
- ❖ How can we improve it?

Seaborn

❖ What's wrong with this chart?

- ❌ Too many categories, making it cluttered.
- ❌ Missing title and proper labels for clarity.
- ❌ Some sections are too small to be readable.
- ❌ The scale is misleading (percentages add confusion).

❖ How can we improve it?

- ✅ Use a bar chart instead if categories are too many.
- ✅ Add a title and proper labels.
- ✅ Reduce the number of categories or group smaller ones under "Other."
- ✅ Use distinct colors and a better layout.

Improved Version


```
[6]: # Improved Pie Chart with Fewer Categories and Better Readability
plt.figure(figsize=(6, 6))

# Group small categories into "Other"
categories = ['A', 'B', 'C', 'D', 'Other']
values = [10, 15, 5, 25, sum([20, 30, 10, 5, 50, 5])]

# Use a better colormap
colors = ['blue', 'green', 'red', 'purple', 'gray']

plt.pie(values, labels=categories, autopct='%1.1f%%', startangle=90, colors=colors, wedgeprops={'edgecolor': 'black'})
plt.title('Sales Distribution by Category')
plt.legend(categories, title="Categories")

plt.show()
```



Summary

- ❖ A bad chart makes data harder to understand.
- ❖ Simplify when needed (group small categories together).
- ❖ Choose the right chart type (Pie vs. Bar).
- ❖ Always add labels, a title, and proper formatting for clarity.

Resources

- ❖ Matplotlib:
https://matplotlib.org/stable/gallery/color/named_colors.html
https://matplotlib.org/stable/api/pyplot_summary.html
- ❖ Seaborn examples:
<https://seaborn.pydata.org/examples/index.html>
- ❖ If SSL error while getting Seaborn built-in data, download the data csv file from here - <https://github.com/mwaskom/seaborn-data>
- ❖ Resources to be installed for tutorial: **Python, NumPy, Pandas, Jupyter Notebook, Matplotlib, Seaborn**

Questions and Answers



Thank you for attending



CoGrammar



Department
for Education