

Biased Medium Access Control: Can a Biased Protocol be more Efficient than a Fair one?

CSE4344

Cameron A. Keith
Computer Science and
Engineering Department
Southern Methodist University
Dallas, Texas USA
ckeith@smu.edu

Anna A. Carroll
Computer Science and
Engineering Department
Southern Methodist University
Dallas, Texas USA
aacarroll@smu.edu

Dylan C. Fansler
Computer Science and
Engineering Department
Southern Methodist University
Dallas, Texas USA
dfansler@smu.edu

Ethan Busbee
Computer Science and
Engineering Department
Southern Methodist University
Dallas, Texas USA
ebusbee@smu.edu

ABSTRACT

1. INTRODUCTION

2. BACKGROUND

3. REFERENCES

- [1] B. Bensaou, Yu Wang, and Chi Chung Ko. Fair medium access in 802.11 based wireless ad-hoc networks. In *Mobile and Ad Hoc Networking and Computing, 2000. MobiHOC. 2000 First Annual Workshop on*, pages 99–106, 2000.
- [2] Ajay Chandra V. Gummalla and John O. Limb. Wireless medium access control protocols. *Communications Surveys Tutorials, IEEE*, 3(2):2–15, Second 2000.
- [3] Peijian Ju, Wei Song, and Dizhi Zhou. Survey on cooperative medium access control protocols. *Communications, IET*, 7(9):893–902, June 2013.
- [4] Pradeep Kyasanur and Nitin H. Vaidya. Selfish mac layer misbehavior in wireless networks. *IEEE Transactions on Mobile Computing*, 4(5):502–516, 2005.
- [5] R.T.B. Ma, V. Misra, and D. Rubenstein. An analysis of generalized slotted-aloha protocols. *Networking, IEEE/ACM Transactions on*, 17(3):936–949, June 2009.
- [6] C. Stefanovic, P. Popovski, and D. Vukobratovic.