Ex No: 7 **Roll No: 210701153**

Implement Linear and Logistic Regression

a) Linear regression

CODE:

```
# Sample data

heights <- c(150, 160, 165, 170, 175, 180, 185)
weights <- c(55, 60, 62, 68, 70, 75, 80)

# Create a data frame
data <- data.frame(heights, weights)

# Fit a linear regression model
linear_model <- lm(weights ~ heights, data = data)

# Print the summary of the model
print(summary(linear_model))

# Plotting the data and regression line
plot(data$heights, data$weights,
     main = "Linear Regression: Weight vs. Height",
     xlab = "Height (cm)",
     ylab = "Weight (kg)",
     pch = 19, col = "blue")

# Add regression line
abline(linear_model, col = "red", lwd = 2)
```

Ex No: 7 **Roll No: 210701153**

OUTPUT:





a) LOGISTIC REGRESSION

CODE:

```
# Load the dataset
data(mtcars)

# Convert 'am' to a factor (categorical variable)
mtcars$am <- factor(mtcars$am, levels = c(0, 1), labels = c("Automatic", "Manual"))

# Fit a logistic regression model
logistic_model <- glm(am ~ mpg, data = mtcars, family = binomial)

# Print the summary of the model
print(summary(logistic_model))

# Predict probabilities for the logistic model
predicted_probs <- predict(logistic_model, type = "response")

# Display the predicted probabilities
print(predicted_probs)

# Plotting the data and logistic regression curve
plot(mtcars$mpg, as.numeric(mtcars$am) - 1,
    main = "Logistic Regression: Transmission vs. MPG",
    xlab = "Miles Per Gallon (mpg)",
    ylab = "Probability of Manual Transmission",
    pch = 19, col = "blue")

# Add the logistic regression curve
curve(predict(logistic_model, data.frame(mpg = x), type = "response"),
     add = TRUE, col = "red", lwd = 2)
```

OUTPUT:





RESULT:

Linear and Logistic Regression is implemented successfully.