

# Protocol: Associated Mobile Fauna

---



How to cite this work: Protocol: Associated Mobile Fauna. (2020) Tennenbaum Marine Observatories Network, MarineGEO, Smithsonian Institution.



## Introduction

Despite a lengthy history of research done on fouling communities, there exists very little data on the associated mobile fauna (non-tube building) found within these communities. Here we provide an optional auxiliary protocol to sampling this group of species in a standardized way.

---

## Measured Parameters

- Mobile fauna abundance and diversity
- 

## Requirements

Personnel: 1-2 people

Estimated Total Time Per Location ( $n = 3$  sites per habitat):

Lab work: 1-2 people x 5 days

Data entry: 1 person x 1 days

\*Estimated times will vary by site and conditions

Replication: At least three (3) sites per habitat, the number of habitats is decided by the partner site.

### Materials:

- ☐ Forceps
  - ☐ Dissecting microscope
  - ☐ Data sheets
- 

## Methods

Fully review this and any additional protocols necessary for the sampling excursion. Address any questions or concerns to [marinegeo@si.edu](mailto:marinegeo@si.edu) before beginning this protocol.

1. Depending on the number of panels and time available at the site, panels can either be processed live or frozen. If freezing, place the plastic bag with seawater directly in a freezer.
2. Once ready to process, place the panel in a 500  $\mu\text{m}$  sieve and pour seawater that was in the bag through the sieve. Wash the panel with fresh water to remove all mobile fauna into the sieve. Discard any non-living material (e.g. shell, rocks, etc.) and wash the sieved fraction into a labeled vial with 70% ethanol. Each vial should contain all mobile fauna per single community (i.e. panel).
3. Pour contents of vial into a dish and sort, identify, and count all mobile fauna. All species should be identified to the possible taxonomic level. However, if this is not possible, please use the provided list of taxonomic categories below. *Be sure to ignore any tube-building fauna (e.g. corophiid amphipods, sabellid and or serpulid polychaetes).*

4. For counting purposes, only record species that are complete or at least have the anterior region present (“head-counts”). For mangled or incomplete species without the anterior region, do not count and discard. For gastropods, make sure the animal is present either by looking for the foot or crushing the shell.
  5. Once enumerated, samples should be retained for potential further studies.
- 

## Data Submission

1. Scan the completed field data sheets and save both paper and electronic versions locally. We do not require you to submit the scanned forms.
2. Enter data into the provided data entry template. Each template is an Excel spreadsheet. Please provide as much protocol and sample metadata as possible, such as the protocol version and contact information. Use the “notes” columns to provide additional information or context if a relevant column doesn’t already exist, rather than renaming or creating columns.
3. Use our online submission portal to upload the Excel Spreadsheet: <https://marinegeo.github.io/data-submission>
4. Contact us if you have any questions: [marinegeo@si.edu](mailto:marinegeo@si.edu)