

combined_features

December 11, 2019

https://github.com/QuantCS109/TrumpTweets/blob/master/notebooks_features/combined_features.ipynb

```
[1]: import sys
sys.path.append('.') #to add top-level to path

import pickle
import pandas as pd
import numpy as np
from datetime import timedelta
from sklearn.model_selection import train_test_split
from modules.project_helper import FuturesCloseData, VolFeatures,
    ↳ TweetReturnsFeatures, TradeModel, MarketFeatures
import matplotlib.pyplot as plt
#import graphviz
```

0.0.1 Response Variable (One Day Log>Returns)

```
[2]: fc = FuturesCloseData()
fc.single_log_returns('ES').head()
```

```
[2]: date
2014-01-02    -0.000570
2014-01-03    -0.002710
2014-01-06     0.005697
2014-01-07     0.000994
2014-01-08     0.000284
Name: ES, dtype: float64
```

0.0.2 1) Tweet topics

```
[3]: topics = pd.read_csv('../data/features/topic_features_clusters=25.csv').
    ↳ set_index('date')
topics.columns = ["topic_" + column for column in topics.columns.tolist()]
```

```
[4]: topics.head()
```

```
[4]:
```

	topic_0	topic_1	topic_2	topic_3	topic_4	topic_5	topic_6	\
date								
2017-01-01	0.0	0.000000	0.0	0.000000	0.000000	0.000000	0.0	
2017-01-02	0.0	1.000000	0.0	0.000000	0.000000	0.000000	0.0	
2017-01-03	0.0	0.222222	0.0	0.111111	0.222222	0.000000	0.0	
2017-01-04	0.0	0.214286	0.0	0.214286	0.142857	0.000000	0.0	
2017-01-05	0.0	0.000000	0.0	0.000000	0.333333	0.166667	0.0	

	topic_7	topic_8	topic_9	...	topic_15	topic_16	topic_17	\
date				...				
2017-01-01	0.0	0.000000	0.0	...	0.000000	0.000000	0.5	
2017-01-02	0.0	0.000000	0.0	...	0.000000	0.000000	0.0	
2017-01-03	0.0	0.111111	0.0	...	0.000000	0.111111	0.0	
2017-01-04	0.0	0.000000	0.0	...	0.071429	0.071429	0.0	
2017-01-05	0.0	0.000000	0.0	...	0.166667	0.166667	0.0	

	topic_18	topic_19	topic_20	topic_21	topic_22	topic_23	\
date							
2017-01-01	0.0	0.0	0.0	0.0	0.0	0.0	
2017-01-02	0.0	0.0	0.0	0.0	0.0	0.0	
2017-01-03	0.0	0.0	0.0	0.0	0.0	0.0	
2017-01-04	0.0	0.0	0.0	0.0	0.0	0.0	
2017-01-05	0.0	0.0	0.0	0.0	0.0	0.0	

	topic_24
date	
2017-01-01	0.0
2017-01-02	0.0
2017-01-03	0.0
2017-01-04	0.0
2017-01-05	0.0

[5 rows x 25 columns]

0.0.3 2) TF-IDF (First Two Components) Features

```
[5]: svd_df_daily = pd.read_csv('../data/features/combined_svd_df.
    ↪ csv', names=['index', 'svd_1', 'svd_2', 'date'], index_col = 0, skiprows = 1)
svd_df_daily.set_index('date', inplace = True)
svd_df_daily.index = pd.to_datetime(svd_df_daily.index)
svd_df_daily.head()
```

```
[5]:
```

	svd_1	svd_2
date		
2009-05-05	0.229959	0.195915
2009-05-08	0.052085	0.062540
2009-05-09	0.079564	0.035554

```
2009-05-12  0.101352  0.043649
2009-05-13  0.068212  0.062037
```

0.0.4 3) Trump Tweet Returns Features

```
[6]: tr = TweetReturnsFeatures()
      tr.features('ES').head()
```

```
[6]:
```

	ES_min_tweet	ES_max_tweet	ES_daily_tweet
date			
2017-02-01	0.001327	0.003084	0.000107
2017-02-02	0.000208	0.004080	0.000087
2017-02-03	0.001417	0.005195	0.000137
2017-02-06	0.001328	0.003935	0.000134
2017-02-07	0.001821	0.004572	0.000142

```
[7]: tr.features('ES').dtypes
```

```
[7]: ES_min_tweet      float64
      ES_max_tweet      float64
      ES_daily_tweet    float64
      dtype: object
```

0.0.5 4) Futures Market Features

```
[8]: market = pd.read_csv('../data/features/market_features.csv')
      market = MarketFeatures()
      market.features('ES').head()
```

```
[8]:
```

	ES_volume_chg	ES_opening_down	ES_opening_unch	ES_opening_up
date				
2015-11-17	-2.869230	0	0	1
2015-11-18	-2.553725	0	0	1
2015-11-19	-5.156960	1	0	0
2015-11-20	13.056758	1	0	0
2015-11-23	-8.501065	0	0	1

0.0.6 5) S&P500 Intraday Features

```
[9]: intraday = pd.read_csv('../data/features/intra_sp_features.csv')
      intraday.set_index('date', inplace = True)
      intraday.index = pd.to_datetime(intraday.index)
      intraday.head()
```

```
[9]:
```

	intra_ret_1	intra_ret_5	intra_ret_15	intra_diff_15_5	\
date					

2016-11-14	-0.000343	-0.000343	-0.000343	-0.000343
2016-11-15	-0.000114	-0.000571	-0.001141	0.000114
2016-11-16	-0.000457	-0.000228	-0.000800	-0.000228
2016-11-17	0.000908	0.000908	0.000908	0.000908
2016-11-18	-0.000114	-0.000114	-0.000114	-0.000114

	intra_blend
date	
2016-11-14	-0.000343
2016-11-15	-0.000608
2016-11-16	-0.000495
2016-11-17	0.000908
2016-11-18	-0.000114

0.0.7 6) Volatility Curve Features

```
[10]: vol = VolFeatures()
      vol.features('ES').head()
```

```
[10]:
```

	ES_1M_atm_vol	ES_1M_RR25	ES_1M_Fly25	ES_2M_RR25	ES_2M_Fly25	\
Date						
2016-11-14	0.125167	-0.046660	0.004511	-0.054350	0.005055	
2016-11-15	0.115973	-0.037389	0.004496	-0.047791	0.005024	
2016-11-16	0.117994	-0.039737	0.004298	-0.050144	0.004259	
2016-11-17	0.114572	-0.037683	0.003737	-0.047440	0.004492	
2016-11-18	0.110470	-0.037870	0.002963	-0.049350	0.004098	

	ES_2M_1M_atm_vol
Date	
2016-11-14	0.005187
2016-11-15	0.004549
2016-11-16	0.005215
2016-11-17	0.005008
2016-11-18	0.006858

0.0.8 7) Agricultural Gamma Features

```
[11]: corn_gamma = pd.read_csv('../data/features/corn_gamma_features.csv')
      corn_gamma.set_index('date', inplace = True)
      corn_gamma.index = pd.to_datetime(corn_gamma.index)
      corn_gamma.head()
```

```
[11]:
```

	C_up_gamma_5	C_down_gamma_5	C_up_diff_5	C_down_diff_5
date				
2016-09-21	53219.375632	53384.321274	11268.575199	11471.420535
2016-09-22	52737.562141	54080.579964	11594.644211	11644.373967

2016-09-27	56031.645597	37727.193425	12965.800732	7437.719089
2016-09-29	56912.627474	39498.507310	13003.249796	8306.498080
2016-09-30	56946.454785	40410.808361	12994.168946	8664.380661

```
[12]: wheat_gamma = pd.read_csv('../data/features/wheat_gamma_features.csv')
wheat_gamma.set_index('date', inplace = True)
wheat_gamma.index = pd.to_datetime(wheat_gamma.index)
wheat_gamma.head()
```

```
[12]:
```

	W_up_gamma_5	W_down_gamma_5	W_up_diff_5	W_down_diff_5
date				
2016-09-27	11281.695503	5119.843342	2705.436002	1032.187814
2016-09-29	11350.174510	6931.755883	2601.233781	1962.597329
2016-10-04	11245.962151	6619.575422	2693.882756	1672.955456
2016-10-11	14704.655914	9338.077715	2955.022047	2552.378465
2016-10-13	18393.989866	8111.147772	3938.700607	2212.199049

```
[13]: soybeans_gamma = pd.read_csv('../data/features/soybeans_gamma_features.csv')
soybeans_gamma.set_index('date', inplace = True)
soybeans_gamma.index = pd.to_datetime(soybeans_gamma.index)
soybeans_gamma.head()
```

```
[13]:
```

	S_up_gamma_5	S_down_gamma_5	S_up_diff_5	S_down_diff_5
date				
2016-09-21	34465.710071	39120.529046	13183.794488	16165.099994
2016-09-22	37548.504509	38822.637529	13185.095326	15769.076624
2016-09-23	29833.167794	39086.796216	13758.593327	16592.201574
2016-09-26	39720.842812	33082.313487	16241.849329	13876.210431
2016-09-27	38721.781147	34020.341945	16677.953367	12458.728470

0.0.9 7) Agricultural Gamma Features

```
[14]: sentiment_features = pd.read_csv("../data/features/daily_sentiment.csv")
sentiment_features = sentiment_features.set_index('date')
sentiment_features.head()
```

```
[14]:
```

	negative_proportion_min	negative_proportion_max	\
date			
2009-05-05	0.000	0.000	
2009-05-08	0.000	0.000	
2009-05-09	0.000	0.000	
2009-05-12	0.000	0.000	
2009-05-13	0.075	0.075	

	negative_proportion_mean	positive_proportion_min	\
date			
2009-05-05	0.000	0.163	

2009-05-08	0.000	0.277
2009-05-09	0.000	0.000
2009-05-12	0.000	0.000
2009-05-13	0.075	0.222

	positive_proportion_max	positive_proportion_mean \
date		
2009-05-05	0.252	0.2075
2009-05-08	0.277	0.2770
2009-05-09	0.000	0.0000
2009-05-12	0.000	0.0000
2009-05-13	0.222	0.2220

	neutral_proportion_min	neutral_proportion_max \
date		
2009-05-05	0.748	0.837
2009-05-08	0.723	0.723
2009-05-09	1.000	1.000
2009-05-12	1.000	1.000
2009-05-13	0.703	0.703

	neutral_proportion_mean	combined_score_min	combined_score_max \
date			
2009-05-05	0.7925	0.4767	0.7506
2009-05-08	0.7230	0.6115	0.6115
2009-05-09	1.0000	0.0000	0.0000
2009-05-12	1.0000	0.0000	0.0000
2009-05-13	0.7030	0.4809	0.4809

	combined_score_mean
date	
2009-05-05	0.61365
2009-05-08	0.61150
2009-05-09	0.00000
2009-05-12	0.00000
2009-05-13	0.48090

1 Combine All Features

```
[15]: instrument_list = ['ES', 'NQ', 'CD', 'EC', 'JY', 'MP', 'TY', 'US', 'C', 'S', 'W', 'CL', 'GC']
      start_date = pd.to_datetime('2017-02-01')
      end_date = pd.to_datetime('2019-11-07')
      full_features = {}

      for inst in instrument_list:
```

```

    date_filter = fc.single_log_returns(inst,1,2).index[(fc.
↪single_log_returns(inst,1,2).index >= start_date) &
                                                    (fc.
↪single_log_returns(inst,1,2).index <= end_date)]

    full_features[inst] = pd.DataFrame(fc.single_log_returns(inst,1,2).
↪loc[date_filter])\
                                .join(tr.features(inst))

    full_features[inst] = full_features[inst].fillna(full_features[inst].mean())
    full_features[inst] = full_features[inst]\
                                .join(vol.features(inst))\
                                .join(topics)\
                                .join(svd_df_daily)\
                                .fillna(0)\
                                .join(market.features(inst))\
                                .join(intraday)\
                                .fillna(0)\
                                .join(sentiment_features)\
                                .fillna(0)

    if inst=='C':
        full_features[inst] = full_features[inst]\
                                .join(corn_gamma)\
                                .fillna(method='ffill')

    if inst=='W':
        full_features[inst] = full_features[inst]\
                                .join(wheat_gamma)\
                                .fillna(method='ffill')

    if inst=='S':
        full_features[inst] = full_features[inst]\
                                .join(soybeans_gamma)\
                                .fillna(method='ffill')

#vol.features(inst).loc[features_index].join(fc.returns(inst).
↪loc[features_index])import pickle
filehandler = open("../data/features/full_features.pkl","wb")
pickle.dump(full_features,filehandler)
filehandler.close()

```