COMP2611: Computer Organization

Performance Evaluation

- ☐ You will learn the following in this tutorial:
 - □ time as the performance metric,
 - performance comparison,
 - □ Clock cycles Per Instruction (CPI),
 - □ the decomposition of CPU time.

Performance Evaluation

Review of the important concepts

- time as the performance metric
- performance comparison
- Clock cycles Per Instruction (CPI)
- the decomposition of CPU time

Exercises

Important facts:


- □ CPU Execution time is the only reliable performance measure.
- □ Performance of a machine, X, is inversely proportional to its execution time: performance(x) = 1/execution_time(x)
- Speedup of machine x over machine y:

```
speedup_x_y = execution_time(y)/execution_time(x)
```

□ Cycles Per Instruction (CPI) – the *average* number of cycles each instruction takes:

CPI = total number of CPU cycles / total number of instructions

□ CPU time:



Performance evaluation

Review of the important concepts

- time as the performance metric
- performance comparison
- Clock cycles Per Instruction (CPI)
- the decomposition of CPU time

Exercises

Question 1: Consider two hardware implementations (M1, M2) of the same instruction set. There are altogether four classes of instructions, for the instruction set, denoted them by A, B, C and D. Refer to the table below, answer the questions:

Hardware		Clock Cycles required Per Instruction (CPI)			
	MHz	Α	В	С	D
M1	500	1	2	3	4
M2	750	2	2	4	4

- A) If the proportions of instructions in a program are ¼, ¼, ¼, ¼ for all the instruction classes. Which implementation is faster for this program? By how much?
- B) What would be the clock rate for M1 so that it would have the same performance as M2 for the same program?

□ Question 2: A program runs on a machine with a clock rate of 1.5GHz. The program will be compiled by three different compilers, each compiler will generate a mixture of instructions as shown in the table below.

Instruction class	Clock cycles required Per Instruction	Compiler X Percentage of Instructions	Compiler Y Percentage of instructions	Compiler Z Percentage of Instructions
Α	5	30%	Number of instructions	Same no. of instructions as X
В	2	20%	reduced by 5% for all classes of instructions	Same no. of instructions as X
С	3	50%	ilisti uctions	60% as many as

- A) What is the CPI of the instructions generated by compiler X?
- B) What is the CPI of the instructions generated by compiler Y?
- C) What is the CPI of the instructions generated by compiler Z?
- D) Which compiler is the best in terms of execution time? Does that agree with the CPI numbers? For this case can we compare the performance by referring to CPIs, why?

Question 3: By referring to the following chart, answer the questions

Program A	Instruction count	Clock rate	Execution Time (seconds)
Machine M1	200*106	200 MHz	X
Machine M2	160*106	300 MHz	Υ

- A) What are the CPIs of the program on M1 and M2 in terms of X and Y?
- B) What is the ratio of CPI_M1/CPI_M2 that would give the same execution time for both M1 and M2?

Question 4: Judge whether the given information is adequate for solving the problem.

	Information provided	Question to answer
A)	 Total number of instructions for a program MIPS rating of the program on a machine 	CPI of the program on the machine?
B)	 A program is compiled by two compilers C1, C2. The sets of instructions are run on the same machine. Ratio of CPI(C1)/CPI(C2) No. of instructions generated by C1 and C2 are the same. 	Which compiler gives a better performance (running time) for the program.
C)	 Clock rates of two machines, A and B. CPI of a program on machines, A and B 	Which machine gives better execution time for the program.

- ☐ Today we have:
 - reviewed some key performance evaluation concepts,
 - □ and worked on some simple performance exercises.