

Infrastructure as Code

What is IaC, Provision and Configuration Management tools



Technical Trainers

SoftUni Team



SoftUni

<https://softuni.bg>

Software University

Have a Question?



sli.do

#Dev-Ops

1. Infrastructure as Code
2. Terraform
3. Configuration Management Tools
 - Ansible
 - Puppet
 - SaltStack
 - Chef





Infrastructure as Code

Automating Infrastructure Management Using Code

What is IaC?


- **Infrastructure as Code (IaC)** is the managing and provisioning of **infrastructure through code** instead of through manual processes
 - As VMs, networks, OS servers, storage, etc.
- **IaC** involves
 - Writing **code** to define the desired state of an **infrastructure environment**
 - Using **tools** to **automatically** deploy and configure the environment based on the code



- **IaC** is a form of configuration management that **codifies infrastructure resources** into text files
- **Configuration files** are created with your infrastructure specifications
 - Should be **version controlled** and **tested** (unit, integration, ... tests)
 - Ensure that you provision the **same environment every time**
 - Allow you to divide your infrastructure into **modular components** and combine them through automation
 - Should contain always **up-to-date infrastructure documentation**

What Do You Need for IaC?

- **Remote accessible hosting or IaaS cloud hosting platform**
 - IaC tools connect and modify remote host
 - IaaS cloud hosting platforms have an **API** for modification of infrastructure resources
- **Provisioning tool**
 - Automates the infrastructure deploy and management
- **Configuration management tool**
 - Manages infrastructure state
- **Version control system**
 - Stores text files used by the CM platform



- **Imperative approach**


- Tell the system **how** to do something every step of the way
- Defines the **specific commands** to be executed in a **specific order** for the **desired configuration**

- **Declarative approach**


- Tell the system **what** you want and let it figure out how to do it
- Defines the **desired state** of the **system** – resources, their properties and an IaC tool for configuration

Imperative vs Declarative Approach

■ Imperative Approach



■ Declarative Approach




- The primary goal of **IaC tools** is to **bring the infrastructure component** to the **desired state** declared by the user
- **IaC tools** fall into two categories
 - **Infrastructure provisioning tools**
 - Create infrastructure components
 - **Configurations management tools**
 - Configure provisioned servers

- **Infrastructure provisioning**
 - Create infrastructure resources like virtual servers, storage, networking, cloud managed services, etc.
- Primary goal
 - **Keep the infrastructure in its desired state** and reproduce or update it
- Tools
 - Terraform, AWS Cloudformation, Azure Resource Manager (ARM) Templates, Pulumi
- They can also **trigger CM tools**

- **Configuration management**
 - Configuring infrastructure resources
 - e.g., configuring a server with required applications or configuring a firewall device
- Primary goal
 - **Configure the server**
- Tools
 - Ansible, Chef, Puppet, SaltStack, etc.
- In **cloud environments**, tools use an **API-based dynamic inventory** to get the server details

- **IaC** is an important part of implementing **DevOps practices**
 - **Version control, test and deploy** of infrastructure code changes
 - **Improved collaboration** – Ops team can participate in writing IaC templates together with Dev team, as IaC uses simple, text-based files
 - **Automation** of creation and management of infrastructure resources
 - **Consistency and reliability across environments** is achieved as IaC generates the same environment every time





Terraform

laC Tool for Infrastructure Provisioning Automation


Terraform Overview

- Open-source **laC** tool
 - Used for **provisioning**, **managing** and **deploying** infrastructure resource
 - Written in Golang
- Allows managing infrastructure for applications across **multiple cloud providers** – AWS, Azure, GCP, etc.
 - Through their application programming interfaces (**APIs**)
- Uses **declarative syntax** – you define desired infrastructure state, Terraform figures out the best way to achieve it



Terraform Workflow

- To **deploy infrastructure with Terraform**
 - Scope – **identify the infrastructure** for your project
 - Author – define **infrastructure in configuration files**
 - Initialize – **install the plugins** Terraform needs to manage the infrastructure
 - Plan – **preview the changes** Terraform will make to match your configuration
 - Apply – Terraform **provisions the infrastructure** and **updates state file**



Terraform Configuration File


- To **create an infrastructure**, a **Terraform Configuration file (.tf)** should be executed
- Executed with the help of **Terraform CLI** or other executors
- Written in HashiCorp Configuration Language (**HCL**) or **JSON syntax**

```
provider "aws" {  
  region = "us-west-2"  
}  
  
resource "aws_s3_bucket" "bucket_name" {  
  bucket = "bucket-name"  
}
```



Terraform State File

- Terraform stores **state** about managed infrastructure and configuration
- **State** allows us to have a point-in-time **view of our infrastructure** and **compare**
 - **Desired state** (our code)
 - **Perceived state** (the state file)
 - **Reality** (the resources within the platform / service)
- This state is stored in a **local file "terraform.tfstate"**
- State file is recommended to be **kept in cloud**
- State file format is **JSON**, but should not be edited directly





Live Demo

Installing Terraform



Live Demo

Terraform and Docker:
Provision a NGINX Server



Configuration Management Tools

Ansible

- Open-source infrastructure **automation tool**
 - Written in Python
- Focuses on **security** and **reliability**
 - Uses OpenSSH
- Easy to read and write
 - Uses **YAML**
 - Structured
- **Agentless**
 - No agents, repositories, etc.



- Powerful tool for **managing Infrastructure as Code**
- **Declarative**
- **Idempotent**
 - Run an operation multiple times, without changing the initial state of the application
- Three major **use cases**
 - Inventory (Provision)
 - Configuration management
 - Application deployment

Puppet

- **Configuration management** tool for **servers**
 - Ensures all systems are **configured** to the **desired states**
- Also used as a **deployment** tool
- Uses **server-agent model**
- Configurations are written in Puppet code
 - Ruby DSL
- Open Source and Enterprise



■ Puppet Server


- Controls configuration for one or more managed nodes
- Communicate via HTTPS with the agents
- Has a built-in certificate authority
- Runs an agent to configure itself

■ Puppet Agent

- **Facter** → gather information about a node
- **Hiera** → separate the data from the code

■ Puppet DB

- Stores facts, catalog, reports, etc.




SaltStack

- **Management** tool
 - Used for **configuration management**, data-driven orchestration and remote execution
- Two **operation modes**
 - With agents (minions)
 - Agent-less
- Management instructions in **YAML**



- **Salt master** == the machine that **controls** the infrastructure and dictates policies for the servers it manages
 - Operates as
 - A **repository** for **configuration data**
 - A **control center**
 - Initiates **remote commands**
 - Ensures the **state** of other machines

General Salt Architecture



Chef

- **Configuration Management** tool
 - Written in Ruby and Erlang
 - Uses pure-Ruby DSL
- Works with system configuration "**recipes**"
- Used for **configuring** and **maintaining** servers
- Can be integrated with **cloud-based platforms** to automatically provision and configure new machines
- **Chef Infra** → **configure** and **manage** infrastructure




- Policy-based **configuration management** tool
 - Define and enforce desired state of systems
- Uses the **master-agent** model
- "**Recipes**" are contained in "**cookbooks**"
 - Manage configuration, software installations and system updates

- **Infrastructure as Code (IaC)** uses DevOps practices and versioning with a descriptive model to **define** and **deploy infrastructure**
- **Terraform** is an IaC **provisioning** tool used to create infrastructure
- **Ansible, Puppet, Salt** and **Chef** are **configuration management** tools used to configure provisioned servers



Questions?



SoftUni Diamond Partners

**SUPER
HOSTING
.BG**



**Coca-Cola HBC
Bulgaria**

 **Flutter**TM
International

INDEAVR
Serving the high achievers



AMBITIONED

 **DRAFT
KINGS**



BOSCH

 **Postbank**
Решения за твоето утре

 **PHAR
VISION**



SmartIT

DXC
TECHNOLOGY

createX

- This course (slides, examples, demos, exercises, homework, documents, videos and other assets) is **copyrighted content**
- Unauthorized copy, reproduction or use is illegal
- © SoftUni – <https://about.softuni.bg/>
- © Software University – <https://softuni.bg>



- Software University – High-Quality Education, Profession and Job for Software Developers

- softuni.bg, about.softuni.bg

- Software University Foundation

- softuni.foundation

- Software University @ Facebook

- facebook.com/SoftwareUniversity

- Software University Forums

- forum.softuni.bg



Software University

