

HSU Enterprise Application Stack(HSU EAS)

MANUAL

Marvin
HSU FORUM
VERSION 2.0.0

目錄

1. Introduction.....	2
2. Using steps.....	2
3. CRUD sequence machanism	4
3.1 Query.....	4
3.2 Create	5
3.3 Update & Delete	6
4. Function.....	7
4.1 Function item.....	7
4.2 Function.....	9
4.3 Group	10
4.4 User	12
4.5 Module	13
5. Others	15
5.1 default-faces-config.xml	15

1. Introduction

HSU Enterprise Application Stack(HSU EAS) , It is made by Marvin. You can download from Git Hub. EAS was made by using main stream Java technology, include Prime Faces(JSF), Spring Boot, Hibernate(JPA) and Spring Security. The goal of EAS is increase productivity, compare with using Java script to develop, it can increase 20%~30% productivity. HSU Common is common library, HSU EAS is main application. I suggest work with Dock, Kubernetes, Openshift OKD. Default account and password is admin and abcd1234

- Support language is Traditional Chinese, Simple Chinese and English
- Support DB is Oracle, SQL Server and MySQL
- Support AP Server is Tomcat, Jetty, JBoss WildFly, Jboss EAP and WebLogic °
- HSU Common Git Hub download address is <https://github.com/MarvinHsu/HSUCommon>
- HSU EAS Git Hub download address is <https://github.com/MarvinHsu/EAS>
- Support Java AP Server


Java AP Server
Tomcat
Jetty

- Support Data Base

Data Base	Version
MySQL	5.5+
Oracle	10g+
SQL Server	2008+
DB2	9.7+
PostgreSQL	9.6+

2. Using steps


1. Import Git Maven Project in Eclipse



2. Depend your DB environment to execute DB Schema SQL and DB Init Data SQL

- ▼ DB Init Data SQL
 - Init Data en.sql
 - Init Data en_PostgreSQL.sql
 - Init Data zh_CN.sql
 - Init Data zh_CN_PostgreSQL.sql
 - Init Data zh_TW.sql
 - Init Data zh_TW_PostgreSQL.sql
- ▼ DB Schema SQL
 - DB2 Schema.sql
 - MySQL Schema.sql
 - Oracle Schema.sql
 - PostgreSQL Schema.sql
 - SQL Server Schema.sql

3. Start AP Server and brows default page. Default account and password is admin and abcd1234



[Logout](#)

Please enter account and password

account


password

remember me ☐


4. After login you can use the manage function

3. CRUD sequence machanism


3.1 Query



3.2 Create



3.3 Update & Delete



4. Function

4.1 Function item

Function item

Name

Code

URL

Find(Alt+q)

Create(Alt+c)

(1 of 1)

1

25

ID	Name	Code	URL
10000001-0000-0000-0000-000000000000	BackOffice	default	/default.jsf
10000001-0000-0000-0000-000000000001	Query function item	query	/kernel/item/readItem.jsf
10000001-0000-0000-0000-000000000002	Create function item	create	/kernel/item/createItem.jsf
10000001-0000-0000-0000-000000000003	Update function item	update	/kernel/item/updateItem.jsf
10000001-0000-0000-0000-000000000004	Delete function item	delete	/kernel/item/updateItem.jsf
10000001-0000-0000-0000-000000000005	Query function	query	/kernel/function/readFunction.jsf
10000001-0000-0000-0000-000000000006	Create function	create	/kernel/function/createFunction.jsf
10000001-0000-0000-0000-000000000007	Update function	update	/kernel/function/updateFunction.jsf
10000001-0000-0000-0000-000000000008	Delete function	delete	/kernel/function/updateFunction.jsf
10000001-0000-0000-0000-000000000009	Query group	query	/kernel/group/readGroup.jsf
10000001-0000-0000-0000-000000000010	Create group	create	/kernel/group/createGroup.jsf
10000001-0000-0000-0000-000000000011	Update group	update	/kernel/group/updateGroup.jsf
10000001-0000-0000-0000-000000000012	Delete group	delete	/kernel/group/updateGroup.jsf
10000001-0000-0000-0000-000000000013	Query user	query	/kernel/user/readUser.jsf
10000001-0000-0000-0000-000000000014	Create user	create	/kernel/user/createUser.jsf
10000001-0000-0000-0000-000000000015	Update user	update	/kernel/user/updateUser.jsf
10000001-0000-0000-0000-000000000016	Delete user	delete	/kernel/user/updateUser.jsf
10000001-0000-0000-0000-000000000017	Query module	query	/kernel/module/readModule.jsf
10000001-0000-0000-0000-000000000018	Create module	create	/kernel/module/createModule.jsf
10000001-0000-0000-0000-000000000019	Update module	update	/kernel/module/updateModule.jsf
10000001-0000-0000-0000-000000000020	Delete module	delete	/kernel/module/updateModule.jsf

(1 of 1)

1

25

- Input find condition, click find button can find data.
- Click create button can create a function item data.
- Click Name can enter update page.

Function item-Create

ID	<input type="text" value="10569e6f-8b05-45fa-9a9a-6"/>
Name	<input type="text"/>
Code	<input type="text"/>
URL	<input type="text"/>
Function	<input type="text" value="-----"/> ▼

- Input data and click save button can create a function item data.
- Click cancel button will go to query page.

Function item-Update

ID	<input type="text" value="10000001-0000-0000-0000"/>
Name	<input type="text" value="Query function item"/>
Code	<input type="text" value="query"/>
URL	<input type="text" value="/kernel/item/readItem.jsf"/>
Function	<input type="text" value="Function item Config"/> ▼

- Click delete button can delete the function item data.
- Input data and click save button can modify the function item date.
- Click cancel button will go to query page.

4.2 Function

Function

Name	<input type="text"/>
code	<input type="text"/>
Outcome	<input type="text"/>
<input type="button" value="Find(Alt+q)"/> <input type="button" value="Create(Alt+c)"/>	

(1 of 1) 1 25					
ID	Name	code	Outcome	Create date	Update date
10000002-0000-0000-0000-000000000001	ROOT	ROOT		2018/11/25	
10000002-0000-0000-0000-000000000002	Function Item Config	functionItem	functionItem	2018/11/25	
10000002-0000-0000-0000-000000000003	Function Config	function	function	2018/11/25	
10000002-0000-0000-0000-000000000004	Group Config	group	group	2018/11/25	
10000002-0000-0000-0000-000000000005	User Config	user	user	2018/11/25	
10000002-0000-0000-0000-000000000006	Module Config	module	module	2018/11/25	
(1 of 1) 1 25					

- Input find condition, click find button can find data.
- Click create button can create a function data.
- Click Name can enter update page.

Function-Create

ID	87ab04b1-0fc4-469a-a347~
Name	<input type="text"/>
code	<input type="text"/>
Outcome	<input type="text"/>
Module	----- ▾
<input type="button" value="Save(Alt+s)"/> <input type="button" value="Cancel(Alt+r)"/>	

- Input data and click save button can create a function data.
- Click cancel button will go to query page.

Function-Update

ID	10000002-0000-0000-0000
Name	Function item Config
code	functionItem
Outcome	functionItem
Module	Management Module ▼

Delete(Alt+d) Save(Alt+s) Cancel(Alt+r)

- Click delete button can delete the function data.
- Input data and click save button can modify the function date.
- Click cancel button will go to query page.

4.3 Group

Group

Name	<input type="text"/>
Code	<input type="text"/>
Find(Alt+q) Create(Alt+c)	

(1 of 1) 1 25 ▼		
ID ↕	Name ↕	Code ↕
10000005-0000-0000-0000-000000000001	Management	MANAGE
(1 of 1) 1 25 ▼		

- Input find condition, click find button can find data.
- Click create button can create a group data.
- Click Name can enter update page.

Group-Create

ID	5fe37d7e-1d78-4274-83cd-
Name	
Code	

Group function

ID	Name			
ROOT	<input type="checkbox"/> BackOffice			
Function item Config	<input type="checkbox"/> Delete function item	<input type="checkbox"/> Update function item	<input type="checkbox"/> Create function item	<input type="checkbox"/> Query function item
Function Config	<input type="checkbox"/> Delete function	<input type="checkbox"/> Update function	<input type="checkbox"/> Create function	<input type="checkbox"/> Query function
Group Config	<input type="checkbox"/> Query group	<input type="checkbox"/> Update group	<input type="checkbox"/> Create group	<input type="checkbox"/> Delete group
User Config	<input type="checkbox"/> Update user	<input type="checkbox"/> Create user	<input type="checkbox"/> Query user	<input type="checkbox"/> Delete user
Module Config	<input type="checkbox"/> Delete module	<input type="checkbox"/> Update module	<input type="checkbox"/> Create module	<input type="checkbox"/> Query module

- Input data and click save button can create a group data.
- Click cancel button will go to query page.

Group-Update

ID	10000005-0000-0000-0000
Name	Management
Code	MANAGE

Group function

ID	Name			
ROOT	<input checked="" type="checkbox"/> BackOffice			
Function item Config	<input checked="" type="checkbox"/> Delete function item	<input checked="" type="checkbox"/> Update function item	<input checked="" type="checkbox"/> Create function item	<input checked="" type="checkbox"/> Query function item
Function Config	<input checked="" type="checkbox"/> Delete function	<input checked="" type="checkbox"/> Update function	<input checked="" type="checkbox"/> Create function	<input checked="" type="checkbox"/> Query function
Group Config	<input checked="" type="checkbox"/> Query group	<input checked="" type="checkbox"/> Update group	<input checked="" type="checkbox"/> Create group	<input checked="" type="checkbox"/> Delete group
User Config	<input checked="" type="checkbox"/> Update user	<input checked="" type="checkbox"/> Create user	<input checked="" type="checkbox"/> Query user	<input checked="" type="checkbox"/> Delete user
Module Config	<input checked="" type="checkbox"/> Delete module	<input checked="" type="checkbox"/> Update module	<input checked="" type="checkbox"/> Create module	<input checked="" type="checkbox"/> Query module

- Click delete button can delete the group data.
- Input data and click save button can modify the group date.
- Click cancel button will go to query page.

4.4 User

User

Name

E-Mail

Account

Find(Alt+q)

Create(Alt+c)

(1 of 1)

1

25

ID	Name	E-Mail	Account	Enable	Create date	Update date
10000006-0000-0000-0000-000000000001	ADMIN	abc@sample.com	ADMIN	true	2018/11/25	

(1 of 1)

1

25

- Input find condition, click find button can find data.
- Click create button can create a user data.
- Click Name can enter update page.

User-Create

ID

165dcac8-0c2c-4387-bf94-?

Name

Password

E-Mail

Account

Enable

Group

	ID	Name
<input type="checkbox"/>	10000005-0000-0000-0000-000000000001	Management

Save(Alt+s)

Cancel(Alt+r)

- Input data and click save button can create a user data.
- Click cancel button will go to query page.

User-Update

ID	10000006-0000-0000-0000
Name	ADMIN
Password	*****
E-Mail	abc@sample.com
Account	ADMIN
Enable	<input checked="" type="checkbox"/>

Group		
<input checked="" type="checkbox"/>	ID	Name
<input checked="" type="checkbox"/>	10000005-0000-0000-0000-000000000001	Management

Delete(Alt+d) Save(Alt+s) Cancel(Alt+r)

- Click delete button can delete the user data
- Input data and click save button can modify the user date
- Click cancel button will go to query page

4.5 Module

Module

Name	<input type="text"/>
Code	<input type="text"/>
Find(Alt+q) Create(Alt+c)	

(1 of 1) < << 1 >> > 25 ▼		
id ↕	Name ↕	Code ↕
10000003-0000-0000-0000-000000000001	Management Module	SYSTEM

(1 of 1) |< << 1 >> >| 25 ▼

- Input find condition, click find button can find data.
- Click create button can create a module data.
- Click Name can enter update page.

Module-Crete

id	11aeda1f-8d54-4a4b-bfcb-8
Name	
Code	

Function

	ID	Name
<input type="checkbox"/>	10000002-0000-0000-0000-000000000001	ROOT
<input type="checkbox"/>	10000002-0000-0000-0000-000000000002	Function item Config
<input type="checkbox"/>	10000002-0000-0000-0000-000000000003	Function Config
<input type="checkbox"/>	10000002-0000-0000-0000-000000000004	Group Config
<input type="checkbox"/>	10000002-0000-0000-0000-000000000005	User Config
<input type="checkbox"/>	10000002-0000-0000-0000-000000000006	Module Config

- Input data and click save button can create a module data.
- Click cancel button will go to query page.

Module-Update

id	10000003-0000-0000-0000
Name	Management Module
Code	SYSTEM

Function

<input type="checkbox"/>	10000002-0000-0000-0000-000000000001	ROOT
<input checked="" type="checkbox"/>	10000002-0000-0000-0000-000000000002	Function item Config
<input checked="" type="checkbox"/>	10000002-0000-0000-0000-000000000003	Function Config
<input checked="" type="checkbox"/>	10000002-0000-0000-0000-000000000004	Group Config
<input checked="" type="checkbox"/>	10000002-0000-0000-0000-000000000005	User Config
<input checked="" type="checkbox"/>	10000002-0000-0000-0000-000000000006	Module Config

- Click delete button can delete the module data.
- Input data and click save button can modify the module date.
- Click cancel button will go to query page.

5. Others

5.1 default-faces-config.xml

There are some options of whole system in default-faces-config.xml.

- systemCode default value is EAS, this is identifier of system.
- devMode default value is true, this can control ID column show or not show in query page.
- rowsOfPerPage default value is 25, this can control how many rows show in one page.
- timeZone default value is Asia/Taipei, this can control system show time zone.