



The knowledge mobility of Renewable Energy Technology

P.G.J. Persoon^{*}, R.N.A. Bekkers, F. Alkemade

Eindhoven University of Technology, School of Innovation Sciences, the Netherlands

ARTICLE INFO

Keywords:

Renewable energy technology
Knowledge base
Geography
Patents

ABSTRACT

In the race to achieve climate goals, many governments and organizations are encouraging the local development of Renewable Energy Technology (RET). The spatial innovation dynamics of the development of a technology partly depends on the characteristics of the knowledge base on which this technology builds, in particular the analyticity and cumulativeness of knowledge. Theoretically, greater analyticity and lesser cumulativeness are positively associated with more widespread development. In this study, we first empirically evaluate these relations for general technology and then systematically determine the knowledge base characteristics for a set of 14 different RETs. We find that, while several RETs (photovoltaics, fuel cells, energy storage) have a highly analytic knowledge base and develop more widespread, there are also important RETs (wind turbines, solar thermal, geothermal, and hydro energy) for which the knowledge base is less analytic and which develop less widespread. Likewise, the technological cumulativeness tends to be lower for the former than for the latter group. This calls for regional and country-level policies to be specific for different RETs, taking for a given RET into account both the type of knowledge it builds on as well as the local presence of this knowledge.

1. Introduction

The widespread development and use of Renewable Energy Technologies (RETs) is an essential part of the transition towards a carbon-free society (IPCC, 2014). The ability of a country or region to participate in the development of a technology not only depends on the locally available knowledge and capabilities (Li et al., 2020), but also on the characteristics of the knowledge base of that technology. More specifically, Binz and Truffer (2017) argue that it is typically easier to enter knowledge fields with a more global (and ‘footloose’) knowledge base when compared to knowledge bases that are more local (and ‘sticky’). These characteristics of the knowledge base have been linked to different modes of knowledge production; global, footloose knowledge to a ‘Science-Technology and Innovation (STI) mode’ observed in science-based industries that lean very much on analytical knowledge, and local, sticky knowledge bases to a ‘Doing, Using and Interacting (DUI) mode’ observed in engineering-based industries that lean very much on synthetic knowledge (Jensen et al., 2007; Asheim et al., 2016). RETs may thus differ in the extent to which their development spreads over countries or regions, i.e., the mobility of their knowledge base. Where the development of some RETs may take place in STI-mode, widespread and expanding, the development of other RETs may take place in DUI-mode, concentrated and difficult to relocate. This has implications

for countries that seek to move closer to the knowledge frontier through technology and R&D investments as this may be easier for more footloose technologies (Keller, 2004). Understanding the knowledge base characteristics of renewable energy technologies—in particular the knowledge dimensions relating to the spatial dynamics of innovation—is thus pivotal input for targeted and evidence-based renewable energy policies.

Earlier studies analyzing RETs as a single technology class find that RETs on average build more on analytical and geographically distant knowledge than other technologies (Ocampo-Correa et al., 2020), and that they benefit greatly from knowledge flows transcending national borders (Noailly and Ryfisch, 2015; Garrone et al., 2014). However, recent studies at the more detailed level of individual technologies find considerable heterogeneity in the extent to which RETs build on analytical knowledge (Persoon et al., 2020; Hötte et al., 2020). For example, the science dependence of some RETs, such as wind turbines, is relatively low, and closer to fossil fuel-based energy technologies, whereas photovoltaics and non-fossil fuels are characterized by a high science dependence. Similar variations have been observed in other dimensions of the knowledge base that may affect the place-dependence of RETs such as the cumulativeness (Persoon et al., 2021), which is associated with greater geographical concentration of innovative activities (Malerba et al., 1997; Breschi et al., 2000). Building on the

^{*} Corresponding author.

E-mail addresses: P.G.J.Persoon@tue.nl (P.G.J. Persoon), R.N.A.Bekkers@tue.nl (R.N.A. Bekkers), F.Alkemade@tue.nl (F. Alkemade).

<https://doi.org/10.1016/j.enpol.2021.112670>

Received 14 March 2021; Received in revised form 7 October 2021; Accepted 13 October 2021

Available online 25 November 2021

0301-4215/© 2021 The Author(s). Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

framework outlined by Binz and Truffer (2017), we systematically investigate these different characteristics of the knowledge base of RETs in order to assess whether these technological are more local or global in nature. More specifically, we map analyticity, cumulativeness and knowledge mobility for the knowledge base of 14 different RETs.

The remainder of this paper is structured as follows. In Section 2 we discuss the theoretical background of the mentioned knowledge dimensions and our expectations for the different RETs. Then in Section 3 we explain how we measure the knowledge dimensions and distinguish the different RETs. Subsequently, we report our main observations in Section 4, discuss some deeper implications and shortcomings in Section 5 and end with a number of conclusions and policy recommendations in Section 6.

2. Theory

The process of knowledge creation and innovation in a certain technology depends for an important part on characteristics of the body of knowledge on which this technology builds (Asheim and Coenen, 2005; Breschi et al., 2000), henceforth referred to as the ‘knowledge base’ of a technology. In the following, we will discuss three dimensions of the knowledge base which can theoretically be linked to spatial dynamics of innovation: the analyticity (Section 2.1) the cumulativeness (Section 2.2), and the knowledge mobility (Section 2.3). We then discuss our expectations for these dimensions for the different RETs (Section 2.4).

2.1. Analyticity of knowledge

Knowledge bases are described to consist of three types of knowledge: analytic, synthetic, and symbolic knowledge (Asheim and Coenen, 2005; Moodysson et al., 2008). In this context, analytic knowledge is understood to be science-based, created in deductive processes based on formal models. Synthetic knowledge is understood as engineering-based, created through the application of existing knowledge or through inductively combining existing knowledge. Finally, symbolic knowledge is characterized as cultural or artistic knowledge.¹ As the knowledge base of technologies often contains multiple types of knowledge, it is more instructive to think about the extent to which it is analytic as a spectrum or a scale. In this line of thinking, we define the analyticity of a knowledge base as the extent to which it consists of analytic knowledge.

The analyticity of knowledge has been associated with several other theoretical dimensions of knowledge. First, where analytical knowledge is associated naturally with basic research, i.e. research aimed at truth-finding, synthetic knowledge is associated with applied research, i.e. research aimed at solving practical problems (Bentley et al., 2015; OECD, 2015). Technologies that strongly depend on analytic knowledge are therefore understood to have stronger ties with the natural sciences. While closely related, basic and analytic (or applied and synthetic) cannot be considered synonyms: basic research may occasionally produce synthetic knowledge, and vice versa. Second, and closely related, where analytic knowledge is universal and theoretical, synthetic knowledge is context-specific and practice related (Moodysson et al., 2008). It is therefore expected that it is more difficult to work with synthetic knowledge outside the context in which it was developed, that is synthetic knowledge is stickier and place dependent. Third, analytic knowledge is often associated with codified knowledge and synthetic knowledge with tacit knowledge. However, here too, there are certainly exceptions. Not all published work is easy to fully understand or reproduce without the aid of those that produced the work. Authors have therefore argued that there sometimes is a tacit element to analytic

knowledge as well (Moodysson et al., 2008).

2.2. Technological cumulativeness

Knowledge bases can also be characterized by their ‘technological cumulativeness’, the idea that today’s technologies are developed by building on the insights from yesterday’s technologies and will themselves be used to develop the technologies of tomorrow (Trajtenberg et al., 1997; Breschi et al., 2000). Perspectives on the exact meaning of technological cumulativeness however vary, for an overview of this discussion we refer to (Persoon et al., 2021). In this work, we understand a technological development to be cumulative when a later technological result depends on an earlier technological result. In the context of technological knowledge, we broadly interpret this dependency as the usage, modification or improvement of earlier ideas. In this line of thinking, we understand the knowledge base of a technology to be more cumulative when the developments in this technology are more cumulative. This allows us to define the cumulativeness of a technology as the extent to which developments within this technology are cumulative. In other words, the more a technology builds on its earlier developments, the greater its cumulativeness.

Technological cumulativeness is often mentioned as a defining characteristic of a *technological regime*, which is a description of the relevant environment or circumstances for companies and organizations to innovate (Nelson and Winter 1977; Breschi et al., 2000). When a technological regime is characterized by high cumulativeness, established parties largely dominate innovative activities and it is relatively hard for new parties to enter. Highly cumulative technologies allow firms or organizations to gain absorptive capacity through learning and specialization (Cohen and Levinthal, 1990). Within a technological regime, therefore, greater cumulativeness is associated with a greater appropriability of innovation and a greater geographical concentration of innovative activities (Malerba and Orsenigo, 1996; Malerba et al., 1997).

In an earlier contribution, where the cumulativeness was explicitly approached as the extent to which a technology builds on its earlier developments, we established that the cumulativeness of a technology increases approximately linearly with the size of its knowledge base, at a technology-specific rate (Persoon et al., 2021). Especially when cumulativeness is compared across technologies, this suggests that next to considering the cumulativeness of a technology, it will be useful to consider the rate at which the cumulativeness increases, i.e., the cumulativeness relative to the size of the knowledge base.

When cumulative developments stretch over longer periods of time, the products associated with a technology tend to become ‘more complex’, meaning that the number of interrelated (functional) parts of a product architecture increases. Technological complexity is therefore often associated with greater cumulativeness. The complexity of technologies is in the literature however mostly approached anecdotally or on a case-to-case basis, as there is no general agreement on a single objective measure for complexity (Vaesen and Houkes, 2017).

2.3. Knowledge mobility

Where some types of knowledge travel easily from one place to another, other types are bound to a certain location. In order to investigate this dimension of knowledge, we define the knowledge mobility as the extent to which knowledge travels geographically. By geographical traveling, we mean that knowledge developed in one location is subsequently used or applied in another location, where the two locations are separated by a geographical distance. High knowledge mobility then corresponds to knowledge that travels with ease to more distant locations, i.e., ‘footloose knowledge’. Low knowledge mobility corresponds to knowledge that travels less easily, i.e. ‘sticky knowledge’. A highly mobile body of knowledge is thus expected to travel farther, in other words, we expect mobile knowledge to be more widespread (or less

¹ In this research we will mostly focus on the distinction between analytic and synthetic knowledge.

concentrated) than sticky knowledge.

Knowledge bases characterized by greater analyticity are expected to be more mobile (or ‘footloose’) (Asheim et al., 2011; Herstad et al., 2014). A motivation for this first expectation is the universality and theoretical nature of analytic knowledge, which almost per definition implies time, location, and application independence. The context specificity and practical nature of synthetic knowledge on the contrary make it more time, location and application bound. Another motivation is the supposed association with codified knowledge: what is written down travels easier than know-how fixed in the minds of experts (Lundvall and Johnson, 1994; Gertler, 2003). As mentioned earlier though, this association is also criticized. These motivations also count when the causality is reversed: when innovative activities are fixed and concentrated geographically, there may be less need to formalize or rationalize findings because knowledge is communicated orally, developed during collaboration and hence may remain largely tacit and fragmented. A gradual shift towards knowledge more synthetic in nature is thus expected when engineers collaborate in close vicinity of one another. Likewise, when collaborators are forced to communicate their results at a distance, it may stimulate them to formalize or rationalize their implicit ideas or intuitions.

Knowledge bases characterized by higher cumulateness are expected to be stickier (Herstad et al., 2014). A motivation for this second expectation is the expected greater geographical concentration of innovative activities in technological regimes characterized by high cumulateness. With greater geographical concentration, we expect the development to be less widespread and hence to travel shorter distances. Note that this relation too can be reversed, namely that the knowledge is concentrated because it is sticky. Another motivation for this second expectation comes from the association between cumulateness and technological complexity: technologically complex knowledge does not travel well (Balland and Rigby, 2017). Working with or improving a complex system from a distance is challenging, because it becomes more difficult to experiment or interact with the system.

2.4. Knowledge dimensions of RETs

In this research, we aim to investigate how the knowledge dimensions vary for different Renewable Energy Technologies (RETs). While a ‘technology’ can be approached or characterized from many different angles, we will in this contribution largely focus on the knowledge properties of technologies, hence approaching the different RETs as distinct bodies of knowledge. The knowledge properties may cover various aspects of the technology, for example, how the technology operates or how it is constructed. While the purpose of the various RETs largely coincides (enable the generation of renewable energy), the renewable energy sources that the various RETs exploit (and thus their working principles) fundamentally differ. Following the International Renewable Energy Agency (IRENA), we distinguish between geothermal, hydropower, ocean, wind, solar thermal, solar photovoltaic, and bio-energy (IRENA, 2018). In addition, we include a number of enabling technologies allowing for the storage of energy such as hydrogen technology, and three energy-related technologies that are not entirely renewable yet may help reduce CO₂ emissions: nuclear energy, carbon capture & storage (ccs), and clean combustion. We will provide a more precise list of the individual RETs in the next section.

Earlier contributions have indicated that RETs generally build strongly on scientific knowledge, suggesting a highly analytic knowledge base (Ocampo-Corrales et al., 2020). In agreement with this finding, innovative activities related to RETs are observed to take place on ever-larger geographic scales (Noailly and Ryfisch, 2015; Garrone et al., 2014). At the same time the knowledge bases are known to vary greatly across different RETs (Barbieri et al., 2020) and across energy technology in general (Nemet, 2012). More specifically, we know there is a large variation across RETs in the extent to which the knowledge base is science-based (Persoon et al., 2020; Hötte et al., 2020). Where

photovoltaics, non-fossil fuels and to some extent fuel-cells and hydrogen technology were found to be more science-based, wind turbines, hydroelectric and geothermal energy were found to be less science-based. The more a RET depends on science, the more analytic its knowledge base, the greater a knowledge mobility we expect to observe for these technologies.

While the development of different RETs has been studied in numerous contributions, it appears that the current literature lacks a systematic comparison of the cumulateness across different RETs. Even though the size of the knowledge base varies across RETs, this does not automatically translate to a similar variation in cumulateness (Persoon et al., 2021). The closely related technological complexity however does appear to vary largely across RETs. Interpreting a larger technological complexity for systems with many interdependent parts, RETs such as wind turbines, geothermal energy, nuclear fission, and energy from sea are identified as rather complex (Huenteler et al., 2016), more complex than photovoltaics and non-fossil fuels.² The variation in technological complexity suggests there may be large variation across RETs in cumulateness too (though this needs empirical validation). As the knowledge bases characterized by high cumulateness tend to be stickier, we expect the higher cumulateness RETs to show a lower knowledge mobility. Taking a slightly different perspective, Binz, Tang, and Huenteler distinguish between ‘complex engineered systems for specialized users’ and ‘standardized mass-manufactured goods’, wind-turbines again being an example of the former and household energy storage systems, stationary fuel-cells, and photovoltaics an example of the latter (Binz et al., 2017). Based on their findings about photovoltaics, they expect the life-cycle dynamics of the latter group to be more ‘spatially fluid’ than the former.

To summarize, we expect to observe a greater knowledge mobility for RETs with a stronger dependence on science and RETs characterized by lower cumulateness.

3. Methodology

This section presents the methods used to measure analyticity, cumulateness, and knowledge mobility for RETs. First, we discuss our data and present indicators for the knowledge dimensions. Subsequently, we discuss our selection of various RETs and present some descriptive statistics.

3.1. Patents

Earlier approaches to measuring the analytic-synthetic knowledge distinction were often based on data from questionnaires or professional occupations (Moodysson et al., 2008; Plum and Hassink, 2012; Martin, 2012). While useful, these data are largely an *indirect* measure of knowledge characteristics, because they are based on the characteristics of the people that use or produce the knowledge, instead of the knowledge itself. In this contribution, we aim to *directly* measure the knowledge characteristics by studying codified forms of knowledge, more specifically, patent data.

Patent data directly represent technological knowledge, containing a wealth of detailed information about both the technological content as well as the inventor or applicant. Furthermore, the citations in patents, both to other patents and scientific literature, to some extent allow us to proxy knowledge connections and flow. While patent data offer a unique

² In some cases the technological complexity varies with different applications of a technology. For example for solar thermal energy, the systems in domestic use are limited to elements that efficiently capture and store heat, and are therefore relatively simple, whereas the systems used in power plants are typically larger, contain more different elements, and have the additional features of concentrating the heat and transforming it to electric power, making these systems far more complex.

opportunity to quantitatively study novel and relevant technological knowledge development, there are also some limitations. Not all technology is patented and not all patents represent relevant technological developments. While acknowledging these disadvantages, we believe that for the purpose of understanding RET development there is a great potential for patent data.

A possible criticism of the usage of patent data to proxy the analytic-synthetic distinction is the supposed association with the codified-tacit distinction: as patents are codified knowledge, we risk observing analytic knowledge only. However, as mentioned earlier, the association with codified-tacit distinction is also criticized, and we strongly believe that patents, a key element of engineering practices, may equally well contain a large degree of synthetic knowledge. Our approach is, therefore, that within codified knowledge, there may be different degrees of analytic knowledge. More specifically in the context of technological knowledge, the more a body of codified knowledge can be associated with scientific activity, the greater we will interpret its degree of analytic knowledge.

Finally, we shortly comment on the geography of patents. In this research we will do a separate analysis for patents from the EPO (European Patent Office) and the USPTO (United States Patent and Trademark Office), henceforth 'EP patents' and 'US patents' respectively. There are two reasons for this choice. First, different patent offices, but in particular EPO and USPTO, have institutionalized different rules for citation, hence limiting the analysis of knowledge connections to one patent office may give biased results. Second, an applicant files a patent with an office if there is market potential in the geographical jurisdiction of that office. As we are interested in the worldwide geography of innovation, we do not want to limit the analysis to a single geographical jurisdiction.

3.2. Indicators

For the analysis of analyticity, we will mostly use the scientific character of this type of knowledge. To proxy for a given technology the dependence on science and the scientific content of the knowledge base we define the following indicators:

- The *science dependence*(sd) of a technology is defined as the average number of references to scientific literature per patent. A reference in a patent to a scientific source can be interpreted as a dependency link, suggesting that scientific knowledge was somehow relevant in the content of the patent. The more scientific sources a patent therefore refers to, the more we expect it to be science-based. For that reason, we take the science dependence as an indicator of analytic knowledge.
- The *science dependence fraction*(sdf) of a patent is defined as its number of references to scientific literature divided by its total number of references. To obtain the sdf of a technology, we take the sdf of each patent in that technology and take the average. Hence where the sd is based on the absolute number of references, the sdf is based on the relative number of references, thus taking into account variation across patents and technologies in the number of references. A similar indicator was earlier used in (Hötte et al., 2020, 2021).
- The *university fraction*(uf) of a technology is defined as the number patents in that technology for which the inventor or applicant is university³ affiliated divided by the total number of patents in that technology. When the inventor is affiliated with a university, we expect the patent to be based more on scientific knowledge than the average patent from non-scientific organizations. We, therefore, take the university fraction to be an indicator of analytic knowledge.

³ As we will see later it more correct to speak of university-related organizations.

To proxy the cumulativeness we will use

- The *internal dependence*(id) of technology is defined as the average number of internal references per patent. An internal reference is a reference in a patent to a patent within the same technology, which can be interpreted as a dependency link from the technology to itself. Cumulativeness can be interpreted as the extent to which a technology builds on itself. This indicator was earlier used in (Persoon et al., 2021). For an approach based on general references, we refer to (Apa et al., 2018).
- The *internal dependence fraction*(idf) of a patent is defined as its number of internal references divided by its total number of patent references.⁴ To obtain the idf of a technology, we take the idf of each patent in that technology and take the average. Hence where the id is based on the absolute number of references, the idf is based on the relative number of references, thus taking into account variation across patents and technologies in the number of references.
- The *relative internal dependence*(rid) of a technology is defined as the internal dependence of that technology relative to its total number of patents, or equivalently, the number of internal references per *patent squared*. As explained earlier, the internal dependence tends to increase linearly with the number of patents. When we compare technologies with a different number of patents or when we are interested in the rate at which the cumulativeness increases, it is therefore useful to additionally consider the cumulativeness per patent.

For the knowledge mobility we define the following indicators:

- The *inter-patent distance*(ipd) of a technology is defined as the average geographic distance between each pair of patents within that technology. From the inventor or applicant addresses in patents we can create an overview of the approximate⁵ locations of inventing. The mutual distances between patents can thus be used to proxy the geographical spread of inventing in a certain technology.
- The *reference distance*(rd) of a patent is defined as the average geographic distance between that patent and the (set of) patent(s) it refers to.⁶ The reference distance of a technology is defined as the average reference distance per patent. Where the inter-patent distance proxies the geographical spread, it does not directly proxy the possible knowledge flow between distant places. With the reference distance we therefore additionally consider the kilometers covered by references to obtain a better estimate of the actual movement of knowledge. Note however that the reference distance also includes references to other technologies, thus to some extent also measuring the knowledge flow of other technologies.⁷

Note that all of these indicators can be determined for technologies (i.e. groups of patents) and a selection of these indicators can also be determined on the level of individual patents. In the first part of our analysis, we will use the indicators acting on the level of individual patents to establish a baseline and demonstrate more general relations between analyticity, cumulativeness and knowledge mobility (where the patents are not necessarily confined to the considered technologies).

⁴ Alternatively, we can also include the references to scientific and/or other sources in this total. However, in this contribution, we choose to define it as a fraction of patent references only, so that we can consider it to be independent from the sdf.

⁵ That is approximate, as there is no guarantee the actual process of inventing took place at the mentioned address.

⁶ We take the reference distance of a patent which does not refer to any other patent to be undefined.















⁷ Excluding the references to other technologies can be demonstrated to result in an indicator very closely related to the inter-patent distance.

This analysis is mainly based on data from Patstat (spring 2020 edition) focusing on European and US patents. As a consequence, there are a number of subtleties involved with the actual measurement of the indicators:

1. We count as a 'patent' each unique DOCDB patent family, where an 'EP patent' represents each unique family with an EPO patent application and likewise for 'US patent' but then for USPTO applications.⁸
2. To identify the references to scientific literature we use the type 's' classification of the cited non-patent-literature (NPL), which signals articles in journals and periodicals. Where in Patstat the NPL appears to be classified rather well for EP patents, for the US patents the large majority of NPL, probably due to a lacking of rich structure in references, is classified in the general category 'a' (abstract of no specific kind). To obtain a better indication of which fraction of the cited NPL is actually scientific, we use the database by Marx and Fuegi (2020) which links the references in patent applications to scientific publications, and is accurate for US patents.
3. To identify the inventors or applicants affiliated with a university we use the automatized sector allocation in Patstat of persons (Magerman et al., 2006; Van Looy et al., 2006). This classification however allows an applicant to be allocated to multiple sectors. For the university fraction, we include each patent where at least of one the allocations is the 'UNIVERSITY' sector. We therefore also include organizations closely related to the university, making it more correct to speak of 'university-related organizations'.
4. To link the patents to geographical coordinates we use the 'Geocoding of worldwide patent data' database (shortly 'Geocoding') constructed by Rassenfosse, Kozak, and Seliger (de Rassenfosse et al., 2019) based on the applicant or inventor addresses. The Geocoding database is limited to first filed patent applications, which we linked back to patent families using Patstat. This research is based on the Geocoding table with inventor addresses. Yet, as the makers of the database acknowledge, disambiguation of inventors and applicants is generally challenging and a research task on its own. Indeed a quick comparison with the table bases on applicant addresses does not seem to amount to substantially different results.

Table 1















Symbols, CPC codes and total number of patents of selected RETs To the CPC descriptions we added for some technologies a shortname (in brackets). The final column indicates the number of EP and US patents of which the family is the same.

Technology	CPC description	CPC code	EP patents	US patents	in common
	Geothermal Energy	Y02E 10/1	495	1088	240
	Hydro Energy	Y02E 10/2	1865	6223	1159
	Energy from the sea, e.g. using wave energy or salinity gradient	Y02E 10/3	1228	2624	902
	Solar thermal energy, e.g. solar towers	Y02E 10/4	5425	11247	3034
	Photovoltaic energy (photovoltaics)	Y02E 10/5	14947	31490	12492
	Wind energy (wind turbines)	Y02E 10/7	10112	16454	7471
	Combustion technologies with mitigation potential (clean combustion)	Y02E 20	4956	7646	3575
	Nuclear fission reactors	Y02E 30/3	1337	4325	1038
	Technologies for an efficient electrical power generation, transmission or distribution (electric grids)	Y02E 40	2171	4031	1718
	Technologies for the production of fuel of nonfossil origin (non-fossil fuels)	Y02E 50	6310	9625	4548
	Energy storage using batteries, capacitors, thermal or mechanical systems.	Y02E 60/1	8858	17502	7166
	Hydrogen Technology	Y02E 60/3	4029	7307	3220
	Fuel cells	Y02E 60/5	3501	7254	3152
	Carbon capture and storage (ccs)	Y02C	3791	6297	3091

⁸ The Patstat records of USPTO applications are biased to granted patents before the year 2000. As our focus is not on the time development we expect this to be a minor issue for our purpose.

Table 2

Descriptive statistics of main indicators Note that all presented indicators are averages, the standard deviations are included in brackets. The units of the science and internal dependence are in reference/patent. All of the considered indicators are positive values only and highly skewed to zero. As explained earlier in Section 3.2, the reference distance is determined for a sub-selection of the patents.

RET	science dependence		internal dependence		inter-patent distance in km		reference distance in km	
	EP	US	EP	US	EP	US	EP	US
	0.11(0.54)	0.63(3.57)	3.34(3.04)	5.63(8.61)	3284(3546)	4844(3785)	3803(2558)	3117(1714)
	0.10(0.60)	0.11(2.66)	3.19(2.73)	3.14(6.94)	3755(3730)	5654(3732)	4388(2858)	3442(1786)
	0.19(1.93)	0.52(3.21)	3.96(3.54)	6.86(10.51)	3937(3689)	5689(3677)	4375(2529)	3502(1674)
	0.19(1.18)	0.53(3.20)	4.74(3.75)	8.41(18.54)	3953(4046)	5500(3854)	4085(2850)	3427(1808)
	1.85(5.90)	3.12(13.51)	3.88(7.35)	7.09(19.53)	6023(3992)	6285(3984)	5332(2791)	4185(2029)
	0.29(1.29)	0.37(3.49)	3.95(3.14)	6.89(10.30)	4308(3796)	5439(3672)	3451(2495)	3923(1774)
	0.24(1.25)	0.96(6.37)	1.85(1.99)	4.97(17.12)	5392(3895)	5957(3919)	3867(2628)	3683(1927)
	0.26(1.18)	0.66(2.18)	3.06(2.40)	4.18(7.70)	5346(3677)	5814(3774)	4553(3201)	3685(2471)
	0.63(1.63)	1.38(5.47)	2.07(2.05)	3.65(5.02)	5089(3941)	5958(3906)	4526(2831)	3678(2009)
	9.83(65.76)	11.69(47.30)	3.25(4.89)	4.84(9.36)	4527(3837)	5529(3756)	3671(2659)	3475(1837)
	0.71(3.22)	2.03(9.59)	2.11(2.35)	3.53(7.30)	5501(4216)	5579(4333)	4846(2903)	4257(2109)
	1.22(4.52)	2.38(11.80)	2.08(2.41)	3.59(6.08)	5564(3920)	6227(3887)	4735(2684)	3659(1909)
	1.11(3.81)	2.72(9.74)	1.94(2.40)	3.14(6.85)	6176(3926)	5945(4206)	5587(2536)	4130(1958)
	1.01(4.75)	3.44(13.05)	2.52(2.71)	5.75(10.97)	5578(3790)	5732(3812)	4265(2403)	3610(1889)

5. The addresses of inventors of EP patents are not necessarily confined to Europe, and likewise for US patents and the US. The typical reference distance of an EP patent with an inventor from the US however structurally differs from that with an inventor from Europe: the reference distance is location-specific. While these variations are expected to average out when the number of patents in a technology is large, this effect may be disproportional for technologies with a smaller number of patents. To demonstrate this effect, we determine the reference distance from EP patents with US inventors and vice versa and compare these to the reference distances of EP (US) patents with European (US) inventors in Appendix B. To account for this effect, when we determine the reference distance of EP patents we sub-select the patents with an inventor in Europe. Likewise, when we determine the reference distance of US patents we sub-select the patents with an inventor from the US. These sub-selections contain for most of the technologies considered the majority of patents. Note that, while we sub-select patents based on the location of the inventor, the references in these may still be to patents from inventors located anywhere in the world.

3.3. Technology selection and descriptive statistics

We base our selection of energy generating technologies on the set of renewable energy sources identified by the International Renewable Energy Agency IRENA (IRENA, 2018), including geothermal, hydro-power, ocean, wind, solar, and bioenergy. As mentioned earlier, these energy-generating technologies are complemented with a set of technologies relating to energy storage and a set of technologies that may not be considered fully renewable but nonetheless help reducing greenhouse gas emissions, such as nuclear energy, clean combustion, and carbon capture & storage (ccs). For an overview see Table 1. To identify the patents associated with these (partial) RETs we use the Cooperative Patent Classification (CPC) used by both EPO and USPTO, or more specifically the CPC tagging scheme 'Y02' which identifies technologies

with the potential to mitigate climate change (Veeffkind et al., 2012). Each of these RETs corresponds then to a collection of patents classified on the group or subgroup level in CPC. The various technologies and corresponding CPC descriptions are shown in Table 1, including the symbols which represent them in later figures. Note that a substantial number of EP and US patents are members of the same patent family, hence there is a substantial overlap between both data sets.

In Table 2 we include the descriptive statistics for a number of indicators discussed in the previous section. All of these indicators are only positive and characterized by distributions skewed towards the value zero, which is in line with the observation that the standard deviations are of the same order as the averages. The variation across technologies is substantial, especially across the analyticity and cumulativeness indicators. The science dependence of non-fossil fuels is much higher than that of the other RETs. This is in line with earlier findings (Persoon et al., 2020; Hötte et al., 2020) and may be related to the strong link of non-fossil fuels to fields such as (Applied) Microbiology, Biochemistry, and Molecular Biology. While we will measure and plot the indicator values for non-fossil fuels, we will not include this technology in data fits and statistical analysis.

To explore the geographical distributions of inventive activity in RETs worldwide, we use the geographical coordinates to plot the number of US patents (using the inventor or applicant address in the patents) in a grid defined for each longitudinal and latitudinal half degree. We do this for photovoltaics and wind-turbines respectively in Figs. 1 and 2. Because the patenting activity is distributed highly unevenly (a small number of areas producing the majority of patents), we chose a coloring following a logarithmic scale. We observe some variation between the figures, Germany and France innovating strongly in photovoltaics, while Denmark focusing more on wind turbines. The main observation, however, at least on a global scale, is that the geographical distributions of innovative activities are fairly similar, even for rather different technologies such as photovoltaics and wind turbines. In fact in a ranking of countries by the total number of US




Fig. 1. Worldwide distribution of photovoltaics US patents based on inventor or applicant address We plot the number of US patents per grid-cell for a grid defined for each longitudinal and latitudinal half degree. The scale chosen for the color coding of the cells is logarithmic (see scale-legend). (For interpretation of the references to color in this figure legend, the reader is referred to the Web version of this article.)




Fig. 2. Worldwide distribution of wind turbine US patents based on inventor or applicant address Similar to Fig. 1, except for adjusting the color scale (the maximum is here 241 patents). (For interpretation of the references to color in this figure legend, the reader is referred to the Web version of this article.)

patents, see [appendix A](#), the US, Japan, and Germany are consistently in the top 5 for each RET considered in this research (and France for all but 3 RETs). For EP patents, these countries likewise dominate each top 5. Together these four countries account for 76 and 58 respective percentages of the US and EP patents (for RETs). This is in line with the findings of earlier literature considering energy technology in general ([Bointner, 2014](#)). The uneven distribution is not due to our choice for counting at the country level. When instead consider spatial the level below countries (corresponding to the ‘name_1’ level in the Geocoding

database), we again see the same regions or locations recurring: California, New York, Tokyo, Bayern and Baden-Württemberg rather consistently dominate in the top 10 locations with most patents for each considered RET. An important part of the knowledge base development of RETs, therefore, appears to take place in a small number of dominant areas. Together with the similarity of the worldwide geographical distributions, these are relevant descriptive statistics: it indicates that despite the obvious location-boundness of the application of specific RETs (hydro energy near rivers, photovoltaics in sunny locations, wind




Fig. 3. Science dependence fraction, reference distance and number of patents We divide the sdf into exponential bins (base 1.25) and determine for each bin the average rd (left panel) and the normalized cumulative number of patents (right panel). Note the sdf axes are logarithmic, hence the exponential bin sizes are constant in this plot. For sdf bins lower than 0.5 we observe a positive relation between the sdf and rd.

turbines near windy locations, etc.), the development of the knowledge base of these RETs still largely occurs in dominant areas which work on the development of all RETs at the same time.

4. Results

We will start this section by exploring the general relations between analyticity, cumulateness, and knowledge mobility, where we consider a general data set of patents. We then focus the analysis on the considered RETs, thereby discussing the various relations between indicators both qualitatively and quantitatively. Following the first expectation in Section 2, we expect to observe a positive relation between analyticity and knowledge mobility. Following the second expectation in Section 2, we expect to see a negative relation between cumulateness and knowledge mobility.

4.1. General relations between knowledge dimensions

We will first explore some general relations between on the one hand the knowledge mobility and on the other hand analyticity or cumulateness of knowledge. We explore these relations using the indicators that are defined on the level of individual patents: the science dependence fraction (sdf), the internal dependence fraction (idf), and the reference distance (rd). In the following analysis, we include all EP and US patents for which a reference distance could be determined. One exception is the analysis of the US sdf: there we include, due to calculation challenges, a random selection of 20 percent of all such patents. As explained in Section 3.2, we sub-select those EP patents for which the inventors are from Europe and those US patents for which the inventor is from the US. To calculate the idf, the internal references are determined using within CPC-group references.

In Fig. 3 we divide the sdf in exponential bins and plot the average rd (left panel) and number patents (right panel) for each bin. We observe in the left panel that the rd increases with increasing sdf for both EP and US patents (though more strongly for EP patents). Not included in this Figure are the many patents for which the sdf is zero ($7.0 \cdot 10^5$ EP patents and $2.8 \cdot 10^5$ US patents, respectively 6.4 and 2.0 times the total number of EP and US patents in Fig. 3). The average rd of these zero sdf patents are 4114 km for EP patents and 3380 km for US patents, which are similar values to those in the lowest sdf bins in Fig. 3 and therefore in accordance with the observed relation. Even though the reference distance appears to go down for large sdf for both the EP and US patents, we note from the right panel that there are relatively few patents with an sdf > 0.5 (to be precise respectively 4 and 8 percent of the total EP and US patents). For the majority of the patents, it therefore counts, in line with expectation, that the greater the sdf, the greater the rd. In other words, greater analyticity can be associated with greater knowledge mobility.

In Fig. 4 we divide the idf in bins of constant size and plot the average rd (left panel) and the cumulative number of patents (right panel) for each bin. We clearly observe that the rd decreases when the idf decreases (illustrated also by the linear fits). This is the case almost over the entire range of the idf. A minor exception are the US idf values < 0.15 . As is clear from the right panel, however, there are relatively few patents in this range. As the right panel in Fig. 4 illustrates, most of the patents have mid-range idf values, although there are relatively many patents with idf equal to one (counted in the bin with the largest idf value). As the left panel illustrates, the average rd of the patents in this bin are however in line with the observed pattern. We therefore conclude, in line with expectation, that the greater the idf, the smaller the rd. In other words, greater technological cumulateness can be associated with lesser knowledge mobility.

4.2. Knowledge relations of RETs

Where in the previous section we discussed the general relations between knowledge dimensions based on a general data set of patents,

we will in the following analyze these relations specifically considering the RETs. We will first qualitatively discuss the relation between on the one hand a knowledge mobility indicator and on the other hand either an analyticity or cumulateness indicator. Subsequently, we will consider these relations more quantitatively, where we determine the correlations and estimate some models.

In Fig. 5 we plot the rd for the sdf for both the EP patents (left) and the US patents (right). The main observation for both graphs is a positive relationship between both quantities which is well fitted by a linear relation. We refer to Table 1 for a legend of the icons and the short names of the technologies. The sdf of non-fossil fuels can be observed to be exceptionally large, which is, as discussed earlier, not included in these and later fits. It is therefore also challenging to compare the rd of this technology to the rest. It appears the values of the other technologies do allow for comparison however, and in line with expectation, technologies such as wind turbines, geothermal, hydro, solar thermal, and energy from sea show relatively low rd, whereas photovoltaics, fuel cells, energy storage, and hydrogen technology show relatively large rd. Nuclear fission, ccs, clean combustion, and electric grid technology are somewhat in between these two groups. Using Table 1, we note that technologies with a large number of patents (wind turbines, solar thermal, photovoltaics, fuel-cells) occur on both ends of the spectrum. It seems therefore that sheer numbers of patents, often a proxy for the size of the knowledge base, are not sufficient to explain the observed relation. In Fig. 6 we instead plot the inter-patent distance (ipd) for the university fraction (uf). The positive relation from Fig. 5 remains largely unchanged, the technologies we find upper right (down left) in Fig. 5 also tend to be in the upper right (down left) of Fig. 6. This indicates that the variation across RETs in the considered knowledge dimensions is consistent for the different indicators for these dimensions. A closer look reveals some minor variations. The differences between the EP and US patents in Fig. 5 are relatively large in particular for wind turbines and fuel cells. In Fig. 6, these differences are relatively less. This suggests that the ipd indicator may be more uniform between EP and US patents. We discuss the rd variations (and in particular those of wind turbines and fuel cells) in more detail in a part of Appendix B. Especially for the US patents, the uf of nuclear fission and clean combustion is relatively low in Fig. 6 as compared to their sdf in from Fig. 5. This suggests that the knowledge base of these technologies, while retaining a scientific component, is to a lesser extent developed in universities.

While there are these minor differences, for most technologies the overall pattern is in agreement with Fig. 5, again confirming that the technologies that build stronger on science also tend to show greater knowledge mobility.

Next, we plot the ipd for the internal dependence (idf) in Fig. 7. The main observation is a negative relationship between both quantities which is rather well fitted by a negative logarithmic relation (note the horizontal axis is logarithmic).⁹ This is in line with the expected negative relation between knowledge mobility and technological cumulateness. The only technology defying this pattern, both for EP and US patents but especially US patents, appears to be photovoltaics, which despite a relatively large idf, shows great ipd. In earlier contribution however we already demonstrated that the internal dependence tends to increase linearly with the number of patents (Persoon et al., 2021). Photovoltaics consists of far more patents than the other RETs (especially for US patents), which possibly explains the exceptional value for the internal dependence in this context.

Alternatively, we may therefore consider the cumulateness relative to the size of the knowledge base, which we measure by the relative internal dependence (rid) in Fig. 8. In that figure the value of photovoltaics indeed shifts both for the EP and US patents to the left, in better agreement with its large value for the ipd. We observe a similar shift for

⁹ We may also take the log of the ipd and instead fit a power relation, the results will be largely comparable.




Fig. 4. Internal dependence fraction, reference distance and number of patents We divide the idf into bins of constant size (0.01 for US and 0.02 for EP patents) and determine for each bin the average rd (left panel) and the normalized cumulative number of patents (right panel). For the rd linear fits are included, which indicate a negative relation between the idf and rd. Because the idf is a fraction, we observe small breaks in the right panel for highly frequent values such as 1/2 and 2/3.




Fig. 5. Reference distance for science dependence fraction On the left we display EP patents and on the right US patents. See Table 1 for a legend of the icons. Non-fossil fuels is excluded in the linear fit.

wind turbines, though to a lesser extent, which is in line with expectation given its shorter ipd. Other than these changes the pattern is largely similar to the one in Fig. 7.

Finally, note in both Figs. 7 and 8 that the values for non-fossil fuels are more or less in line with the rest of the technologies, where earlier for the science dependence its values were rather exceptional. This therefore presents an extra reason for considering both the science dependence and internal dependence: an exceptional value for the former need not automatically imply an exceptional value for the latter.

We will not plot all possible combinations between the indicators we consider, yet for completeness we include in Fig. 9 the Pearson correlation coefficients of each combination and whether or not this combination is statistically significant. We conclude from Fig. 9 that all correlation coefficients, most of which are substantial, have the expected sign: all analyticity indicators have positive signs with knowledge mobility indicators and all cumulativeness indicators have a negative sign with all knowledge mobility indicators. Especially the analyticity indicators show strong correlations with the knowledge mobility indicators. As expected the correlations between indicators of

the same knowledge dimension are generally strong. One exception is the relative internal dependence (rid), which despite strong correlations with knowledge mobility indicators does not correlate strongly with other cumulativeness indicators. Interestingly, the rid does not (anti) correlate strongly with analyticity indicators either, which suggests its relation to the knowledge mobility is to some extent independent of the other indicators. We also observe this for internal dependence (id) of the European patents. To follow up on this suggestion, we will finally consider the possibility to model the knowledge mobility as a linear combination of an analyticity indicator and a cumulativeness indicator.

Again we will not present here all such possible linear combinations in detail, there are simply too many, but instead share our general conclusions and include two examples (Table 3). As we only consider 13 technologies, i.e. 13 data points, it does not make much sense to go much further than combinations of 2 variables. We will first discuss this for the EP patents and then for the US patents.

When we model for the EP patents the inter-patent distance (ipd) as a linear combination of any given analyticity and any given cumulativeness indicator, the performance of the model in terms of minimizing the




Fig. 6. Inter-patent distance for the fraction of university patents On the left we display EP patents, on the right US patents. See Table 1 for a legend of the icons.




Fig. 7. Inter-patent distance for the internal dependence On the left we display EP patents, on the right US patents. Note the horizontal axis is logarithmic. See Table 1 for a legend of the icons.

residual standard error and maximizing the Pearson correlation squared (R^2) is much better than for the case where all this indicators are individually considered as predictors. One specific example is given in Table 3 (left panel), where the EP ipd is modeled as a linear combination of the sdf and rid. The residual standard error (548.6) is much lower than that in a model with only the sdf (662) or the rid (724). The found $R^2 = 0.72$, corresponding to a Pearson coefficient of $R = 0.85$, is also greater than the R values in Fig. 9 for ipd-sdf and ipd-rid. When we take linear combinations of only analyticity or only cumulativeness indicators to model the ipd, this only results in a better model in half of the cases. This therefore indicates that it makes sense to consider the analyticity and cumulativeness as independent factors relating to the knowledge mobility. As Fig. 9 already indicates, the EP patent reference distance very strongly correlates with most of the analyticity indicators, which is difficult to improve considering extra indicators. For the EP rd, we therefore only find very few combinations that present better models than the indicators considered individually.

When we model the knowledge mobility indicators for the US patents

as a linear combination of indicators we reach similar conclusions. We find for both knowledge mobility indicators that any combination between the rid and any analyticity indicator result in a better model than when the indicators are considered individually (again judged on the basis of the residual standard error and R^2). We present one example in Table 3 (right panel), where we model the US rd as a linear combination of the US sdf and US rid. The found residual standard error (207.4) is much smaller than that in a model with only the sdf (251) or only the rid (244). Also the found $R^2 = 0.67$, corresponding to $R = 0.82$, is greater than the R values in Fig. 9 for rd-sdf and rd-rid. We note that this is largely due to the success of the rid. It is not directly clear why this indicator, as compared to the other cumulativeness indicators, performs much better for the US patents. At least it underlines the need to consider multiple indicators to describe these knowledge dimensions. Only one combination (sd & sdf) of either considering only analyticity indicators or only cumulativeness indicators can be evaluated as a better model than considering the indicators individually. This again indicates that especially the combination of a cumulativeness indicator and an




Fig. 8. Inter-patent distance for the relative internal dependence On the left we display EP patents, on the right US patents. Note the horizontal axis is logarithmic. See Table 1 for a legend of the icons.




Fig. 9. Mutual correlations between indicators On the left we display the correlations for EP patents, on the right for US patents. rd = reference distance, ipd = inter-patent distance, sdf = science dependence fraction, sd = science dependence, uf = university fraction, idf = internal dependence, id = internal dependence, rid = relative internal dependence. Each circle represents a mutual relation, the size and color of which represent the Pearson correlation coefficient. When a cross is included the relation is not significant on a 0.1 level. Non-fossil fuels are excluded while determining these correlations. (For interpretation of the references to color in this figure legend, the reader is referred to the Web version of this article.)

analyticity indicator results in a better model, thus confirming the earlier assertion that the science and internal dependence are complementary indicators, both relating to the knowledge mobility.

In sum, while there is considerable variation across different RETs in terms of knowledge mobility, this variation is to some extent explained by their variation in analyticity and cumulateness, thus in line with the expectations of Section 2. We can distinguish rather consistently a collection of footloose RETs (photovoltaics, energy storage and fuel cells) characterized by relatively high analyticity and low cumulateness, from a collection of sticky RETs (energy from sea, wind-turbines, geothermal, hydro, and solar thermal energy) characterized by relatively low analyticity and high cumulateness.

5. Discussion

In this research, we established a close relationship between the analyticity, cumulateness, and the knowledge mobility of technology in general and in particular for various RETs. In this section, we discuss several deeper theoretical aspects and limitations of our approach.

First, our results suggest that analyticity and cumulateness are two distinct characteristics of a knowledge base, in the same way that technological cumulateness and building on scientific knowledge are two distinct mechanisms for technological change. While both the science dependence and internal dependence strongly relate to the knowledge mobility, we find that they are largely independent indicators, i.e., that a high value for the one need not imply a low value for the other. A comprehensive approach to the mechanisms underlying

Table 3

Examples of regression outcomes for linear models We present the results of two regressions, one for EP patents (left panel) and one for US patents (right panel). On the left, we choose the ipd as the dependent variable and the sdf and rid as independent variables, where we also allow a constant term. On the right, we choose the rd as the dependent variable instead. Note there are 13 data points as we exclude non-fossil fuels.

	Dependent variable: ipd EP patents		Dependent variable: rd US patents
sdf EP patents	8548** (2826)	sdf US patents	3490** (1521)
rid EP patents	−225,936** (91,980)	rid US patents	−112,047** (45,023)
Constant	4726*** (302)	Constant	3535*** (180)
Observations	13	Observations	13
R ²	0.72	R ²	0.67
Adjusted R ²	0.66	Adjusted R ²	0.61
Residual Std. Error	548.6 (df = 10)	Residual Std. Error	207.4 (df = 10)
F Statistic	12.8*** (df = 2; 10)	F Statistic	10.2*** (df = 2; 10)

Note: *p < 0.1; **p < 0.05; ***p < 0.01.

knowledge mobility therefore should not be limited to analyticity or technological cumulativeness but should instead treat these as complementary.

Second, we emphasize our focus is on *technological* cumulativeness in this research, i.e. studying the relevance of technological knowledge to later technological knowledge. This is not to mean scientific knowledge is not cumulative: ‘scientific cumulativeness’ should however be studied in the context of science building on science. Neither does it imply technology does not influence science: where technology provides science with the necessary instruments, science provides technology with the necessary analytical knowledge.

We can also identify a number of limitations to our research. Our focus in this contribution is on the knowledge aspects of technology, though we acknowledge that there may be many more factors determining the geographical development of a technology, perhaps most importantly the (prospective) market valuation of that technology of factors relating to the adoption of that technology (Halleck Vega et al., 2021). For a more inclusive perspective, we refer to (Binz and Truffer, 2017). Furthermore, earlier contributions have argued that, while geographical distance remains an important or possibly the most important metric to measure knowledge mobility (Caragliu and Nijkamp, 2016), a more comprehensive approach additionally includes a number of other metrics, based on, for example, organizational, institutional or cognitive proximity (Boschma, 2005), or variation between countries or organizations in terms of environmental policy stringency (Corrocher and Mancusi, 2021). Recognizing this criticism, we performed additional analyses with alternative distance measures, such as the fraction of references staying with a region or country and the Herfindahl index of the distribution of patents over regions and countries. In both cases however, the results were challenging to interpret, especially since we only considered 13 technologies. Where the fraction of references within region or country suggested contrary results for regions and countries, the Herfindahl index showed contrary results for EP and US patents (and showed some scaling with the number of patents, which further complicated matters). To keep this contribution simple, we excluded a detailed discussion of these results.

6. Conclusions and policy implications

This paper contributes to the literature on local and global innovation systems through a systematic empirical analysis of the extent to which Renewable Energy Technologies (RETs) can be characterized as

sticky or footloose (Binz and Truffer, 2017). It illustrates the relationship between the spatial innovation dynamics of technologies and characteristics of the knowledge base of these technologies, such as the extent to which this knowledge base is analytic (the ‘analyticity’) and the extent to which it is cumulative (the ‘cumulativeness’). The tendency of technology to be spatially sticky or footloose can be systematically approached using the concept of knowledge mobility, that is, the extent to which knowledge travels geographically. After empirically confirming, for general technology, the positive relation between analyticity and knowledge mobility and the negative relation between cumulativeness and knowledge mobility, we investigate these relations in more detail for various RETs. We find, in line with theoretical expectations, that the RETs with high analyticity, low cumulativeness knowledge bases (photovoltaics, fuel cells, energy storage, and hydrogen technology) show greater knowledge mobility than those with low analyticity, high cumulativeness knowledge bases (wind turbines, geothermal, solar thermal, hydro energy and energy from sea). We will refer to the former group with ‘analytic RETs’ and the latter group with ‘cumulative RETs’. Comparing non-fossil fuels to the other RETs is challenging, as its dependence on analytic knowledge appears to be exceptionally strong.

Our findings lead to a number of recommendations for decarbonizing strategies and policies. For the transition from general R&D stimulating and technology-neutral subsidy schemes to more mission-oriented science and technology policies, a deep understanding of the knowledge characteristics of the considered technology is key. As RET in general depends strongly on analytic knowledge, stimulating scientific research appears to be an effective and targeted measure to stimulate RET development. However, in this work, we have demonstrated that there is also substantial variation across different RETs in various knowledge dimensions and that this variation across RETs can be used to more effectively target the development of these RETs. More precisely, we have demonstrated that we can distinguish between analytic and cumulative RETs. Where the development of the former allows for easier entry and more flexibility in choosing locations, the development of the latter may be relatively harder to enter and is limited to locations providing the necessary synthetic knowledge. To encourage the development of analytic RETs in particular, policymakers may focus more on strengthening scientific activity. To encourage the development of cumulative RETs in particular, policy mixes focusing on system building are needed to stimulate the local presence of synthetic knowledge. In sum, our results call for policies that are more RET specific, taking into account the variation across RETs in various knowledge dimensions, which relate predictably to spatial dynamics of innovation.

CRedit authorship contribution statement

P.G.J. Persoon: Conceptualization, Methodology, Formal analysis, Data curation, Writing – original draft, Writing – review & editing, Visualization. **R.N.A. Bekkers:** Conceptualization, Methodology, Writing – review & editing. **F. Alkemade:** Conceptualization, Methodology, Writing – review & editing, Funding acquisition, Project administration.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

This work was supported by NWO (Dutch Research Council) grant nr. 452-13-010. Tables 1 and 2 and Figs. 5–8 and Fig. 10 make use of icons made by Freepik, Kiranshastry, Pixel perfect, and Pixelmeetup, which were made available via www.flaticon.com.

A. Country ranking by number of patents

In this appendix we present for each RET the top 5 ranking of countries by number of patents, for EP patents in Table 4 and for US patents in Table 5. We observe that the US (US), Germany (DE) and Japan (JP) consistently dominate the top 5 rankings for both EP and US patents. Similarly, France (FR) is in all top 5 rankings except for 3 US RET patent rankings.

Table 4

Country rankings of EP RET patents We denote the countries by their alpha-2 letter codes and include the number of EP patents.





























														
1	DE 100	DE 236	US 131	DE 1039	US 2129	DE 1965	US 1051	US 370	DE 386	US 998	JP 1221	US 729	US 623	US 845
2	US 45	FR 146	GB 98	US 525	JP 1857	US 1058	DE 886	FR 216	US 352	DE 794	DE 1009	DE 487	JP 497	DE 433
3	CH 26	US 132	DE 82	FR 338	DE 1833	DK 1003	JP 485	DE 145	JP 243	FR 373	US 953	JP 383	DE 312	JP 407
4	SE 19	GB 11	FR 69	IT 255	KR 848	JP 590	FR 315	JP 115	FR 111	JP 164	KR 508	FR 347	FR 139	FR 326
5	FR 19	JP 72	NO 55	ES 198	FR 692	ES 451	CH 182	SE 62	SE 98	NL 163	FR 481	IT 101	KR 133	GB 107

Table 5

Country rankings of US RET patents We denote the countries by their alpha-2 letter codes and include the number of US patents.

														
1	US 450	US 925	US 700	US 3921	US 8154	US 3759	US 2801	US 984	US 1064	US 3037	US 3450	US 2061	US 1890	US 2098
2	JP 38	JP 159	GB 91	DE 488	JP 4155	DE 1501	JP 740	JP 295	JP 390	DE 395	JP 2894	JP 892	JP 1291	JP 553
3	DE 34	DE 135	FR 63	JP 367	KR 2318	DK 858	DE 548	FR 196	DE 302	JP 326	KR 1233	DE 492	KR 591	DE 360
4	CA 33	CA 97	JP 63	ES 167	DE 1679	JP 637	FR 243	DE 155	KR 111	FR 282	DE 788	FR 299	DE 312	FR 311
5	IL 21	FR 95	DE 47	FR 166	FR 627	ES 392	CH 153	SE 71	SE 93	CA 200	FR 378	KR 200	FR 149	KR 148

B. Reference distances of inventors in and outside Europe and US

In this appendix we discuss the effect of considering the reference distance of patents where the inventor is located (far) away from the jurisdiction of the patent office, for example EP patents with a US inventor (Fig. 10 left panel) or US patents with a EP inventor (Fig. 10 right panel).




Fig. 10. Reference distance for science dependence fraction On the left we display EP patents of which the inventor is from the US and on the right we display US patents of which the inventor is from EP. See Table 1 for a legend of the icons.

In Fig. 10, the relation between the science dependence fraction and the reference distance again appears to be positive, but it is more irregular than the earlier observed relations. However, there are also a number of differences with Fig. 5. The most striking difference is that the reference distances of the US patents in 10 are much greater. The reference distances can therefore be concluded to partly depend on the location of the inventor. If we would have included the US patents from Fig. 10 in Fig. 5, this would especially affect the reference distance (which is an average over all patents) of technologies with lower numbers of patents. Another striking difference is that the positive relationship between science dependence fraction and reference distance is for the EP patents a lot steeper in Fig. 5 than in Fig. 10. This might be a result of the following. There are generally more US patents and inventors than EP patents and as a consequence, the US patents are cited relatively often. The reference distances of EP inventors referring to US inventors are much larger than those of US inventors referring to US inventors. There may therefore be less variation in the reference distance of

US inventors, because even when they apply for an EP patent (i.e. Fig. 10 left panel), they may still be citing US inventors relatively often. Finally, we note some typical differences on the level of individual technologies. Wind turbines have a relatively high reference distance in the left panel of Fig. 10 (as compared to both the right panel and Fig. 5). This indicates that the EP wind turbine inventors refer to patents from inventors close to home (most likely within Europe) whereas the US wind turbine inventors tend to refer to patents from inventors far from home (most likely Europe). This may illustrate a European lead in the wind turbine innovative activities. We see the reverse relation with fuel cells, of which the reference distance in the left panel of Fig. 10 is relatively low as compared to Fig. 5. In the right panel, the reference distance of this technology is actually relatively large, indicating a US innovative lead for this technology.

References

- Apa, R., De Noni, I., Orsi, L., Sedita, S.R., Nov. 2018. Knowledge space oddity: how to increase the intensity and relevance of the technological progress of European regions. *Res. Pol.* 47 (9), 1700–1712.
- Asheim, B., Boschma, R., Cooke, P., July 2011. Constructing regional advantage: platform policies based on related variety and differentiated knowledge bases. *Reg. Stud.* 45 (7), 893–904. <https://doi.org/10.1080/00343404.2010.543126>. Publisher: Routledge [eprint](#).
- Asheim, B., Coenen, L., Oct. 2005. Knowledge bases and regional innovation systems: comparing Nordic clusters. *Res. Pol.* 34 (8), 1173–1190.
- Asheim, B., Grillitsch, M., Trippel, M., 2016. Regional innovation systems: past - present - future. In: *Handbook on the Geographies of Innovation*, pp. 45–62.
- Balland, P.-A., Rigby, D., Jan. 2017. The geography of complex knowledge. *Econ. Geogr.* 93 (1) <https://doi.org/10.1080/00130095.2016.1205947>, 1–23. Publisher: Routledge [eprint](#).
- Barbieri, N., Marzocchi, A., Rizzo, U., Mar. 2020. Knowledge sources and impacts on subsequent inventions: do green technologies differ from non-green ones? *Res. Pol.* 49 (2), 103901.
- Bentley, P.J., Gulbrandsen, M., Kyvik, S., Oct. 2015. The relationship between basic and applied research in universities. *High Educ.* 70 (4), 689–709.
- Binz, C., Tang, T., Huenteler, J., 2017. Spatial lifecycles of cleantech industries – the global development history of solar photovoltaics. *Energy Pol.* 101, 386–402.
- Binz, C., Truffer, B., Sept. 2017. Global Innovation Systems—a conceptual framework for innovation dynamics in transnational contexts. *Res. Pol.* 46 (7), 1284–1298.
- Bointner, R., Oct. 2014. Innovation in the energy sector: lessons learnt from R&D expenditures and patents in selected IEA countries. *Energy Pol.* 73, 733–747.
- Boschma, R., Feb. 2005. Proximity and innovation: a critical assessment. *Reg. Stud.* 39 (1), 61–74. <https://doi.org/10.1080/0034340052000320887>. Publisher: Routledge [eprint](#).
- Breschi, S., Malerba, F., Orsenigo, L., 2000. Technological regimes and Schumpeterian patterns of innovation. *Econ. J.* 110 (463), 388–410 (Publisher: [Royal Economic Society, Wiley]).
- Caragliu, A., Nijkamp, P., May 2016. Space and knowledge spillovers in European regions: the impact of different forms of proximity on spatial knowledge diffusion. *J. Econ. Geogr.* 16 (3), 749–774.
- Cohen, W.M., Levinthal, D.A., 1990. Absorptive capacity: a new perspective on learning and innovation. *Adm. Sci. Q.* 35 (1), 128–152.
- Corrocher, N., Mancusi, M.L., Sept. 2021. International collaborations in green energy technologies: what is the role of distance in environmental policy stringency? *Energy Pol.* 156, 112470.
- de Rassenfosse, G., Kozak, J., Seliger, F., Nov. 2019. Geocoding of worldwide patent data. *Sci. Data* 6 (1), 260. Number: 1 Publisher: Nature Publishing Group.
- Garrone, P., Piscitello, L., Wang, Y., Nov. 2014. Innovation performance and international knowledge spillovers: evidence from the renewable energy sector in OECD countries. *Ind. Innovat.* 21 (7–8), 574–598. <https://doi.org/10.1080/13662716.2015.1011913>. Publisher: Routledge [eprint](#).
- Gertler, M.S., Jan. 2003. Tacit knowledge and the economic geography of context, or the undefinable tacitness of being (there). *J. Econ. Geogr.* 3 (1), 75–99 (Publisher: Oxford Academic).
- Halleck Vega, S., van Leeuwen, E., van Twillert, N., 2021. Uptake of residential energy efficiency measures and renewable energy: do spatial factors matter? *Energy Pol.* this issue.
- Herstad, S., Aslesen, H., Ebersberger, B., 2014. On industrial knowledge bases, commercial opportunities and global innovation network linkages. *Res. Pol.* 43 (3), 495–504.
- Hötte, K., Jee, S.J., Srivastav, S., Aug. 2021. Knowledge for a Warmer World: a Patent Analysis of Climate Change Adaptation Technologies. *arXiv:2108.03722 [econ, q-fin]*. [arXiv:2108.03722](https://arxiv.org/abs/2108.03722).
- Hötte, K., Pichler, A., Lafond, F., Sept. 2020. The Rise of Science in Low-Carbon Energy Technologies. *arXiv:2004.09959 [cs, econ, q-fin]*. [arXiv:2004.09959](https://arxiv.org/abs/2004.09959).
- Huenteler, J., Ossenbrink, J., Schmidt, T.S., Hoffmann, V.H., July 2016. How a product's design hierarchy shapes the evolution of technological knowledge—evidence from patent-citation networks in wind power. *Res. Pol.* 45 (6), 1195–1217.
- IPCC, 2014. Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge.
- IRENA, 2018. Global Energy Transformation: A Roadmap to 2050.
- Jensen, M.B., Johnson, B., Lorenz, E., Lundvall, B.A., June 2007. Forms of knowledge and modes of innovation. *Res. Pol.* 36 (5), 680–693.
- Keller, W., International, Sept. 2004. Technology diffusion. *J. Econ. Lit.* 42 (3), 752–782.
- Li, D., Heimeriks, G., Alkemade, F., Oct. 2020. The emergence of renewable energy technologies at country level: relatedness, international knowledge spillovers and domestic energy markets. *Ind. Innovat.* 27 (9), 991–1013. <https://doi.org/10.1080/13662716.2020.1713734>. Publisher: Routledge [eprint](#).
- Lundvall, B.-A., Johnson, B., 1994. The learning economy. *J. Ind. Stud.* 1 (2), 23–42 (Publisher: Taylor & Francis).
- Magerman, T., Van Looy, B., Song, X., European Commission and Eurostat, 2006. Data Production Methods for Harmonised Patent Statistics: Patentee Name Harmonisation. Publications Office, Luxembourg. OCLC: 904336460.
- Malerba, F., Orsenigo, L., May 1996. Schumpeterian patterns of innovation are technology-specific. *Res. Pol.* 25 (3), 451–478.
- Malerba, F., Orsenigo, L., Peretto, P., Oct. 1997. Persistence of innovative activities, sectoral patterns of innovation and international technological specialization. *Int. J. Ind. Organ.* 15 (6), 801–826.
- Martin, R., Sept. 2012. Measuring knowledge bases in Swedish regions. *Eur. Plann. Stud.* 20 (9), 1569–1582. <https://doi.org/10.1080/09654313.2012.708022>. Publisher: Routledge [eprint](#).
- Marx, M., Fuegi, A., 2020. Reliance on science: worldwide front-page patent citations to scientific articles. *Strat. Manag. J.* 41 (9), 1572–1594. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/smj.3145>.
- Moodysson, J., Coenen, L., Asheim, B., 2008. Explaining spatial patterns of innovation: analytical and synthetic modes of knowledge creation in the Medicon Valley life-science cluster. *Environ. Plann.* 40 (5), 1040–1056.
- Nelson, R.R., Winter, S.G., Jan. 1977. In search of useful theory of innovation. *Res. Pol.* 6 (1), 36–76.
- Nemet, G.F., Sept. 2012. Inter-technology knowledge spillovers for energy technologies. *Energy Econ.* 34 (5), 1259–1270.
- Noailly, J., Rysfisch, D., Aug. 2015. Multinational firms and the internationalization of green R&D: a review of the evidence and policy implications. *Energy Pol.* 83, 218–228 (Publisher: Elsevier BV).
- Ocampo-Corrales, D.B., Moreno, R., Suriñach, J., Sept. 2020. Knowledge flows and technologies in renewable energies at the regional level in Europe, 0 Reg. Stud. 1–12. <https://doi.org/10.1080/00343404.2020.1807489>. Publisher: Routledge [eprint](#).
- OECD, 2015. Frascati Manual, 2015.
- Persoon, P., Bekkers, R., Alkemade, F., Aug. 2021. How cumulative is technological knowledge? *Quant. Sci. Stud.* 1–27.
- Persoon, P.G.J., Bekkers, R.N.A., Alkemade, F., Sept. 2020. The science base of renewables. *Technol. Forecast. Soc. Change* 158, 120121.
- Plum, O., Hassink, R., Sept. 2012. Analysing the knowledge base configuration that drives southwest Saxony's automotive firms. *Eur. Urban Reg. Stud.* 20 (2), 206–226. Publisher: SAGE PublicationsSage UK: London, England.
- Trajtenberg, M., Henderson, R., Jaffe, A., Jan. 1997. University versus corporate patents: a window on the basicness of invention. *Econ. Innovat. N. Technol.* 5 (1), 19–50.
- Vaesen, K., Houkes, W., Dec. 2017. Complexity and technological evolution: what everybody knows? *Biol. Philos.* 32 (6), 1245–1268.
- Van Looy, B., du Plessis, M., Magerman, T., 2006. Data Production Methods for Harmonized Patent Statistics: Patentee Sector Allocation. SSRN Scholarly Paper ID 944464. Social Science Research Network, Rochester, NY.
- Veefkind, V., Hurtado-Albir, J., Angelucci, S., Karachalios, K., Thumm, N., June 2012. A new EPO classification scheme for climate change mitigation technologies. *World Patent Inf.* 34 (2), 106–111.