

University of Ljubljana
School of Economics and Business

Tia Krofel, Brina Ribič, Matej Rojec

VaR on option portfolio

Seminar assignment for Risk Management

Ljubljana, 2022

Contents

1	Introduction	3
2	Options	3
3	Value at Risk	5
3.1	VaR Calculation	5
3.1.1	Variance-covariance method	5
3.1.2	Historical simulation	6
3.1.3	Monte Carlo simulation	6
4	Non-linear VaR	6
5	The Greeks	7
5.1	The Delta	8
5.2	The Gamma	9
5.3	The Theta	10
5.4	The Vega	11
6	Delta-Gamma-Theta Approach	12
6.1	Limitations	12
7	Simulation usong Monte Carlo	13
8	Conclusion	17

List of Figures

1	Linear and non-linear function of payoff.	7
2	Price path of stock S in one year.	13
3	Call option path prices and put option path prices of stock S	14
4	Call option payoffs prices and put option payoffs path of stock S	14
5	Call option P&L paths and put option P&L path of stock S	14
6	Portfolio key performance indicators	15
7	Profit and loss diagram for the portfolio at time 0	16
8	Profit and loss diagram for the portfolio at time 0	16

Abstract

A stock option is the right to buy or sell a stock at a price for at a time in the future (this based on the type of the option). A call option gives the owner the right to buy the underlying, while a put option gives the holder the right to sell the underlying at a future time. european options give the right to sell or buy in the future only at the expiration date. Value at risk (or VaR) is simple measure of risk in the financial markets. We introduce three main methods to calculate VaR, the first is variance-covariance method, the second is historical simulation and the third is Monte Carlo simulation. We take a look also at how to calculate VaR using non-linear methods. Mainly the Delta-Gamma-Theta approach. Finally we look at an example of the Monte Carlo method on a portfolio of European options.

1 Introduction

Value at risk (or VaR) is a widely used measure of risk in the financial industry. It is a statistical method that is used to estimate the probability of loss in a specific time period, given a certain level of confidence.

In this seminar, we examine the use of VaR in the context of option portfolios. We first provide a definition of options and notation to help us calculate option value at any given point in time using the Black-Scholes model. Then we define value at risk and present three basic approaches used for VaR calculation. Afterwards, we take a closer look at non-linear VaR, how it differs from the standard VaR variation and where the non-linear relations appear in our case of option portfolios. In order to be able to understand the methodology presented in the final sections, we then define the greek parameters (namely delta, gamma, theta and vega). We then show how incorporation of these parameters can provide a more accurate estimate of the risk of loss on a portfolio that contains options and what are the limitations when using this approach. The last section focuses on another possible approach to non-linear VaR calculation, generally known as one of the most flexible methods for calculation of different VaR variations - the Monte Carlo simulation.

Overall, we aim to provide an overview of the usage of value at risk as a risk measure in the analysis of option portfolios, approached either analytically or with the help of different simulations.

2 Options

An option is a contract between option holder (buyer) and option writer (seller) that gives the buyer the right - but not the obligation - to buy or sell an underlying asset at a predetermined price K (strike price) within a specific time period.

If an option gives its holder the right to buy the underlying asset, we call it a call option. On the contrary, if it gives the holder the right to sell said underlying asset, we call it a put option. Depending on when the holder is allowed to exercise the option, there are several different types of options. The simplest is the european option type, which gives the buyer the right to exercise the option no sooner than on the expiration date. Then there are american options - these can be exercised

at any point leading up to the expiration date. Other types of options are known under the common name of exotic options.

Let $t = 0$ denote the time when the option is issued, $t = T$ its expiration time and S_t the price of the underlying asset at time $t \in [0, T]$. The value of an option for the option holder is equal to the difference in the price of the underlying asset when the option is exercised and the strike price, if the option holder stands to profit from it. Otherwise, the option is not exercised and its value equals 0. The value of a european call option at its expiration time T is

$$C_T = \max\{S_T - K, 0\}, \quad (1)$$

as it is not profitable for the buyer to exercise such an option if $S_T < K$.

On the other hand, a european put option's value at its expiration time T is

$$P_T = \max\{0, K - S_T\}. \quad (2)$$

When option holder buys an option, he is required to pay a premium. It is quite difficult to calculate just how high this premium should be. We will evaluate the option premium, or rather the value of the option with the Black-Scholes model.

The price of a european put option at time t is

$$V_t = Ke^{-R(T-t)}\Phi(-d_2) - S_t\Phi(-d_1), \quad (3)$$

where

- K is the strike price,
- R is the risk-free interest rate,
- S_0 is the underlying asset's value at time 0.

Constants d_1 and d_2 can be calculated using the following formulas:

$$\begin{aligned} d_1 &= \frac{\ln\left(\frac{S_t}{K}e^{R(T-t)}\right) + \frac{\sigma^2}{2}(T-t)}{\sigma\sqrt{T-t}}, \\ d_2 &= d_1 - \sigma\sqrt{T-t}. \end{aligned} \quad (4)$$

Here σ denotes the underlying asset's volatility.

A similar formula is used for evaluation of european call option premium:

$$V_t = S_t\Phi(d_1) - Ke^{-R(T-t)}\Phi(d_2). \quad (5)$$

The main assumption of this model is that the underlying asset's returns are independent with identical uniform normal distributions. Our goal is to assess the risk of an option based on its underlying asset. We will approach this using so called greek parameters.

3 Value at Risk

“Value at Risk” or VaR is a measure, defined as the maximum potential change in portfolio value at a certain (high enough) confidence level for a predetermined time frame. Usually, the 95% or 99% confidence levels are used.

VaR tells us how big our loss might be with $x\%$ in a specific time period. The latter is often a day, a week, or few weeks at most. This means that if VaR for an asset is a 100 million euros in the period of one week with a 95% confidence level, then there is only 5% probability that this asset’s value will fall for more than a 100 million euros throughout any week.

Let us now give a formal definition of value at risk.

Definition 3.1. Let X be a random variable on a probability space $(\Omega, \mathcal{F}, \mathbb{P})$ and $\alpha \in (0, 1)$. $\text{VaR}_\alpha(X)$ is defined as the $(1 - \alpha)$ quantile of $-X$. Then

$$\text{VaR}_\alpha(X) := -\inf\{x \in \mathbb{R} \mid F_X(x) > \alpha\} = F_{-X}^{-1}(1 - \alpha). \quad (6)$$

There are three basic approaches used for VaR evaluation. We can calculate it analytically using assumed distributions of returns for market risks while also taking into account the variance and covariance between these risks. Another option for VaR assessment is the usage of historical data or, lastly, the Monte Carlo simulation.

Here, we are interested in what happens when we have an asset that is a derivative. In such case, a slight VaR modification is necessary. If we take options as an example, we have to take into account the non-linear price movement (the gamma effect) and implied volatilities (vega effect). We will show how to evaluate price movement for options both analytically (delta-gamma-theta) and with a simulation.

3.1 VaR Calculation

3.1.1 Variance-covariance method

Variance-covariance method is a parametric method, which assumes that asset returns, determining portfolio value, are normally distributed.

We say that a random variable is normally distributed with parameters μ and σ^2 (with μ representing the mean and σ^2 representing the variance of the variable, while σ stands for its standard deviation) if the probability density function is given as

$$f(x) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left[-\frac{1}{2}\left(\frac{x - \mu}{\sigma}\right)^2\right], \quad (7)$$

for $x \in \mathbb{R}$.

This method is especially useful due to it needing only two parameters to be defined. At the same time it gives us a direct formula to calculate cumulative distribution function as follows:

$$P(X < x) = \mu + \alpha_{cl}\sigma, \quad (8)$$

where cl represents the selected confidence level (e. g. 95%) and α_{cl} stands for the standard normal variable with selected confidence level cl . (e. g. $\alpha_{0.95} = 1.645$). VaR for an investment therefore equals (6).

Calculation of VaR for a portfolio comprised of multiple positions requires us to also take into account the diversification of investments. In this case, VaR depends on coefficient of correlation among parts of the portfolio.

This method is effective with options as well, however a slight modification is needed. Because the value of an option is dependant on several factors and there is a non-linear relation between the value of an option and the returns of the underlying asset, we have to calculate a few additional parameters in order for the result to be correct.

3.1.2 Historical simulation

Historical simulation is an approach that offers a very simple and intuitive VaR evaluation. It is based on the order of the observed data; let us assume we have a 100 observations - then the sixth in order is VaR at confidence level 95%. However, we have to be aware that using this kind of approach can lead to big mistakes in the VaR calculation due to extreme events, the appropriate length of observed period, ... This method is also not suitable for non-linear VaR calculation or VaR for options because historical data for options are not as easily acquired and compared.

3.1.3 Monte Carlo simulation

The Monte Carlo simulation is considered a very useful method for VaR evaluation as it is rather flexible for multiple VaR variations. We shall see in the following sections how it can be used to calculate non-linear VaR.

4 Non-linear VaR

The basic VaR variation assumes a linear connection between the returns and the change in position value, or rather that a relative change of portfolio is a linear function of returns (of stocks, bonds ...). Here we assume that returns of a security have multivariate normal distribution.

The value of a derivative position is dependant on the value of some other security. In the case of options positions, there is a non-linear relation between the value of the option and the return of the underlying asset. This can be explained with a simple stock option. The option price, $V(S_t, K, T, R, \sigma)$, is dependant on the option price S_t at time t , strike price K , time of maturity T , risk-free interest rate R of some security with the same time of maturity as the option and the standard deviation σ of the underlying asset's price in the option's time frame. This is why we have to use a different approach when evaluating VaR for an option portfolio.

Figure 4 shows the positions values relative to underlying securities. The two straight lines present a linear relation between the position value and the value of the underlying security. We will denote the european option value (be it call or put) with delta. This means that the relation between the position value and the value of the underlying security will no longer be linear, but rather non-linear. This is shown in the figure with the grey graph. Should such a relation be linear, delta takes the value -1 or 1. And if delta is any other number between -1 and 1, the relation between the two values is non-linear.




Figure 1: Linear and non-linear function of payoff.

In addition, we need the gamma parameter to define the convexity of a function. For linear relations, gamma always equals 0 and the function's slope is a constant. Non-linear relations, such as we have with options, gamma always represents a non-negative value, different from 0. This is where the different approaches for non-linear VaR calculation stem from.

All variations of the approaches still require us to make the assumption about normal distributed asset returns. We are, however, letting the value of the position and the returns of underlying asset be in a non-linear relation. More precisely, we leave space for a gamma effect (the relative derivative (in our case, options) portfolio change is no longer normally distributed). This is why we can no longer define VaR as 1.65 of the standard deviation of portfolio's value. Instead, we calculate VaR in two main steps. Firstly, we evaluate the first four moments of the portfolio returns distribution (its mean, standard deviation, skewness and kurtosis). Then we find the distribution with the same first four moments as the portfolio returns distribution and calculate the fifth percentile (or the first one depending on given problem). From this, we get VaR.

The Monte Carlo method relies on the Black-Scholes model, namely the idea of a risk neutral measure. The idea is to simulate a large number of random price paths for the underlying and to then calculate the associated payoff of each option in the portfolio for each path. From these we get a distribution of the payoff and we can use equation (6) from definition 3.1 to calculate the VaR of a portfolio of options.

5 The Greeks

As we want to calculate the theoretical value of an option and understand its changes in response to various factors, we now take a closer look at some of the "Greeks".

In the context of options trading, they present a set of sensitivity measures,

usually computed using the Black-Scholes formula.

And while they are relevant to hedging strategies (which is especially true for delta and gamma), these derivatives are typically calculated because they can give us an idea about how rapidly the value of our portfolio is effected when there is a change in one of the parameters underlying the Black-Scholes model.

5.1 The Delta

The delta of an option (Δ) is a theoretical estimate of how much an option price would change relative to a change in the price of the underlying asset. It expresses the amount by which an option changes for a 1-point move in the underlying security.

Using symbols as defined in sections 1 and 3, we can present this first-order sensitivity of an option with respect to the underlying price as

$$\Delta = \frac{\partial V}{\partial S},$$

where $\Delta \in [0, 1]$ for calls and $\Delta \in [-1, 0]$ for puts. Stated in another way, it is the percentage of any stock price change that will be reflected in the change of the price of the option.

Let's look at an example. We will assume that a Stock A January 50 call has a delta of 0.25 with Stock A at a current price of 49. This means that the call will move 25% as fast as the stock will move. So, if Stock A jumps to 51, a gain of 2 points, then the January 50 call can be expected to increase in price by 0,5 point (25% of the stock increase).

There is one other interpretation of the delta that is perhaps of less practical use, but is still worth mentioning. If we ignore the sign of the delta (positive for calls, negative for puts), the delta is often also thought of as the probability of the option being in-the-money at expiration. That is, if Stock A price is 50 and the January 55 call has a delta of 0.40, then there is a 40% probability that Stock A will be over 55 at January expiration. Of course, this is only an approximation of the probability because interest rates and dividends may distort this interpretation.

If an option's delta is equal to zero, the option price barely moves when the price of the underlying asset changes. If an option's delta is positive, then that option's price will increase when the underlying asset's price increases, while negative delta indicates a decrease in the option price as the underlying asset's price increases.

Put deltas are expressed as negative numbers to indicate that put prices move in the opposite direction from the underlying security. Deltas of out-of-the-money options are smaller compared to in-the-money options, going toward 0 as the option becomes very far out-of-the-money.

This means that short calls and long puts have a delta with values between -1 and 0, while long calls and short puts have a delta with values ranging between 0 and 1. If an option's delta is very close to -1 or 1 then it is deeply in-the-money (depending on whether it is put or call). In case of a european call option, using the above formula would give us its delta equal to $\Phi(d_1)$.

However, while small changes in the underlying asset's price do change the option price by approximately delta, such approximations get less and less reliable as the asset's price change gets greater.

The volatility of the underlying stock has an effect on delta also. If the stock is not volatile, then in-the-money options have a higher delta, and out-of-the-money options have a lower delta.

5.2 The Gamma

Gamma, or second-order sensitivity of an option with respect to the underlying asset's price, measures the change in an option's delta relative to changes in the underlying asset price. Simply stated, the gamma is how fast the delta changes with respect to changes in the underlying stock price.

We can calculate it as follows:

$$\Gamma = \frac{\partial^2 V}{\partial S^2}.$$

We have already stated before that the delta of a call option increases as the call moves more from out-of-the-money to in-the-money. The gamma is in fact only a precise measurement of how fast the delta is increasing.

Let's look at an example. We will assume that a Stock B January 50 call has a delta of 0.25 and a gamma of 0.05, with Stock B at a current price of 49. This means that if the call will move one point up to 50 then the delta will change (increase) from 0.25 to 0.30.

Let's look at one more example. We will assume that a Stock B January 50 call has a delta of 0.25 and a gamma of 0.05, with Stock B at a current price of 49. This means that if the call will move two point up to 51 then the delta will change (increase) from 0.25 to 0.35., because of the gamma. In this case the delta increased by 0.10.

Obviously, the above example is flawed, as the delta cannot keep increasing by 0.05 each time Stock B gains another point in price, for it will eventually exceed 1.00, and we know that for call options the Delta has an upper bound of 1. Therefore it is obvious that the gamma has to change. In general, the gamma is at its maximum point when the stock is near the strike of the option. As the stock moves away from the strike in either direction, the gamma decreases, approaching its minimum value of zero.

Let's look at an example of the stated above. We will assume that a Stock B January 50 call has a delta of almost 0 at a current price of 25 Stock B per share. If the price of Stock B moves up one point to 26, the call is still so far out-of-the-money that the delta will still be zero. Thus, the gamma of this call is zero, since the delta does not change when the stock increases in price by a point.

Higher values of an option's gamma indicate that very small price change of the underlying asset could lead to big changes in the option's delta value.

Options that are at-the-money (when their strike prices are equal to the price of underlying asset) have the highest gamma values as the delta of such an option is very sensitive to price change of the underlying asset. As this underlying asset's price moves further away from the option's strike price in either direction, gamma values decrease. Long options, whether puts or calls, have positive gamma, while short options have negative gamma. Thus, a strategist with a position that has positive gamma has a net long option position and is generally hoping for large market

movements. Conversely, if one has a position with negative gamma, it means he has shorted options and wants the market to remain fairly stable.

Another property of gamma is useful to know as well. As expiration nears, the gamma of at-the-money options increases dramatically. Consider an option with a day or two of life remaining. If it is at-the-money, the delta is approximately 0.50. However, if the stock were to move 2 points higher, the delta of the option would jump to nearly 1.00 because of the short time remaining until expiration. Thus, the gamma would be roughly 0.25. as compared to much smaller values of gamma for at-the-money options with several weeks or months of life remaining. Contrary out-of-the-money options display a different relationship between gamma and time to expiry. An out-of-the-money option that is about to expire has a very small delta, and hence a very small gamma.

The volatility of the underlying security also plays a part in gamma. At-the-money options on less volatile securities will have higher gammas than similar options on more volatile securities.

5.3 The Theta

Measuring an options sensitivity to time, theta tell us how susceptible is an option's value to the passage of time.

Earlier in this section, we have seen how delta and gamma values of an option are effected by the price movement of the underlying asset in comparison to the option price.

In case of theta, we look at the effect of time decay on an option. All other factors being equal, the theta of an option represents the amount by which the option's value will decrease each day. An option with a theta of -0.05 will lose 0.05 for each day that passes with no changes in any other market conditions. It is calculated as the following derivative:

$$\Theta = \frac{\partial V}{\partial t}.$$

Its value is usually negative - with each passing day, an option's potential for profitability drops. Very long-term options are not subject to much time decay in one day's time. Thus, the theta of a long-term option is nearly zero. On the other hand, short-term options, especially at-the-money ones, have the largest absolute theta, since they are subject to the ravages of time on a daily basis. The theta of options on a highly volatile stock will be higher than the theta of options on a low-volatility stock.

We understand an option's intrinsic value as a measure of the actual value of the strike price compared to the current market price and its extrinsic value as a measure of the part of the premium that is not defined by the intrinsic value, namely the value of being able to hold the option and the opportunity for the option to gain value as the underlying asset moves in price. Consequentially, the closer that an option is to expiration, the smaller its extrinsic value becomes - at the expiration date, an option's extrinsic value is zero.

Theta is then the measure that determines the decline in an option's extrinsic value over time. The decay is not linear - an option will lose a greater percent of its daily value near the end of its life.

Long positions generally have a negative theta while short positions have a positive one. The theta of an individual option is usually of little interest to the risk manager. The delta or gamma are usually more important. However, as with the other risk measures, theta can be computed for an entire portfolio of options.

Note that the underlying itself has a theta of zero, since it cannot lose any value, because of time decay.

5.4 The Vega

There is no letter in the Greek alphabet called “vega”. Thus, some strategists, prefer to use a real Greek letter, “tau”, to refer to this risk measure, however we will use “vega”. Just as option values are sensitive to changes in the underlying price (delta) and to the passage of time (theta), they are also sensitive to changes in volatility. Vega measures sensitivity to volatility. Vega is the derivative of the option value with respect to the volatility of the underlying asset. Volatility in this sense is a measure of how quickly the underlying security moves around. We usually calculate it as the standard deviation of stock prices over some period of time, generally annualized. A stock with higher volatility is therefore more volatile. It is calculated as the following derivative:

$$\mathcal{V} = \frac{\partial V}{\partial \sigma}$$

Vega is the amount by which the option price changes when the volatility changes. Vega is therefore always a positive number, whether it refers to a put or a call.

It is logical that more volatile stocks have more expensive options. Increasing volatility, means that the price of an option will rise. Falling volatility, means that the price of an option will fall. The vega is merely an attempt to quantify how much the option price will increase or decrease as the volatility moves, all other factors being equal.

Let’s look at company D is at 49, and the January 50 call is selling for 3.50. The vega of the option is 0.10, and the current volatility of company D is 30%. If the volatility had instead decreased by 1 percent to 29%, then the January 50 call would have decreased to 3.40 (a loss of 0.10, the amount of the vega). If the volatility increases by one percentage point or 1 % to 31 %, then the vega indicates that the option will increase in value by 0.10, to 3.60.

Vega is greatest for at-the-money options and approaches zero as the option is deeply in- or out-of-the-money. Again, this is common sense, since a deep in- or out of-the-money option will not be affected much by a change in volatility. In addition, for at-the-money options, longer-term options have a higher vega than short-term options. An at-the-money option with on day to expiration will not be overly affected by any change in volatility, due to its pending expiration. However, a three-month at-the-money option will certainly be sensitive to changes in volatility.

Vega does not directly correlate with either delta or gamma. One could have a position with no delta and no gamma (delta neutral and gamma neutral) and still have exposure to volatility. This does not mean that such a position would be undesirable; it merely means that if one had such a position, they would have removed most of the market risk from his position and would be concerned only with volatility risk.

6 Delta-Gamma-Theta Approach

Let us now take a closer look at the methodology for using the delta, gamma and theta of options in the VaR calculation.

Overall, incorporating these greeks into the VaR calculation can provide a more accurate estimate of the risk of loss on a portfolio of options.

By taking into account the price sensitivity and time decay of each option, this analytical approach can better reflect the potential impact of market movements on the portfolio's value. Based on the theoretical background covered in section 4, the importance of each of the three greeks used for this VaR calculation is as follows:

- Delta is important for VaR analysis because it estimates the potential change in the option's value associated with a unit shift in the underlying asset's price;
- Gamma plays an increasingly important role in VaR calculations as the underlying asset price fluctuates more significantly;
- Theta is an important consideration for VaR analysis, because time decay is a major factor in the approximation of the overall risk of the portfolio.

For example, a portfolio with a high gamma may be more sensitive to changes in the underlying asset's price, while a portfolio with a high theta may be more sensitive to the passage of time.

The simplest approximation using greeks would estimate changes in the option value with a linear model - in this case, we would only use delta-approximation. This would be a relatively accurate model only when the price of the underlying asset would not undergo any significant changes. The reason for this is in delta being a linear approximation of a non-linear relationship between option value and underlying asset's price.

This may be improved with inclusion of gamma, which also accounts for non-linear effects of change as it introduces skewness into the price distribution.

Finally, we add theta into the equation to improve the accuracy of the calculation with inclusion of the time decay.

And while this approach does not necessitate any simulations, we do need (besides the delta, gamma and theta parameters) a covariance matrix and position values.

6.1 Limitations

There are, however, some limitations to the usage of such an approach when calculating VaR.

Namely, it may not be suitable for options portfolios with more complex risk profiles, such as those with illiquid assets. It is also subject to model risk (like any statistical model), so it may produce inaccurate results due to errors in the assumptions or parameters used in the model.


And even as it does provide, as stated above, a more comprehensive and accurate assessment of the risk of loss on a portfolio of options, it may still not be sufficient to capture the full range of risks faced by an options portfolio.

7 Simulation using Monte Carlo

Let us assume the Black-Scholes model. Our portfolio will consist of a european call option and a european put option. The european call option will present a of our portfolio and the european put option will present b of our portfolio where $(a, b) \in [0, 1]^2$ and $a + b = 1$. Suppose we have a stock S with the starting price at $S_0 = 102$, striking price $K = 105$, expiration time 1 year, expected payout $\mu = 0.02$, interest rate $r = 0.05$, volatility $\sigma = 0.2$. We are interested to find out what is the $\text{VaR}_{0.95}$ of a portfolio.

Using the Monte Carlo method we will simulate $N = 10000$ paths of the option in 1000 evenly distributed time stamps in the interval $[0, 1]$. The paths can be seen in figure 2. All simulations and figures are generated with help of R.

Figure 2: Price path of stock S in one year.



From chapter 2, we know that the price for a european call under the Black-Scholes model can be calculated as:

$$V_t = S_t \Phi(d_1) - K e^{-R(T-t)} \Phi(d_2).$$


We also know that the price of a put option can be calculated as

$$V_t = K e^{-R(T-t)} \Phi(-d_2) - S_t \Phi(-d_1).$$


From figure 3 we can see the simulated prices of the option from paths generated in figure 2.

The payoff of a european call at time t , is calculated as:

$$\max(S_T - K, 0) \cdot e^{(T-t)},$$



(a) Call option path prices




(b) Put option path prices

Figure 3: Call option path prices and put option path prices of stock S


and for a european put option it is similarly:

$$\max(K - S_T, 0) \cdot e^{(T-t)}.$$

Let us now simulate these two payoffs. This can be seen from figure 4.




(a) Call option payoffs path




(b) Put option payoffs prices

Figure 4: Call option payoffs prices and put option payoffs path of stock S

From figure 4 and figure 3 we can now look at the profit and loss diagram for any time t . It can be seen from figure 5.



(a) Call option payoffs path



(b) Put option payoffs prices

Figure 5: Call option P&L paths and put option P&L path of stock S

Now let's assume our options portfolio consist of $a = 0.25$ of a european call option and $b = 1 - 0.25 = 0.75$ of a put option. The paths of the price, the payout and profit and loss can be see from figure 6.





Figure 6: Portfolio key performance indicators


At time $t = 0$ we can look at a histogram and distribution of the P&L diagram. This can be seen on figure 7. With the help of this we can calculate the VaR_{95} which is 7.08.

Figure 7: Profit and loss diagram for the portfolio at time 0



If we do the stated above for every time point t we can get a graph that shows us how the VaR changes over time, as seen from figure 8.

Figure 8: Profit and loss diagram for the portfolio at time 0



8 Conclusion

Throughout this seminar, we have seen that options are type of a derivative product that allow investors to speculate on or hedge against the volatility of an underlying stock. There are different types of options, the most simple being european (put or call). The main question with options is how risky are they. One example to calculate risk is with non-linear VaR, using Black-Scholes model. Non-linear VaR considers non-linear relation between the price of option and the price of underlying asset. These relations are calculated with the “Greeks”. We provided an overview of four greek parameters (delta, gamma, theta, and vega of an option) and demonstrated how they can be used for VaR calculation. However, such an approach is not without its limitations. For example, it is not the best way of VaR evaluation for option portfolios with more complex risk profiles. It is also subject to model risk and not sufficient enough to capture the full ranges of risks that an options portfolio faces. In reality one of the most common techniques to calculate VaR is with the help of the Monte Carlo method. We looked at an example, where with the help of simulations of multiple paths we managed to calculate the VaR of an option portfolio.

References

- [1] J.P. Morgan, *RiskMetrics - Technical Document*, 1996.
- [2] Chen, Rongda and Yu, Lean, *A novel nonlinear value-at-risk method for modeling risk of option portfolio with multivariate mixture of normal distributions*, pages 796-804, 2013.
- [3] Haugh, Martin, *The Black-Scholes Model*, Foundations of Financial Engineering, 2016, <http://www.columbia.edu/~mh2078/FoundationsFE/BlackScholes.pdf>.
- [4] Damodaran, Aswath, *Value at risk (VaR)*, <https://pages.stern.nyu.edu/~adamodar/pdfiles/papers/VAR.pdf>.