

# DATA\_607\_Project\_One

Mathew Katz

2022-09-25

Project 1: In this project, you're given a text file with chess tournament results where the information has some structure. Your job is to create an R Markdown file that generates a .CSV file (that could for example be imported into a SQL database) with the following information for all of the players: Player's Name, Player's State, Total Number of Points, Player's Pre-Rating, and Average Pre Chess Rating of Opponents. For the first player, the information would be: Gary Hua, ON, 6.0, 1794, 1605

Loading and Reading the Data

```
library(tidyverse, quietly = TRUE)
```

```
## -- Attaching packages ----- tidyverse 1.3.2 --
## v ggplot2 3.3.6      v purrr 0.3.4
## v tibble 3.1.8       v dplyr 1.0.10
## v tidyr 1.2.0        v stringr 1.4.1
## v readr 2.1.2        v forcats 0.5.2
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
```

```
url = 'https://raw.githubusercontent.com/MathewKatz/CUNYSPS/main/tournamentinfo.txt'
df <- readLines(url)
```

```
head(df)
```

```
## [1] "-----"
## [2] " Pair | Player Name |Total|Round|Round|Round|Round|Round|Round|Round| "
## [3] " Num | USCF ID / Rtg (Pre->Post) | Pts | 1 | 2 | 3 | 4 | 5 | 6 | 7 | "
## [4] "-----"
## [5] " 1 | GARY HUA |6.0 |W 39|W 21|W 18|W 14|W 7|D 12|D 4|"
## [6] " ON | 15445895 / R: 1794 ->1817 |N:2 |W |B |W |B |W |B |W |"
```

Extraction of Key Fields:

```
player_name <- unlist(str_extract_all(df,"(?<=\\d\\s\\|\\s)([A-z, -]*\\s){1,}[[[:alpha:]]*(?=\\s*\\|\\s))")
player_state <- unlist(str_extract_all(df, "[[:upper:]]{2}(?=\\s*\\|\\s)")
total_points <- as.numeric(unlist(str_extract_all(df, "(?<=\\|)\\d\\.\\d")))
player_pre_rating <- as.numeric(unlist(str_extract_all(df, "(?<=R:\\s{1,2})(\\d{3,4}(?=\\s))|(\\d{3,4}(
player_number <- as.numeric(unlist(str_extract_all(df,"(?<=\\s{3,4})\\d{1,2}(?=\\s)"))
```

Creating Dataframe with Extracted Data

```
processed_data <- data.frame(player_name, player_state, total_points, player_pre_rating, player_number)
```

List of Opponent Player's Numbers

```
newdf <- df[seq(5, 196, 3)]
opponent_num <- as.numeric(unlist(str_extract_all(newdf, "(?<=\\|(W|L|D)\\s{2,3})[[:digit:]]{1,2}(?=\\|)"))
```

Getting Pre Chess Rating

```
pre_chess_rating_matrix <- matrix(data = NA, nrow = 64, ncol = 2)

colnames(pre_chess_rating_matrix) <- c("total_opp_pcr", "avg_opp_pcr")

row_counter <- 0

for(i in seq(from=1, to=length(opponent_num)-6, by=7)){
  row_counter <- row_counter + 1

  pre_chess_rating_matrix[row_counter, 1] <- (sum(subset(processed_data$player_pre_rat, processed_data$player_number == opponent_num[i])))

  pre_chess_rating_matrix[row_counter, 2] <- pre_chess_rating_matrix[row_counter, 1] / length(subset(opponent_num, opponent_num == opponent_num[i]))

}

head(pre_chess_rating_matrix)
```

```
##      total_opp_pcr avg_opp_pcr
## [1,]      11237      1605.286
## [2,]      10285      1469.286
## [3,]      10945      1563.571
## [4,]      11015      1573.571
## [5,]      10506      1500.857
## [6,]      10631      1518.714
```

Tidy Data

```
pre_chess_rating_matrix[, 2] <- round(pre_chess_rating_matrix[,2], digits = 0)

final_df <- cbind(processed_data, pre_chess_rating_matrix[, 2])
```

```
newdf = subset(final_df, select = -c(player_number) )
```

```
head(newdf)
```

```
##      player_name player_state total_points player_pre_rating
## 1 GARY HUA      ON           6.0         1794
## 2 DAKSHESH DARURI MI           6.0         1553
## 3 ADITYA BAJAJ   MI           6.0         1384
## 4 PATRICK H SCHILLING MI           5.5         1716
## 5 HANSHI ZUO     MI           5.5         1655
## 6 HANSEN SONG    OH           5.0         1686
## pre_chess_rating_matrix[, 2]
```

## 1	1605
## 2	1469
## 3	1564
## 4	1574
## 5	1501
## 6	1519

```
path <- getwd()
write.csv(newdf, file.path(path, "chess_data.csv"))
```