Clojure Cheat Sheet (Clojure 1.3, sheet v1.4a1)

Documentation

doc find-doc apropos source pst javadoc clojure.repl/

(foo.bar/ is namespace for later syms)

Primitives

Numbers

Arithmetic + - * / quot rem mod inc dec max min

Compare = == not= < > <= >= compare

bit-{and, or, xor, not, flip, set, Bitwise

shift-right, shift-left, and-not, clear,

Cast byte short int long float double bigdec

bigint num rationalize biginteger

nil? identical? zero? pos? neg? even? odd? Test

Random rand rand-int BigInt with-precision

Unchecked unchecked-{add, dec, divide, inc, multiply,

negate, remainder, subtract}-int

Strings

Regex

str format See also IO/to string Create

Use count get subs compare (clojure.string/) join

escape split split-lines replace replace-first

reverse (String) .indexOf .lastIndexOf #"pattern" re-find re-seq re-matches

re-pattern re-matcher re-groups (clojure.string/)

replace replace-first

Letters (clojure.string/) capitalize lower-case upper-case (clojure.string/) trim trim-newline triml trimr Trim

Test char char? string? (clojure.string/) blank?

Other

Characters char char-name-string char-escape-string

Keywords keyword keyword? find-keyword

Symbols symbol symbol? gensym

Collections

Collections

Generic ops count empty not-empty into conj

Content tests distinct? empty? every? not-every? some

not-any?

Capabilities sequential? associative? sorted? counted?

reversible?

Type tests coll? list? vector? set? map? seq?

Lists

Create '() list list*

Examine first nth peek .indexOf .lastIndexOf

'Change' cons conj rest pop

Vectors

Create [] vector vec vector-of

Examine (my-vec idx) \rightarrow (nth my-vec idx) get peek

.indexOf .lastIndexOf

'Change' assoc pop subvec replace conj rseq

Sets

Examine

Create #{} set hash-set sorted-set sorted-set-by

(my-set item) \rightarrow (get my-set item)

contains?

'Change' conj disj

Rel algebra (clojure.set/) join select project union

difference intersection

Get map (clojure.set/) index rename-keys rename

map-invert

Test (clojure.set/) subset? superset?

Maps

Examine

Create {} hash-map array-map zipmap sorted-map

sorted-map-by bean frequencies group-by

 $\texttt{(:key my-map)} \ \rightarrow \ \texttt{(get my-map :key)}$ get-in contains? find keys vals

assoc assoc-in dissoc merge merge-with 'Change'

select-keys update-in

Entry key val

Sorted maps rseq subseq rsubseq

Transients (clojure.org/transients)

Create transient persistent!

conj! pop! assoc! dissoc! disj! Note: always use Change

return value for later changes, never original!

Misc

Compare = == identical? not= not compare

clojure.data/diff

Test true? false? nil? instance?

Sequences

Creating a Lazy Seq

From collection seq vals keys rseq subseq rsubseq

From producer fn lazy-seq repeatedly iterate

From constant repeat range

From other file-seq line-seq resultset-seq

re-seq tree-seq xml-seq iterator-seq

enumeration-seq

From seq keep keep-indexed

Seq in, Seq out

Get shorter distinct filter remove for

Get longer cons conj concat lazy-cat mapcat cycle

interleave interpose

Tail-items rest nthrest fnext nnext drop drop-while

take-last for

Head-items take take-nth take-while butlast

drop-last for

'Change' conj concat distinct flatten group-by

partition partition-all partition-by split-at split-with filter remove

replace shuffle

Rearrange reverse sort sort-by compare

Process items map pmap map-indexed mapcat for replace

seque

Using a Seq

Extract item first second last rest next ffirst nfirst fnext nnext nth nthnext

rand-nth when-first max-key min-key

Construct coll zipmap into reduce reductions set vec

into-array to-array-2d Pass to fn apply

Search some filter Force evaluation doseq dorun doall

Check for forced realized?

Zippers (clojure.zip/)

Create zipper seq-zip vector-zip xml-zip

Get loc up down left right leftmost rightmost

Get seq lefts rights path children

make-node replace edit insert-child 'Change'

insert-left insert-right append-child remove

Move next prev

Misc root node branch? end? 10 to/from spit slurp (to writer/from reader, Socket, string with file name, URI, etc.) to *out* pr prn print printf println newline (clojure.pprint/) print-table (clojure.pprint/) pprint cl-format also: to writer (binding [*out* writer] ...) to string format with-out-str pr-str prn-str print-str println-str from *in* read-line read line-seq also: (binding [*in* reader] ...) from reader java.io.Reader from string read-string with-in-str with-open (clojure.java.io/) text: reader writer Open binary: input-stream output-stream Binary (.write ostream byte-arr) (.read istream byte-arr) java.io.OutputStream

> java.io.InputStream GitHub: gloss byte-spec flush (.close s) file-seq *in* *out* *err*

(clojure.java.io/) file copy GitHub: fs

Functions

Misc

fnil every-pred some-fn

Call -> ->> apply
Test fn? ifn?

Reader	Macros
,	Quote 'form \rightarrow (quote form)
\	Character literal
;	Single line comment
^	Metadata (see Metadata section)
0	$Deref \ @form \to (deref \ form)$
•	Syntax-quote
~	Unquote
~@	Unquote-splicing
#"p"	Regex Pattern p
#'	Var quote $\#' x \to (var x)$
#()	$\#() \rightarrow (fn [args] ())$

Metadata (clojure.org/special_forms)

Ignore next form

General ^{:key1 val1 :key2 val2 ...}

Abbrevs ^Type → ^{:tag Type}, ^:key → ^{:key true}

Common ^:dynamic ^:private ^:static {:doc "str"}

Examples (defn ^:private ^:static ^String my-fn ...)

(def ^:dynamic *dyn-var* val)

On Vars meta with-meta vary-meta alter-meta!

reset-meta! doc find-doc test

Abstractions

Protocols (clojure.org/protocols)

Define (defprotocol Slicey (slice [at]))

Extend (extend-type String Slicey (slice [at]...))

Extend null (extend-type nil Slicey (slice [_] nil))

Reify (reify Slicey (slice [at]...))

Records (clojure.org/datatypes)

 $\begin{array}{lll} \mbox{Define} & (\mbox{ defrecord Pair [h t]}) \\ \mbox{Access} & (:h (Pair. 1 2)) \rightarrow 1 \\ \mbox{Create} & \mbox{Pair.} \mbox{ ->Pair map->Pair} \\ \end{array}$

Types (clojure.org/datatypes)

Define (deftype Pair [h t]) Access (.h (Pair. 1 2)) \rightarrow 1 Create Pair. ->Pair (deftype Pair [h t] With methods Object (toString [this] (str "<" h "," t ">")))

Multimethods (clojure.org/multimethods)

Define (defmulti my-mm dispatch-fn)
Method define (defmethod my-mm:dispatch-value [args]

Dispatch get-method methods

Remove remove-method remove-all-methods

Prefer prefer-method prefers

Relation derive isa? parents ancestors descendants make-hierarchy

Macros

Loop

Create defmacro definline macroexpand-1 macroexpand
Branch and or when when-not when-let when-first

if-not if-let cond condp case
for doseq dotimes while

Arrange .. doto ->

Scope binding locking time with-{in-str,

local-vars, open, out-str, precision, redefs,

redefs-fn}

Lazy lazy-cat lazy-seq delay Doc. assert comment doc

Special Forms (clojure.org/special_forms)

def if do let quote var fn loop recur throw try
monitor-enter monitor-exit
Binding Forms / (examples) let fn defn defmacro loop
Destructuring for doseq if-let when-let

Vars and global environment (clojure.org/vars)

Def variants

def defn defn- definline defmacro
defmethod defmulti defonce defrecord
Interned vars

Var objects

with-local-vars var-get var-set
alter-var-root var?

Var validators

set-validator! get-validator

Namespace

Current *ns*
Create/Switch (tutorial) ns in-ns create-ns
Add alias def import intern refer
Find all-ns find-ns
Examine ns-{name, aliases, map, interns, publics, refers, imports}
From symbol resolve ns-resolve namespace
Remove ns-unalias ns-unmap remove-ns

Loading

Load libs (tutorial) require use import refer
List loaded loaded-libs
Load misc load load-file load-reader load-string

Concurrency

Atoms atom swap! reset! compare-and-set! future future-{call, done?, cancel, Futures

cancelled?} future?

Threads bound-fn bound-fn* {get, push,

pop}-thread-bindings thread-bound?

Misc locking pcalls pvalues pmap seque promise

Refs and Transactions (clojure.org/refs)

Create ref

Examine $\texttt{deref @ (@form} \rightarrow (\mathsf{deref form}))$

Transaction sync dosync io!

In transaction ensure ref-set alter commute Validators set-validator! get-validator

History ref-history-count ref-{min, max}-history

Agents and Asynchronous Actions (clojure.org/agents)

Create agent

Examine agent-error

Change state send send-off restart-agent

Block waiting await await-for

Ref validators set-validator! get-validator

Watchers add-watch remove-watch

Thread handling shutdown-agents

Error error-handler set-error-handler!

error-mode set-error-mode!

Misc *agent* release-pending-sends

Java Interoperation (clojure.org/java_interop)

.. doto Classname/ Classname. new General

bean comparator enumeration-seq import

iterator-seq memfn set!

Cast boolean byte short char int long float

double bigdec bigint num cast biginteger

Exceptions throw try catch finally pst

Arrays

Create make-array {object, boolean, byte, short,

char, int, long, float, double}-array aclone

to-array to-array-2d into-array

Use aget aset aset-{boolean, byte, short, char,

int, long, float, double} alength amap areduce

Cast booleans bytes shorts chars ints longs floats

doubles

Proxy

Create proxy get-proxy-class {construct, init}-proxy Misc

proxy-mappings proxy-super update-proxy

Other

XML clojure.xml/parse xml-seq

REPL *1 *2 *3 *e *print-dup* *print-length*

print-level *print-meta* *print-readably*

Code *compile-files* *compile-path* *file*

warn-on-reflection compile gen-class

gen-interface loaded-libs test

Misc eval force hash name *clojure-version*

clojure-version *command-line-args*