

Energy, expenditure, and consumption aspects of rebound,

Part I: Foundations of a rigorous analytical framework

Matthew Kuperus Heun^{1,2,3,*}, Gregor Semieniuk⁴, and Paul E. Brockway²

¹*Engineering Department, Calvin University, 3201 Burton St. SE, Grand Rapids, MI, 49546*

²*Sustainability Research Institute, School of Earth and Environment, University of Leeds, Woodhouse, Leeds, LS2 9JT, UK*

³*School for Public Leadership, Faculty of Economic and Management Science, Stellenbosch University, Private Bag X1, Matieland, 7602, Stellenbosch, South Africa*

⁴*Political Economy Research Institute and Department of Economics, University of Massachusetts Amherst, Amherst, MA, 01003*

*Corresponding author: mkh2@calvin.edu

Abstract

Widespread implementation of energy efficiency is a key greenhouse gas emissions mitigation measure, but rebound can “take back” energy savings. However, the absence of solid analytical foundations hinders empirical determination of the size of rebound. A new clarity is needed, one that involves both economics and energy analysis. In this paper (Part I of two), we advance foundations of a rigorous analytical framework for consumer-sided rebound that starts at the microeconomic level and is approachable for both energy analysts and economists. We develop foundations of a rebound analysis framework that (i) clarifies the energy, expenditure, and consumption aspects of rebound, (ii) combines embodied energy effects with operations, maintenance, and disposal effects (under a new “emplacement effect”), and (iii) provides the first operationalized link between rebound effects on microeconomic and macroeconomic levels. Furthermore, our framework enables determination of the effect of non-marginal energy service

price decrease, the effect of satiation of demand for the energy service, and the effect of reduced energy demand on energy price.

Keywords: Energy efficiency, Energy rebound, Energy services, Microeconomic rebound, Substitution and income effects, Macroeconomic rebound

JEL codes: O13, Q40, Q43

1 Introduction

Energy efficiency is often considered to be the most important means of reducing energy consumption and CO₂ emissions (International Energy Agency, 2017, Fig. 3.15, p. 139). But energy rebound makes energy efficiency less effective at decreasing energy consumption by taking back (or reversing, in the case of “backfire”) energy savings expected from energy efficiency improvements (Sorrell, 2009). As such, energy rebound is a threat to a low-carbon future (van den Bergh, 2017; Brockway et al., 2017).

Recent evidence shows that rebound is both larger than commonly assumed (Stern, 2020) and mostly missing from large energy and climate models (Brockway et al., 2021). Thus, rebound could be an important reason why energy consumption and carbon emissions have never been absolutely decoupled from economic growth (Haberl et al., 2020; Brockway et al., 2021).

1.1 A short history of rebound

Famously, the roots of energy rebound trace back to Jevons who said “[i]t is wholly a confusion of ideas to suppose that the economical use of fuel is equivalent to a diminished consumption. The very contrary is the truth” (Jevons, 1865, p. 103, emphasis in original). Less famously, the origins of rebound extend further backward from Jevons to Williams (1840) and Parkes who wrote “[t]he economy of fuel is the secret of the economy of the steam-engine; it is the fountain of its power, and the adopted measure of its effects. Whatever, therefore, conduces to increase the efficiency of coal, and to diminish the cost of its use, directly tends to augment the value of the steam-engine, and to enlarge the field of its operations” (Parkes, 1838, p. 161). For nearly 200 years, then, it has

21 been understood that efficiency gains may be taken back or, paradoxically, cause *growth* in energy
22 consumption, as Jevons suggested.

23 The oil crises of the 1970s shone a light back onto energy efficiency, and research into rebound
24 appeared late in the decade (Madlener & Turner, 2016; Saunders et al., 2021). A modern debate
25 over the magnitude of energy rebound commenced. On one side, scholars including Brookes (1979,
26 1990) and Khazzoom (1980) suggested rebound could be large. Others, including Lovins (1988) and
27 Grubb (1990, 1992), claimed rebound was likely to be small. Debate over the size of energy rebound
28 continues today. Advocates of small rebound (less than, say, 50%), suggest “the rebound effect
29 is overplayed” (Gillingham et al., 2013, p. 475), while others claim (i) that the evidence for large
30 rebound (greater than 50%) is growing (Saunders, 2015; Berner et al., 2022) and (ii) that rebound
31 will reduce the effectiveness of energy efficiency to decrease carbon emissions (van den Bergh, 2017).

32 1.2 Absence of solid analytical foundations

33 Turner contends that the lack of consensus on the magnitude of energy rebound in the modern
34 empirical literature is caused by “a rush to empirical estimation in the absence of solid analytical
35 foundations” (Turner, 2013, p. 25). Progress has been made recently on how price changes affect
36 economy-wide rebound in general equilibrium frameworks (Lemoine, 2020; Fullerton & Ta, 2020;
37 Blackburn & Moreno-Cruz, 2020). And arguments from microeconomics (i.e., at sectoral and
38 individual level) have been used from the outset of the modern debate (e.g., Khazzoom (1980)
39 and Greening et al. (2000)), and Borenstein (2015) and Chan & Gillingham (2015) recently made
40 progress toward solidifying the microeconomic analytical foundations.

41 Rebound involves simultaneous changes in energy, expenditure, and consumption aspects—
42 keeping an overview of all aspects is difficult, with no approach to our knowledge documenting
43 all changes in a straightforward and consistent manner. For instance, while the microeconomic
44 categories of substitution and income effects provide analytical clarity about how behavior changes
45 affect energy service consumption, it has been unclear how they could be used for precise numerical
46 rebound calculations. Where previous numerical calculations were made, they tended to approximate
47 the substitution effect from other goods to the cheaper energy service, without maintaining constant

48 utility for the device user. They also used constant price elasticities for non-marginal efficiency
49 improvements, even though constant price elasticities typically provide only approximations of
50 substitution and income effects for small efficiency changes. Further, previous analytical studies have
51 stressed the importance of the cost of buying an upgraded device as well as the energy embodied
52 in the device. Yet, there is no clearly formulated approach for how to incorporate these cost and
53 energy components into rebound calculations. Finally, while recent general equilibrium rebound
54 modeling has led to important insights about the effects of changing prices, dynamic aspects of a
55 macroeconomic rebound have been neglected by these approaches.

56 In the absence of solid analytical foundations, the wide variety of rebound calculation approaches
57 contributes to a wide range of rebound values, giving the appearance of uncertainty and leading some
58 energy and climate modelers to either (i) use questionable rebound values or (ii) ignore rebound
59 altogether. Insufficient inclusion of rebound in energy and climate models could lead to overly
60 optimistic projections of the capability of energy efficiency to reduce carbon emissions (Brockway
61 et al., 2021). We suggest that improving the conceptual foundations of rebound and solidifying
62 the analytical frameworks will (i) help generate more robust estimates of rebound, (ii) lead to
63 better rebound calculations in energy and climate models, and (iii) provide improved evidence for
64 policymaking around energy efficiency.

65 But why is there an “absence of solid analytical foundations?” We propose that development
66 of solid analytical frameworks for rebound is hampered by the fact that rebound is a decidedly
67 interdisciplinary topic, involving both economics and energy analysis. Birol & Keppler (2000, p. 458)
68 note that “different implicit and explicit assumptions of different research communities (‘economists’,
69 ‘engineers’) . . . have in the past led to vastly differing points of view.”¹ Turner states that “[d]ifferent
70 definitions of energy efficiency will be appropriate in different circumstances. However, . . . it is often
71 not clear what different authors mean by energy efficiency” (Turner, 2013, p. 237–38). If authors
72 from the two disciplines cannot even agree on the key terms, it is unsurprising that analytical
73 foundations have not yet been fully elucidated. To fully understand rebound, economists need to

¹We prefer the term “energy analysts” over “engineers,” because “energy analysts” better describes the group of people engaged in “energy analysis.” For this paper, we define “energy analysis” to be the study of energy transformations from stocks to flows and wastes along society’s energy conversion chain for the purpose of generating energy services, economic activity, and human well-being.

74 have an energy analyst's understanding of energy, and energy analysts need to have an economist's
75 understanding of finance and human behavior.² Developing the knowledge and skills required to
76 assess and calculate, let alone mitigate, rebound effects is a tall order, indeed.

77 1.3 New clarity is needed

78 We contend that new clarity is needed. Specifically, a description of rebound that is (i) consistent
79 across energy, expenditure, and consumption aspects, (ii) technically rigorous, and (iii) approachable
80 from both sides (economics and energy analysis) will be a good starting point toward that clarity.
81 In other words, the finance and human behavior aspects of rebound need to be presented in ways
82 energy analysts can understand. And the energy aspects of rebound need to be presented in ways
83 economists can understand.

84 Summarizing, we surmise that development of effective carbon reduction policies has been
85 hampered, in part, by the fact that rebound is not sufficiently included in energy and climate
86 models. We suspect that one reason rebound is not sufficiently included is the lack of consensus
87 on rebound calculation methods and, hence, rebound magnitude. Building upon Turner (2013),
88 we contend that lack of consensus on rebound magnitude is a symptom of the absence of solid
89 analytical foundations for rebound. We posit that developing solid analytical frameworks is difficult
90 because energy rebound is an inherently interdisciplinary topic. We believe that providing a detailed
91 explication of a rigorous analytical framework for energy rebound, which is approachable by both
92 energy analysts and economists alike, will go some way toward providing additional clarity in the
93 field.

94 1.4 Objective, contributions, and structure

95 The *objective* of this paper is to help advance clarity in the field of energy rebound by supporting the
96 development of a rigorous analytical framework, one that (i) starts at the microeconomics of rebound
97 (building especially upon Borenstein (2015)) and (ii) is approachable for both energy analysts and

²Indeed, this is why the authors for these papers come from the [disciplines of](#) energy analysis (MKH, PEB) and economics (GS)[disciplines](#).

98 economists.³ We strive to keep the framework as simple as possible and limit our attention to a
99 model of consumer demand for energy services, while demonstrating that the approach is transferable
100 to a producer model with few modifications.

101 The key *contributions* of this paper are (i) a novel and clear explication of interrelated energy,
102 expenditure, and consumption aspects of energy rebound, (ii) development of a rebound analysis
103 framework that combines embodied energy effects, operations, maintenance, and disposal rebound
104 effects, and exact expressions for substitution and income rebound effects under non-marginal
105 energy efficiency increases and (by implication) non-marginal energy service price decreases, (iii) an
106 operationalized link between rebound effects on microeconomic and macroeconomic levels, and
107 (iv) development of an extension of the framework to an energy price rebound effect.

108 The remainder of this paper is *structured* as follows. Section 2 describes the rebound analysis
109 framework. Section 3 discusses this framework relative to previous frameworks and provides an
110 initial assessment of an energy price effect. Section 4 concludes. Results from the application of our
111 framework to energy efficiency upgrades to a car and an electric lamp can be found in Part II.

112 **2 Methods: development of the framework**

113 In this section, we develop an energy rebound framework for an individual consumer who upgrades
114 the energy efficiency of a single device (concisely, “the framework,” “this framework,” or “our
115 framework”). We endeavor to help advance clarity in the field of energy rebound by providing
116 sufficient detail to assist energy analysts to understand the economics and economists to understand
117 the energy analysis.

118 **2.1 Rebound typology**

119 Table 1 shows our typology of rebound effects. We follow others, including Jenkins et al. (2011) and
120 Walnum et al. (2014), in identifying and including both direct and indirect rebound effects, which
121 occur at (direct) and beyond (indirect) the level of the device and its user. Again following others,

³This objective may mean that some aspects of the development of the framework will seem obvious to energy analysts while other aspects will seem obvious to economists.

Table 1: Rebound typology for our framework.

	Direct rebound (Re_{dir})	Indirect rebound (Re_{indir})
Microeconomic rebound (Re_{micro}) These mechanisms occur at the single device/user level within a static economy based on responses to the reduction in implicit price of an energy service.	Emplacement effect (Re_{dempl}) Accounts for performance of the Energy Efficiency Upgrade (EEU) only. No behavior changes occur. The direct energy effect of emplacement of the EEU is expected device-level energy savings. By definition, there is no rebound from direct emplacement effects ($Re_{dempl} \equiv 0$).	Emplacement effect (Re_{iempl}) Differential energy adjustments beyond the usage of the upgraded device, via (i) the embodied energy associated with the manufacturing phase (Re_{emb}) and (ii) the implied energy demand from maintenance and disposal (Re_{md}). Re_{iempl} can be > 0 or < 0 , depending on the characteristics of the EEU.
	Substitution effect (Re_{dsub}) Increase in energy service consumption due to its lower prices as a result of the EEU. Excludes, by definition, the effects of freed cash (income effects). $Re_{dsub} > 0$ is typical due to greater consumption of the energy service.	Substitution effect (Re_{isub}) Reduction in other goods consumption due to the relatively higher prices as a result of the EEU. Excludes, by definition, the effects of freed cash (income effects). $Re_{isub} < 0$ is typical due to reduced consumption of other goods and services.
	Income effect (Re_{dinc}) Spending of some of the freed cash to obtain more of the energy service. $Re_{dinc} > 0$ is typical due to increased consumption of the energy service.	Income effect (Re_{iinc}) Spending of some of the freed cash on other goods and services. $Re_{iinc} > 0$ is typical due to increased consumption of other goods and services.
Macroeconomic rebound (Re_{macro}) These mechanisms originate from the dynamic response of the economy to reach a stable equilibrium (between supply and demand for energy services and other goods). These mechanisms combine various short and long run effects.		Macroeconomic effect (Re_{macro}) Increased energy consumption in the broader macroeconomic system, i.e., beyond responses at the micro-economic (device/user) level. $Re_{macro} > 0$ is typical due to spending of freed cash (at the micro-economic level) causing greater consumption in the wider economy.

122 such as Gillingham et al. (2016), we distinguish between rebound effects at the microeconomic and
123 macroeconomic levels.

124 Microeconomic rebound occurs at the level of the single device and its user and in our framework
125 comprises three effects: an emplacement effect, a substitution effect, and an income effect, with
126 direct and indirect partitions for each.

127 “Emplacement” is a new term we introduce to collect effects associated with installing higher-
128 efficiency devices, including (i) embodied energy of their manufacture (emb), (ii) operations and
129 maintenance (OM), and (iii) disposal (d) activities. Although none of the embodied, operations and
130 maintenance, or disposal effects are new (see Borenstein (2015, footnote 5, p. 3), Saunders et al.
131 (2021), Sorrell et al. (2009), Borenstein (2015, footnote 37, p. 16), and Sorrell et al. (2020)), we
132 separate them from substitution and income microeconomic effects (Table 1) to calculate rebound
133 according to the steps in our framework. (See Section 2.5.)

134 The direct rebound effect can be partitioned into a direct emplacement effect, a direct substitution
135 effect, and a direct income effect. At the level of the device, all of the direct rebound effects change
136 the consumption of energy by the device whose efficiency has been upgraded, according to a
137 microeconomic behavioral model of the consumer who responds to the cheaper energy service.

138 Similarly, the indirect rebound effect can be partitioned into an indirect emplacement effect,
139 an indirect substitution effect, and an indirect income effect. All of the indirect effects change
140 the induced energy consumption beyond the upgraded device, again according to a microeconomic
141 behavioral model. We assume a *partial equilibrium* response to the energy efficiency upgrade (EEU)
142 at the microeconomic level; other prices in the economy ($\mathcal{P}_{o\mathcal{L}_g}$) remain unchanged in response to the
143 EEU.

144 In contrast, macroeconomic rebound is a broader, economy-wide response to the single device
145 upgrade. Like other authors, we recognize many macroeconomic rebound effects, even if we don’t
146 later distinguish among them.⁴ At the macroeconomic level, *general equilibrium* effects can occur
147 as prices for all goods and services (even energy) may change in response to the EEU. Further

⁴For example, Sorrell (2009) sets out five macroeconomic rebound effects: embodied energy effects, responding effects, output effects, energy market effects, and composition effects. (We place the embodied energy effect at the microeconomic level.) Santarius (2016) and Lange et al. (2021) introduce meso (i.e., sectoral) level rebound between the micro and macro levels. van den Bergh (2011) distinguishes 14 types of rebound, providing, perhaps, the greatest complexity.




Fig. 1: Flowchart of rebound effects and decorations.

treatment of macroeconomic rebound can be found in Section 2.5.4 of this paper (Part I) and in Section 4.1 of Part II. Discussion of an energy price rebound effect can be seen in Section 3.2 below.

Fig. 1 shows rebound effects arranged in the left-to-right order of their discussion in this paper. The left-to-right order does not necessarily represent the progression of rebound effects through time. Rebound symbols are shown above each effect (Re_{empl} , etc.). Nomenclature for partitions of direct and indirect rebound is shown beneath each effect (Re_{dempl} , etc.). Decorations for each stage are shown between rebound effects (\circ , $*$, etc.). Names for the decorations are given at the bottom of the figure (“orig,” “star,” etc.).⁵

2.2 Rebound relationships

Energy rebound is defined as

$$Re \equiv 1 - \frac{\text{actual final energy savings rate}}{\text{expected final energy savings rate}}, \quad (1)$$

where both actual and expected final energy savings rates are in MJ/yr (megajoules per year) and expected positive. The final energy “takeback” rate is defined as the expected final energy savings rate less the actual final energy savings rate.⁶ Rewriting Eq. (1) with the definition of takeback gives

$$Re = 1 - \frac{\text{expected final energy savings rate} - \text{takeback rate}}{\text{expected final energy savings rate}}. \quad (2)$$

Simplifying gives

⁵Note that the vocabulary and mathematical notation for rebound effects is important; Fig. 1 and Appendix A provide guides to **notational** elements used throughout this paper, including symbols, Greek letters, abbreviations, decorations, and subscripts. The notational elements can be mixed to provide a rich and expressive symbolic “language” for energy rebound. As the goal of this paper is to bridge disciplines, the nomenclature will necessarily have unfamiliar elements to each discipline involved. In several places, including Fig. 1, we use colored backgrounds on rebound effects for visual convenience. The colors are carried through to figures in Part II.

⁶Note that the takeback rate can be negative, indicating that the actual final energy savings rate is greater than the expected final energy savings rate, a condition called hyperconservation.

$$Re = \frac{\text{takeback rate}}{\text{expected final energy savings rate}}. \quad (3)$$

We define rebound at the final energy⁷ stage of the energy conversion chain, because the final energy stage is the point of energy purchase by the device user. To simplify derivations, we choose not to apply final-to-primary energy multipliers to final energy rates in the numerators and denominators of rebound expressions derived from Eqs. (1) and (3); they divide out anyway.⁸ Henceforth, we drop the adjective “final” from the noun “energy,” unless there is reason to indicate a specific stage of the energy conversion chain.

2.3 The energy conversion device and energy efficiency upgrade (EEU)

We assume an energy conversion device (say, a car) that consumes energy (say, gasoline) at a rate \dot{E} (in MJ/yr). We use “rate” to indicate any quantity measured per unit time, such as a flow of energy per year or a flow of income per year. None of the rates in this paper indicate exponential (%/yr) changes. Rates are identified by a single dot above the symbol, a convention adopted from the engineering literature where, e.g., \dot{x} often indicates a velocity in m/s (meters per second) ~~; \dot{m} often indicates a mass flow rate in kg/s (kilograms per second)~~, and \dot{E} often indicates an energy flow rate in kW (kilowatts). The overdot is an important notational element in this paper, as it distinguishes between stocks (without overdots) and flows (with overdots). For example, E is a quantity of energy in, say, MJ, while \dot{E} is a rate of energy in, say, MJ/yr. We later annualize capital costs (C_{cap} in \$), disposal costs (C_d in \$), and energy embodied in the device during its production (E_{emb} in MJ) to create undiscounted cost rates (\dot{C}_{cap} and \dot{C}_d in \$/yr) and embodied energy rates (\dot{E}_{emb} in MJ/yr). (Cost discounting⁹ is captured by the variables ~~R_α and R_ω~~ τ_α and τ_ω . See Appendix B.1 for details.)

Energy is available at price p_E (in \$/MJ). The original energy conversion device provides a rate of

⁷Conventionally, stages of the energy conversion chain are primary energy (e.g., coal, oil, natural gas, wind, and solar), final energy (e.g., electricity and refined petroleum), useful energy (e.g., heat, light, and mechanical drive), and energy services (e.g., transport, illumination, and space heating). See Sousa et al. (2017) for an introduction to societal energy and exergy accounting.

⁸Primary energy may be important when the upgraded device consumes a different final energy carrier compared to the original device, i.e., when fuel-switching occurs (Chan & Gillingham, 2015).

⁹We discount money because interest changes the available amount of money over time. In contrast, we do not discount energy, because there is no temporal variation in the ability of energy to effect changes (via heat or work) in the physical world. We thank an anonymous reviewer for the insight that, in principle, the carbon content of energy could also be discounted if one assumes that near term emissions are worse than later emissions.

energy service \dot{q}_s° (in, say, vehicle-km/yr) with final-to-service efficiency η° (in, say, vehicle-km/MJ).
 An energy efficiency upgrade (EEU) increases final-to-service efficiency ¹⁰ ~~such that $\eta^\circ < \tilde{\eta}$~~ such
~~that $\eta^\circ < \eta^* = \hat{\eta} = \bar{\eta} = \tilde{\eta}$, as shown in Table B.1.~~ The EEU is not costless, so the upgraded device
 may be more expensive to purchase than a like-for-like replacement of the original device. We
 call this increased “capital cost” (~~$\dot{C}_{cap}^\circ < \tilde{\dot{C}}_{cap}$~~ $\dot{C}_{cap}^\circ < \dot{C}_{cap}^*$). It may also be more costly to operate
 and maintain (subscript OM) and dispose (subscript d) of the upgraded device (~~$\dot{C}_{OM}^\circ < \tilde{\dot{C}}_{OM}$ and~~
 ~~$\dot{C}_d^\circ < \tilde{\dot{C}}_d$~~ $\dot{C}_{OM}^\circ < \dot{C}_{OM}^*$ and $\dot{C}_d^\circ < \dot{C}_d^*$). However, the opposite may hold, too. As final-to-service
 efficiency increases (~~$\eta^\circ < \tilde{\eta}$~~ $\eta^\circ < \tilde{\eta} \leq \eta^*$), the price of the energy service declines (~~$p_s^\circ > \tilde{p}_s$~~ $p_s^\circ > \tilde{p}_s \geq p_s^*$). The
 energy price (p_E) is assumed exogenous at the microeconomic level ($p_E^\circ = p_E^* = \hat{p}_E = \bar{p}_E = \tilde{p}_E$), so
 the energy purchaser (the device user) is a price taker.¹⁰ Initially, the device user spends income
 (~~\dot{M}°~~ \dot{M}) on energy for the device (~~$\dot{C}_s^\circ = p_E \dot{E}_s$~~ $\dot{C}_s^\circ = p_E^\circ \dot{E}_s$), annualized capital costs for the device
 (~~$R_\alpha^\circ \dot{C}_{cap}^\circ$~~ $\tau_\alpha^\circ \dot{C}_{cap}^\circ$), annualized costs for operations and maintenance (\dot{C}_{OM}°) and disposal of the device
 (~~$R_\omega^\circ \dot{C}_d^\circ$~~ $\tau_\omega^\circ \dot{C}_d^\circ$), and other goods and services (~~\dot{C}_o°~~ \dot{C}_g). The budget constraint for the device user is

$$\dot{M} = \tau_\alpha^\circ \dot{C}_{cap}^\circ + \dot{C}_s^\circ + \dot{C}_{OM}^\circ + \tau_\omega^\circ \dot{C}_d^\circ + \dot{C}_{o+g}^\circ, \quad (4)$$

where ~~R_α° and R_ω°~~ τ_α° and τ_ω° account for discounting, ~~and \dot{C}_{cap}° and \dot{C}_{OM}°~~ \dot{C}_{cap}° and \dot{C}_{OM}° are undiscounted cost
 rates given by $\dot{C}_{cap}^\circ/t_{life}^\circ$ and $\dot{C}_d^\circ/t_{life}^\circ$, ~~and net savings prior to the EEU (\dot{N}°) is zero, by definition.~~
 Note that ~~$R_\alpha^\circ \geq 1$, and $R_\omega^\circ \leq 1$~~ $\tau_\alpha^\circ \geq 1$, and $\tau_\omega^\circ \leq 1$; equalities apply when interest rate (r) is zero.
 (See Appendix B.1 for details on discounting.) After substituting the ~~original price and quantity~~
~~of energy service consumption,~~ product of energy price (p_E) and the rate of energy consumption
 (given by the ratio of the rate of energy service consumption and efficiency, \dot{q}_s/η), after substituting
 the ~~original price and quantity~~ product of price (p_g) and the rate (\dot{q}_g) of other goods consumption,
 after substituting ~~$\dot{C}_{OMd}^\circ \equiv \dot{C}_{OM}^\circ + R_\omega^\circ \dot{C}_d^\circ$~~ $\dot{C}_{OMd}^\circ \equiv \dot{C}_{OM}^\circ + \tau_\omega^\circ \dot{C}_d^\circ$, and after some rearrangement, Eq. (4)
 becomes

¹⁰Note that final-to-service efficiency (η) improves between the original (\circ) and post-emplacement ($*$) stages of Fig. 1, remaining constant thereafter. Thus, $\eta^\circ < \eta^* = \hat{\eta} = \bar{\eta} = \tilde{\eta}$, as shown in Table B.1. We refer to all post-emplacement efficiencies (η^* , $\hat{\eta}$, $\bar{\eta}$, and $\tilde{\eta}$) as $\tilde{\eta}$ to match the nomenclature of Borenstein (2015). When convenient, the same approach to nomenclature is taken with other quantities such as the capital, operations and maintenance, and disposal cost rates (\dot{C}_{cap}° , \dot{C}_{OM}° , and \dot{C}_d° , respectively).

¹⁰Relaxing the exogenous energy price assumption would require a general equilibrium model that is beyond the scope of this paper. However, see Section 3.2 where we discuss an energy price rebound effect as an extension of ~~the~~ this framework.

$$\dot{M} - \tau_\alpha^\circ \dot{C}_{cap}^\circ - \dot{C}_{OMd}^\circ = p_E^\circ \frac{\dot{q}_s^\circ}{\eta^\circ} + p_g \dot{q}_g^\circ, \quad (5)$$

which is the usual discounted budget constraint for the microeconomic consumer after subtracting capital, operations and maintenance, and disposal costs.

Later (Sections 2.5.1–2.5.4), we walk through the four rebound effects (emplacement, substitution, income, and macro), deriving rebound expressions for each, but first we show typical energy and cost relationships (Section 2.4).

2.4 Typical energy and cost relationships

With the rebound notation of Appendix A, four typical relationships emerge. First, the consumption rate of the energy service (\dot{q}_s) is the product of final-to-service efficiency (η) and the rate of energy consumption by the energy conversion device (\dot{E}_s). Typical units for automotive transport and illumination (the examples in Part II) are shown beneath each equation.¹¹

$$\dot{q}_s = \eta \dot{E}_s \quad (6)$$

$$[\text{pass}\cdot\text{km}/\text{yr}] = [\text{pass}\cdot\text{km}/\text{MJ}][\text{MJ}/\text{yr}]$$

$$[\text{lm}\cdot\text{hr}/\text{yr}] = [\text{lm}\cdot\text{hr}/\text{MJ}][\text{MJ}/\text{yr}]$$

Second, the energy service price (p_s) is the ratio of energy price (p_E) to the final-to-service efficiency (η).

$$p_s = \frac{p_E}{\eta} \quad (7)$$

$$[\$/\text{pass}\cdot\text{km}] = \frac{[\$/\text{MJ}]}{[\text{pass}\cdot\text{km}/\text{MJ}]}$$

$$[\$/\text{lm}\cdot\text{hr}] = \frac{[\$/\text{MJ}]}{[\text{lm}\cdot\text{hr}/\text{MJ}]}$$

Third, energy service expenditure rates (\dot{C}_s) are the product of energy price (p_E) and device energy consumption rates (\dot{E}_s).

¹¹Note that “pass” is short for “passenger,” and “lm” is the SI notation for the lumen, a unit of lighting energy rate.

$$\dot{C}_s = p_E \dot{E}_s \quad (8)$$

$$[\$/\text{yr}] = [\$/\text{MJ}][\text{MJ}/\text{yr}]$$

Fourth, indirect energy rates for operations and maintenance (\dot{E}_{OM}), disposal (\dot{E}_d), and other goods expenditures ($\dot{E}_o \dot{E}_g$) are the product of expenditures rates (\dot{C}_{OM} , $R_\omega \dot{C}_d$, and $\dot{C}_o \tau_\omega \dot{C}_d$, and \dot{C}_g) and the energy intensity of the economy (I_E).

$$\dot{E}_{OM} = \dot{C}_{OM} I_E \quad (9)$$

$$\dot{E}_d = R_\omega \dot{C}_d I_E \quad (10)$$

$$\dot{E}_{og} = \dot{C}_{og} I_E \quad (11)$$

$$[\text{MJ}/\text{yr}] = [\$/\text{yr}][\text{MJ}/\$]$$

Note that indirect energy rate for the disposal effect is obtained from disposal costs that include discounting. (See Appendix B.1 for details on cost discounting.)

2.5 Rebound effects

The four rebound effects (emplacement, substitution, income, and macro) are discussed in subsections below. In each subsection, we define the effect and show mathematical expressions for rebound (Re) caused by the effect. Detailed derivations of all rebound expressions can be found in Appendix B. See, in particular, Tables B.3–B.6, which provide a parallel structure for energy and financial accounting across all rebound effects. We begin with the emplacement effect.

2.5.1 Emplacement effect

The emplacement effect accounts for performance changes of the device due to the fact that a higher-efficiency device has been put in service (and will need to be decommissioned at a later date); ~~behavior changes are~~ consumption patterns are assumed unchanged. Behavior adjustments are addressed later, in the substitution and income effects. Any (positive or negative) adjustment in income due to emplacement (measured as net income, \dot{N}^*) is added to the freed cash (\dot{G}) spent in the income effect.

236 **Direct emplacement effect** (Re_{dempl}) The direct emplacement effects of the EEU include device
 237 energy savings (\dot{S}_{dev}) and device energy cost savings ($\Delta\dot{C}_s^*$). \dot{S}_{dev} can be written conveniently as

$$\dot{S}_{dev} = \left(\frac{\eta^*}{\eta^\circ} - 1 \right) \frac{\eta^\circ}{\eta^*} \dot{E}_s^\circ. \quad (12)$$

238 (See Appendix B.4.1 for the derivation.)

239 Because the original and upgraded device are assumed to have equal performance¹² and because
 240 behavior changes are not considered in the direct emplacement effect, actual and expected energy
 241 savings rates are identical, and there is no takeback. By definition, then, the direct emplacement
 242 effect causes no rebound. Thus,

$$Re_{dempl} = 0. \quad (13)$$

243 **Indirect emplacement effects** (Re_{iempl}) Although the direct emplacement effect does not cause
 244 rebound, indirect emplacement effects may indeed cause rebound. Indirect emplacement effects
 245 account for the life cycle of the energy conversion device, including (i) changes in the embodied
 246 energy rate ($\Delta\dot{E}_{emb}^*$), (ii) changes in the operations and maintenance energy and expenditure rates
 247 ($\Delta\dot{E}_{OM}^*$ and $\Delta\dot{C}_{OM}^*$), and (iii) changes in the disposal energy and expenditure rates ($\Delta\dot{E}_d^*$ and $\Delta\dot{C}_d^*$).

248 **Embodied energy effect** (Re_{emb}) One of the unique features of this framework is that
 249 independent analyses of embodied energy and capital costs of the EEU are required. We note
 250 that the different terms (embodied energy rate, \dot{E}_{emb} , and capital cost rate, \dot{C}_{cap}) might seem to
 251 imply different processes, but they actually refer to the same emplacement effect. Purchasing an
 252 upgraded device (which likely leads to $\dot{C}_{cap}^\circ \neq \dot{C}_{cap}^*$) will likely mean a changed embodied energy rate
 253 ($\dot{E}_{emb}^\circ \neq \dot{E}_{emb}^*$) to provide the same energy service. Our names for these aspects of rebound (embodied
 254 energy and capital cost) reflect common usage in the energy and economics fields, respectively.

255 Consistent with the energy analysis literature, we define embodied energy to be the sum of all
 256 energy consumed in the production of the energy conversion device, all the way back to resource

¹²Of course, it is often the case that the original and upgraded devices have small performance differences. E.g., a high-efficiency LED lamp may have slightly greater or slightly lesser lumen output than the incandescent lamp it replaces. For the purpose of explicating this framework, we assume that the performance of the upgraded device can be matched closely enough to the performance of the original device such that the differences are immaterial to the user.

257 extraction.¹³ Energy is embodied in the device within manufacturing and distribution supply chains
 258 prior to consumer acquisition of the device. We assume no energy is embodied in the device while in
 259 service. The EEU causes the embodied energy of the energy conversion device to change from E_{emb}°
 260 to E_{emb}^* .

261 For simplicity, we spread all embodied energy evenly over the lifetime of the device ~~to provide~~
 262 which gives a constant embodied energy rate (\dot{E}_{emb}). ~~A justification for spreading embodied energy~~
 263 ~~and purchase costs comes from considering device replacements by many consumers across several~~
 264 ~~years. In the aggregate, evenly spaced (in time) replacements work out to the same embodied~~
 265 ~~energy in every period.~~

266 Thus, we allocate embodied energy over the life of the original and upgraded devices (t_{life}° and
 267 t_{life}^* , respectively) without discounting to obtain embodied energy rates, such that $\dot{E}_{emb}^\circ = E_{emb}^\circ/t_{life}^\circ$
 268 and $\dot{E}_{emb}^* = E_{emb}^*/t_{life}^*$. The change in embodied final energy due to the EEU (expressed as a rate) is
 269 given by $\Delta\dot{E}_{emb}^* = \dot{E}_{emb}^* - \dot{E}_{emb}^\circ$. The expression for embodied energy rebound is

$$Re_{emb} = \frac{\left(\frac{E_{emb}^*}{E_{emb}^\circ} \frac{t_{life}^\circ}{t_{life}^*} - 1 \right) \dot{E}_{emb}^\circ}{\dot{S}_{dev}}. \quad (14)$$

270 (See Appendix B.4.2 for details of the derivation.)

271 Embodied energy rebound (Re_{emb}) can be either positive or negative, depending on the sign
 272 of the term $(E_{emb}^*/E_{emb}^\circ)(t_{life}^\circ/t_{life}^*) - 1$. Rising energy efficiency can be associated with increased
 273 device complexity, additional energy consumption in manufacturing, and more embodied energy,
 274 such that $E_{emb}^\circ < E_{emb}^*$ and $Re_{emb} > 0$, all other things being equal. However, if the upgraded device
 275 has longer life than the original device ($t_{life}^* > t_{life}^\circ$), $\dot{E}_{emb}^* - \dot{E}_{emb}^\circ$ could be negative, meaning that
 276 the upgraded device has a lower embodied energy rate than the original device.

277 **Operations, maintenance, and disposal effects (Re_{OMd})** In addition to embodied energy,
 278 indirect emplacement effect rebound accounts for energy demanded by operations and mainte-
 279 nance (subscript OM) and disposal (subscript d) activities. Operations and maintenance expenditures
 280 are typically modeled as a per-year expense, a rate (e.g., \dot{C}_{OM}°). On the other hand, disposal costs

¹³We take an energy approach here, consistent with the literature on energy rebound. One could use an alternative quantification of energy, such as exergy, the work potential of energy (Sciubba & Wall, 2007) or emergy, the solar content of energy (Brown & Herendeen, 1996).

(e.g., C_d°) are incurred at the end of the useful life of the energy conversion device (subscript ω). We annualize disposal costs (with discounting) across the lifetime of the original and upgraded devices (t_{life}° and t_{life}^* , respectively) to form discounted expenditure rates such that $\dot{C}_{OMd}^\circ = \dot{C}_{OM}^\circ + R_\omega^\circ \dot{C}_d^\circ$ and $\dot{C}_{OMd}^* = \dot{C}_m^* + R_\omega^* \dot{C}_d^* \dot{C}_{OMd}^\circ = \dot{C}_{OM}^\circ + \tau_\omega^\circ \dot{C}_d^\circ$ and $\dot{C}_{OMd}^* = \dot{C}_{OM}^* + \tau_\omega^* \dot{C}_d^*$.

For simplicity, we assume that operations, maintenance, and disposal expenditures imply energy consumption elsewhere in the economy at its overall energy intensity (I_E). Therefore, the change in energy consumption rate caused by a change in maintenance and disposal expenditures is given by $\Delta \dot{C}_{OMd}^* I_E = (\dot{C}_{OMd}^* - \dot{C}_{OMd}^\circ) I_E$. Rebound from operations, maintenance, and disposal activities is given by

$$Re_{OMd} = \frac{\left(\frac{\dot{C}_{OMd}^*}{\dot{C}_{OMd}^\circ} - 1 \right) \dot{C}_{OMd}^\circ I_E}{\dot{S}_{dev}}. \quad (15)$$

(See Appendix B.4.2 for details of the derivation.)

2.5.2 Substitution effect

Neoclassical economic theory determines consumer behavior through utility maximization. It decomposes price-induced behavior change into (i) substituting energy service consumption for other goods consumption due to the lower post-EEU price of the energy service (the substitution effect) and (ii) spending of the higher real income (the income effect).¹⁴ This section develops mathematical expressions for substitution effect rebound (Re_{sub}), thereby accepting the standard neoclassical microeconomic assumptions about consumer behavior.¹⁵ (The next section addresses income effect rebound, Re_{inc} .) The substitution effect determines compensated demand, which is the demand for the expenditure-minimizing consumption bundle that maintains utility at the pre-EEU level, given the new prices. Compensated demand is a technical term for a thought experiment from welfare economics: the device user's budget is altered so that the user is "compensated" for the change in price so as to maintain the same level of utility as before. In the case of an EEU, this implies the budget is reduced because the energy service price has fallen, so that it becomes cheaper

¹⁴For the original development of the decomposition see Slutsky (1915) and Allen (1936). For a modern introduction see Nicholson & Snyder (2017).

¹⁵Alternative assumptions on behavior would arise from, e.g., adopting a behavioral economic framework (Dütschke et al., 2018; Dorner, 2019) or an informational entropy-constrained economic framework (Foley, 2020).

to maintain a given level of utility. The change in the budget is called “compensating variation” (CV). The substitution effect involves (i) an increase in consumption of the energy service, the direct substitution effect (subscript $dsub$) and (ii) a decrease in consumption of other goods, the indirect substitution effect (subscript $isub$). Thus, two terms comprise substitution effect rebound: direct substitution rebound (Re_{dsub}) and indirect substitution rebound (Re_{isub}).

After emplacement of the more efficient device (but before the substitution effect), the price of the energy service decreases ($p_s^\circ > p_s^*$). After compensating variation tightens the budget constraint, consumption at the new energy service price (p_s^*) yields utility at the same level as prior to the EEU by consuming more of the now-lower-cost energy service and less of the now-relatively-more-expensive other goods.

A constant price elasticity (CPE) utility model is often used in the literature (e.g., see Borenstein (2015, p. 17, footnote 43)) for determining post-substitution effect consumption and therefore Re_{dsub} and Re_{isub} . (See Appendix B.4.3.) However, the CPE utility model can deliver only an approximation of the substitution effect for two reasons. First, because it is a reduced form model and only uncompensated elasticities are observed, the CPE utility model reports the sum of direct substitution effect and direct income effect rebound ($Re_{dsub} + Re_{dinc}$). Second, price elasticities typically change as consumption bundles change, whereas the CPE price elasticity remains constant by definition. Typically, constant price elasticities (as in the CPE utility model) are approximations that are applicable only to marginal price changes. As shown in Part II, these approximations can lead to small or large errors depending on the case, relative to the exact model, which we introduce next. Appendix C derives changes in price elasticities for non-CPE models.

Here, we present a constant elasticity of substitution (CES) utility model that allows all of the uncompensated own price elasticity ($\varepsilon_{\dot{q}_s, p_s}$), the uncompensated cross price elasticity ($\varepsilon_{\dot{q}_s, p_s}^{\dot{q}_g, p_s}$), the compensated own price elasticity ($\varepsilon_{\dot{q}_s, p_s, c}$), and the compensated cross price elasticity ($\varepsilon_{\dot{q}_s, p_s, c}^{\dot{q}_g, p_s, c}$) to vary along an indifference curve, thereby enabling numerically precise analysis of non-marginal energy service price changes ($p_s^\circ \gg p_s^*$). The CES utility model allows the direct calculation of the utility-maximizing consumption bundle for any constraint, describing the device user’s behavior as

$$\frac{\dot{u}}{\dot{u}^\circ} = \left[f_{\dot{C}_s}^\circ \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^\rho + (1 - f_{\dot{C}_s}^\circ) \left(\frac{\dot{C}_g}{\dot{C}_g^\circ} \right)^\rho \right]^{(1/\rho)}. \quad (16)$$

331 The device user's utility rate (relative to the original condition, \dot{u}°) is determined by the
 332 consumption rate of the energy service (\dot{q}_s) and the consumption rate of other goods and services
 333 ($\dot{C}_o \dot{C}_g$). The share parameter ($f_{\dot{C}_s}^\circ$) between \dot{q}_s and $\dot{C}_o \dot{C}_g$ is taken from the original (pre-EEU)
 334 consumption basket. The exponent ρ is calculated from the (constant) elasticity of substitution (σ) as
 335 $\rho \equiv (\sigma - 1)/\sigma$. All quantities are normalized to pre-EEU values so that the cost share of other goods
 336 can be used straightforwardly in empirical applications rather than having to construct quantity and
 337 price indices. The normalized specification is commonly used in empirical CES *production* function
 338 applications (Klump et al., 2012; Temple, 2012; Gechert et al., 2021). See Appendix C for further
 339 details of the CES utility model.

340 Direct substitution effect rebound (Re_{dsub}) is

$$Re_{dsub} = \frac{\Delta \hat{E}_s}{\dot{S}_{dev}}, \quad (17)$$

341 which can be rearranged to

$$Re_{dsub} = \frac{\frac{\dot{q}_s}{\dot{q}_s^\circ} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1} \frac{\frac{\dot{q}_s}{\dot{q}_s^\circ} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1}. \quad (18)$$

342 Indirect substitution effect rebound (Re_{isub}) is given by

$$Re_{isub} = \frac{\Delta \hat{C}_o I_E}{\dot{S}_{dev}} \frac{\Delta \hat{C}_g I_E}{\dot{S}_{dev}}, \quad (19)$$

343 which can be rearranged to

$$Re_{isub} = \frac{\frac{\dot{C}_o}{\dot{C}_o^\circ} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1} \frac{\frac{\dot{C}_g}{\dot{C}_g^\circ} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1} \frac{\hat{\eta}}{\eta^\circ} \frac{\dot{C}_o^\circ I_E}{\dot{E}_s^\circ} \frac{\dot{C}_g^\circ I_E}{\dot{E}_s^\circ}. \quad (20)$$

344 To find the post-substitution effect point (\wedge), we solve for the location on the indifference curve
 345 where its slope is equal to the slope of the ~~expenditure line after the EEU~~ post-EEU expenditure
 346 line, assuming the CES utility model.¹⁶ The results are

¹⁶Other utility models could be used; however, the Cobb-Douglas utility model is inappropriate for this framework, because it assumes that the sum of substitution and income rebound is 100% *always*. Regardless of the utility model, expressions for $\dot{q}_s/\dot{q}_s^\circ$ and $\dot{C}_o/\dot{C}_o^\circ \dot{C}_g/\dot{C}_g^\circ$ must be determined and substituted into Eqs. (18) and (20), respectively.

$$\frac{\hat{q}_s}{\dot{q}_s^\circ} = \left\{ f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho} \quad (21)$$

and

$$\frac{\dot{\hat{C}}_g^\circ}{\dot{C}_g^\circ} = \left(1 + f_{\dot{C}_s}^\circ \left\{ \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(\rho-1)} - 1 \right\} \right)^{-1/\rho}. \quad (22)$$

Eq. (21) can be substituted directly into Eq. (18) to obtain an expression for direct substitution rebound (Re_{dsub}) via the CES utility model.

$$Re_{dsub} = \frac{\left\{ f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1} \quad (23)$$

Eq. (22) can be substituted directly into Eq. (20) to obtain an expression for indirect substitution rebound (Re_{isub}) via the CES utility model.

$$Re_{isub} = \frac{\left(1 + f_{\dot{C}_s}^\circ \left\{ \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(\rho-1)} - 1 \right\} \right)^{-1/\rho} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1} \frac{\hat{\eta}}{\eta^\circ} \frac{\dot{C}_g^\circ I_E}{\dot{E}_s^\circ} \quad (24)$$

(See Appendix B.4.3 for details of the derivations of Eqs. (18), (20), and (21)–(24).)

2.5.3 Income effect

The monetary income rate of the device user (\dot{M}°) remains unchanged across the rebound effects; such that $\dot{M}^\circ = \dot{M}^* = \hat{\dot{M}} = \bar{\dot{M}} = \tilde{\dot{M}}$. Thanks to the energy service price decline, real income rises, and freed cash from the EEU is given as $\dot{G} = p_E \dot{S}_{dev}$. (See Eq. (90) in Appendix B.3.) Emplacement effect adjustments and compensating variation modify freed cash to leave the device user with *net* savings (\hat{N}) from the EEU, as shown in Eq. (100) in Appendix B.3. (Derivations of expressions for freed cash from the emplacement effect (\dot{G}) and net savings after the substitution effect (\hat{N}) are presented in Tables B.3 and B.4.) Rebound from the income effect quantifies the rate of additional energy demand that arises when the energy conversion device user spends net savings from the EEU.

Additional energy demand from the income effect is determined by several constraints. The income effect under utility maximization satisfies the budget constraint, so that net savings are zero after the income effect ($\bar{N} = 0$). (See Appendix D for a mathematical proof that the income preference equations below (Eqs. (25) and (29)) satisfy the budget constraint.)

A second constraint is that net savings are spent completely on (i) additional consumption of the energy service ($\hat{q}_s < \bar{q}_s$) and (ii) additional consumption of other goods ($\hat{q}_o \leftarrow \bar{q}_o \hat{q}_g \leq \bar{q}_g$). The proportions in which income-effect spending is allocated depends on the utility model, which prescribes the income expansion path for consumption. Given post-EEU prices, maximized CES utility means spending in the same proportion on the energy service and other goods across the income effect, a property known as homotheticity. This constraint is satisfied by construction below, particularly via an effective income term (\hat{M}').

However, this framework could accommodate non-homothetic preferences for spending across the income effect (turning the income expansion path into a more general curve instead of a line). Demand for certain energy services could satiate as consumers become more affluent, implying income elasticities of the energy service of less than one (Greening et al., 2000). At the lower bound, the consumer spends all income after the substitution effect on other goods (subscript g) and none on the energy service (subscript s), choices that serve to reduce rebound due to typically lower energy intensity of other goods compared to the energy service.¹⁷

We next show expressions for direct and indirect income effect rebound.

Direct income effect (Re_{dinc}) The income elasticity of energy service demand ($\varepsilon_{\hat{q}_s, \hat{M}}$) quantifies the amount of net savings spent on more of the energy service ($\hat{q}_s < \bar{q}_s$). (See Appendix C for additional information about elasticities.) Spending of net savings on additional energy service consumption leads to direct income effect rebound (Re_{dinc}).

The ratio of rates of energy service consumed across the income effect is given by

$$\frac{\bar{q}_s}{\hat{q}_s} = \left(1 + \frac{\hat{N}}{\hat{M}'} \right)^{\varepsilon_{\hat{q}_s, \hat{M}}}. \quad (25)$$

¹⁷In principle, the energy service could be an “inferior good” whose consumption declines as incomes rise. However, energy service elasticities of income have been estimated to be positive over the long run, so we do not expect the inferior good case to be relevant (Fouquet, 2014).

Under the CES utility model, homotheticity means that $\varepsilon_{\dot{q}_s, \dot{M}} = 1$.

Effective income (\hat{M}') is given by

$$\hat{M}' \equiv \dot{M} - \tau_{\alpha}^* \dot{C}_{cap}^* - \dot{C}_{OMd}^* - \hat{N}. \quad (26)$$

For the purposes of the income effect, effective income (Eq. (26)) adjusts original income (\dot{M}°) to account for sunk costs ($R_{\alpha}^* \dot{C}_{cap}^* \tau_{\alpha}^* \dot{C}_{cap}^*$ and \dot{C}_{OMd}^*) and net savings (\hat{N}).

Direct income rebound is defined as

$$Re_{dinc} \equiv \frac{\Delta \bar{E}_s}{\dot{S}_{dev}}. \quad (27)$$

(See Table B.5.) After substitution, rearranging, and canceling of terms (Appendix B.4.4), the expression for direct income rebound under the CES utility model is

$$Re_{dinc} = \frac{\left(1 + \frac{\hat{N}}{\dot{M}'}\right)^{\varepsilon_{\dot{q}_s, \dot{M}}} - 1}{\frac{\eta^*}{\eta^{\circ}} - 1} \left\{ f_{\dot{C}_s}^{\circ} + (1 - f_{\dot{C}_s}^{\circ}) \left[\left(\frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{p_s^* \dot{q}_s^{\circ}}{\dot{C}_g^{\circ}} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho}. \quad (28)$$

If there are no net savings after the substitution effect ($\hat{N} = 0$), direct income effect rebound is zero ($Re_{dinc} = 0$), as expected.¹⁸

Under a non-homothetic utility model, the bounding condition is satiated consumption of the energy service such that as the device owner becomes richer, none of the net income (\hat{N}) is spent on more of the energy service, and thus $Re_{dinc} = 0$ would occur.

Indirect income effect (Re_{iinc}) Not all net savings (\hat{N}) are spent on more energy for the energy conversion device. The income elasticity of other goods demand ($\varepsilon_{\dot{q}_o, \dot{M}} \varepsilon_{\dot{q}_g, \dot{M}}$) quantifies the amount of net savings spent on additional other goods ($\hat{q}_o \leftarrow \bar{q}_o \hat{q}_g \leq \bar{q}_g$). Spending of net savings on additional other goods and services leads to indirect income effect rebound (Re_{iinc}).

The ratio of rates of other goods consumed across the income effect is given by

$$\frac{\bar{q}_g}{\hat{q}_g} = \left(1 + \frac{\hat{N}}{\dot{M}'}\right)^{\varepsilon_{\dot{q}_g, \dot{M}}}. \quad (29)$$

¹⁸Zero net savings ($\hat{N} = 0$) could occur if increases in the capital cost rate ($\Delta \dot{C}_{cap}^*$) and/or the operations, maintenance, and disposal cost rate ($\Delta \dot{C}_{md}^* \Delta \dot{C}_{OMd}^*$) consume all freed cash (\dot{G}) plus savings from the compensating variation.

Under the assumption that prices of other goods are exogenous (see Appendix E), the ratio of rates of other goods consumption ($\bar{\dot{q}}_o/\hat{\dot{q}}_o\bar{\dot{q}}_g/\hat{\dot{q}}_g$) is equal to the ratio of rates of other goods expenditures ($\bar{\dot{C}}_o/\hat{\dot{C}}_o\bar{\dot{C}}_g/\hat{\dot{C}}_g$) such that

$$\frac{\bar{\dot{C}}_o}{\hat{\dot{C}}_o} \frac{\bar{\dot{C}}_g}{\hat{\dot{C}}_g} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_o, \dot{M}} \varepsilon_{\dot{q}_g, \dot{M}}} . \quad (30)$$

Homotheticity means that $\varepsilon_{\dot{q}_o, \dot{M}} = 1 \varepsilon_{\dot{q}_g, \dot{M}} = 1$. As shown in Table B.5, indirect income rebound is defined as

$$Re_{iinc} \equiv \frac{\Delta \bar{\dot{C}}_o I_E}{\dot{S}_{dev}} \frac{\Delta \bar{\dot{C}}_g I_E}{\dot{S}_{dev}} . \quad (31)$$

After substitution, rearranging, and canceling of terms, the expression for indirect income ~~for rebound~~ under the CES utility model rebound is

$$Re_{iinc} = \frac{\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_g, \dot{M}}} - 1}{\frac{\eta^*}{\eta^\circ} - 1} \left(\frac{\eta^*}{\eta^\circ}\right) \frac{\dot{C}_g^\circ I_E}{\dot{E}_s^\circ} \left(1 + \dot{f}_{\dot{C}_s}^\circ \left\{ \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(\rho-1)} - 1 \right\} \right)^{-1/\rho} . \quad (32)$$

(See Appendix B.4.4 for details of the derivation of direct and indirect income effect rebound.)

Under the bounding satiated utility model, all net income (\hat{N}) is spent on other goods, and indirect rebound becomes simply $Re_{iinc} = \frac{\hat{N} I_E}{\dot{S}_{dev}}$.

2.5.4 Macro effect

The previous rebound effects (emplacement effect, substitution effect, and income effect) occur at the microeconomic level. However, changes at the microeconomic level can have important impacts at the macroeconomic or economy-wide level.

It is one of the basic tenets of economics that productivity gains have been the main long-run driver of economic growth in the last couple of centuries (Smith, 1776; Marx, 1867; Solow, 1957). Interest in the impact of individual sectors on the whole economy reaches arguably even farther back (Quesnay, 1759) and continues to the present (Leontief, 1986). Recent work revived interest in firm- and sector-specific shocks on aggregate output and demonstrates that due to interlinkages between firms and sectors, productivity shocks in a firm or sector can have larger macroeconomic consequences

than the original shock (Gabaix, 2011; Acemoglu et al., 2012; Baqaee & Farhi, 2019). Foerster et al. (2022) estimate that 3/4 of long-run US growth since 1950 can be attributed to sector-specific (as opposed to aggregate) trend factors. Because the EEU represents a positive, sector-specific productivity shock, the same principles apply. These kinds of rebounds can be captured by a general equilibrium model (Stern, 2020), but we propose a simple rule for incorporating this macroeconomic effect of productivity growth into our partial equilibrium framework.

Before establishing a formalism for Re_{macro} , we clarify the link between consumer theory and economic growth. Turner (2013) cautions that when households see the productivity of their non-market activities increase, GDP remains unchanged.¹⁹ That may be true in the short run. But the question over longer periods is whether the more productive household energy services do not also feed through into economic growth accounted for by GDP. People in affluent countries spend about as much time on unpaid (i.e., non-market) work as on paid work (Folbre, 2021). Therefore productivity improvements in unpaid work can spill over into paid work, which enters GDP. One channel could be time-saving. If the EEU saves time, then saved time could be spent on more paid work or on increasing human capital (Sorrell & Dimitropoulos, 2008; Gautham & Folbre, 2024). If the EEU saves money (but no time), then the freed cash could be spent to create additional demand for products that translate into higher GDP and possibly faster productivity growth (Magacho & McCombie, 2018). ~~It~~ The freed cash could also be spent on more effective (and more costly) human capital-increasing activities or even be used to start a venture. In all cases, it would be rash to conclude that just because some EEUs lead to productivity increases not captured directly by GDP, they do not eventually lead to additional economic growth.²⁰

Borenstein also addressed these macro effects from consumer behavior noting that “income effect rebound will be larger economy-wide than would be inferred from evaluating only the direct income

¹⁹To appreciate the difference between production for the market and production for the household, consider the case where increased ~~mileage-fuel efficiency~~ leads to the household saving on energy per car trip. The household takes more trips (direct rebound), without effect on GDP. In the other case, the household buys the energy service (transport) directly from a taxi company. Here, the taxi company lowers the price but gains more customers, leading immediately to growth in inflation-adjusted (i.e., real) GDP, as more driving services are produced. Yet, the physical change of more car trips is the same in both cases.

²⁰Nevertheless, as long as the energy efficiency improvement (in this example, an upgraded car) is the only technological progress in the economy, further output growth may be constrained to the extent that the other inputs into production remain constrained at their original levels and substituting energy for the other inputs to production is limited by the prevailing technology.

gain from the end user’s transaction” (Borenstein, 2015, p. 11) and likened it to a macroeconomic multiplier.²¹ The sectoral growth shock literature also uses multipliers to conceptualize the impacts of sectoral productivity shocks on aggregate output (Foerster et al., 2022; Buera & Trachter, 2024). Using multipliers has the advantage that they can be directly linked to the income effect (minus compensating variation) and its consequence for macroeconomic rebound. Borenstein also notes that scaling from net savings (\dot{N}^*) at the device level to productivity-driven growth at the macro level is unexplored territory.

We operationalize the macro rebound multiplier idea by noting that higher productivity makes the device cheaper to operate (and possibly purchase), which allows consumers to purchase a larger bundle of goods and services. If the overall expansion of the economy is a multiple of the direct increase in productivity expressed as productivity gains in other sectors, then the macro effect can simply be represented as a multiple of the (indirect) emplacement effect at the “post-emplacement stage (*-stage)” of Fig. 1, a multiplier that we represent by a macro factor (k).²²

The macro factor (k) represents respending in the broader economy after the emplacement effect has occurred and is not tied to any particular EEU or economic sector. $k \geq 0$ is expected. $k = 0$ means there is no macroeconomic effect resulting from the energy efficiency upgrade. $k > 0$ means that productivity-driven macroeconomic growth has occurred with consequent implications for additional energy consumption in the wider economy.

We assume as a first approximation (following Antal & van den Bergh (2014) and Borenstein (2015)) that macro effect respending implies energy consumption according to the average energy intensity of the economy (I_E). Macro rebound is therefore given by

$$Re_{macro} = \frac{k\dot{N}^*I_E}{\dot{S}_{dev}}. \quad (33)$$

(See Table B.6.) After some algebra (Appendix B.4.5), we arrive at an expression for macro effect rebound:

²¹It is important to distinguish this multiplier from an autonomous expansion of expenditure, a demand-side shock, in an otherwise unchanged economy, i.e. the Keynesian multiplier (Kahn, 1931; Keynes, 1936), that risks crowding out other economic activity (Gillingham et al., 2016). Our energy productivity improvement is a supply-side shock. After the EEU, it takes less energy (and therefore less energy cost) to generate the same economic activity, because energy efficiency has improved, so the concept of crowding-out as defined by macroeconomics does not apply.

²²The macro factor (k) appears unitless, but its units are actually \$ of economy-wide expansion created per \$ of net savings gained by the device user in the emplacement effect (\dot{N}^*).

$$Re_{macro} = k(p_E I_E - Re_{cap} - Re_{OMd}) . \quad (34)$$

Another macroeconomic rebound could arise from the energy price, which could fall due to lower demand (Gillingham et al., 2016; Borenstein, 2015). The size of the energy price effect depends on the size of the energy savings from the EEU relative to the energy demand in the economy. Therefore, calculating the energy price effect requires additional assumptions about how many households adopt the new device, which we consider to be outside the scope of our core framework. However, we show how it could be incorporated by adding an assumption about EEU adoption shares and a model of the energy market to derive a rebound expression for the energy price effect in [Section 3.2](#) and [Appendix F](#).

2.6 Rebound sum

The sum of all rebound emerges from the four rebound effects (emplacement effect, substitution effect, income effect, and macro effect). Macro effect rebound (Re_{macro} in Eq. (34)) is expressed in terms of other rebound effects. (Derivation details can be found in Appendix B.4.6.) After algebra and canceling of terms, we find

$$Re_{tot} = Re_{emb} + k(p_E I_E - Re_{cap}) + (1 - k)Re_{OMd} + Re_{dsub} + Re_{isub} + Re_{dinc} + Re_{iinc} . \quad (35)$$

3 Discussion

3.1 Comparison to other rebound frameworks

We developed above a rebound framework for consumers. We note that many of its components are similar to those for a producer-sided framework due to symmetries between neoclassical microeconomic producer and consumer theory. Ours is a partial equilibrium framework at the microeconomic level that provides a detailed assessment of individual EEUs with tractable, easy-to-understand mathematics. Partial equilibrium frameworks are easier to understand, in part, because they constrain price variation to the energy service only; all other prices remain constant (at least at the

Table 2: Comparison among relevant rebound analysis frameworks. Empty (white) circles indicate no treatment of a subject by a framework. Partly and fully filled circles indicate partial and comprehensive treatment of a subject by a framework.

	Nässén & Holmberg (2009)	Thomas & Azevedo (2013a,b)	Borenstein (2015)	Chan & Gillingham (2015)	Wang et al. (2021)	This paper (2024)
<i>Rebound effects</i>						
Direct emplacement effect	●	●	●	●	●	●
Capital cost and embodied energy effect	●	●	●	●	●	●
Maintenance and disposal effect	○	○	●	○	○	●
Direct and indirect substitution effects	●	●	●	●	●	●
Direct and indirect income effects	●	●	●	●	●	●
Macro effect	○	○	○	○	○	●
<i>Other characteristics</i>						
Analysis on energy, expenditure, and consumption planes	●	●	●	●	●	●
Detailed model of device user behavior and preferences	○	○	●	●	●	●
Non-marginal energy service price changes	○	○	○	○	○	●
Empirical application	●	●	●	○	○	●

microeconomic level).²³ In our framework, general equilibrium effects and other dynamic effects at the macroeconomic level are captured by a simplified, one-dimensional rebound effect discussed in Section 2.5.4.

We are not the first to develop a rebound analysis framework, so it is worthwhile to compare our framework to others for key features: analysis of all rebound effects; analysis of energy, expenditure, and consumption aspects of rebound; level of detail in the consumer preference model; allowance for non-marginal energy efficiency changes; and empirical application. When all of the above characteristics are present, a fuller picture of rebound can emerge.²⁴ Table 2 shows our assessment of selected previous partial equilibrium frameworks (in columns) relative to the characteristics discussed above (in rows).

Because all frameworks evaluate the expected decrease in direct energy consumption from the EEU, the “Direct emplacement effect” row contains ● in all columns. Three early papers (Nässén

²³General equilibrium frameworks provide detail and precision on economy-wide price adjustments, but they give up specificity about individual device upgrades, make assumptions during calibration, and lose simplicity of exposition.

²⁴See Section 2.2 of Part II for literal pictures of rebound in energy, expenditure, and consumption planes.

502 & Holmberg, 2009; Thomas & Azevedo, 2013a,b) estimate rebound quantitatively, earning high
 503 marks (●) in the “Empirical application” row. Both Nässén & Holmberg and Thomas & Azevedo
 504 motivate their frameworks at least partially with microeconomic theory (consumer preferences and
 505 substitution and income effects) but use simple linear demand functions in their empirical analyses.
 506 Thus, the connection between economic theory and empirics is tenuous, leading to intermediate
 507 ratings (⊖ or less) in the “substitution effects,” “income effects,” and “Detailed model of consumer
 508 preferences” rows. More recently, Chan & Gillingham (2015) and Wang et al. (2021) anchor the
 509 rebound effect firmly in consumer theory, earning high ratings (●) in the “substitution effects,”
 510 “income effects,” and “Detailed model of consumer preferences” rows. They extend their frameworks
 511 to advanced topics that our framework does not presently incorporate, such as multiple fuels, energy
 512 services, and nested utility functions with intermediate inputs. However, neither Chan & Gillingham
 513 nor Wang et al. provide empirical applications, earning ○ in the last row of Table 2. In the middle
 514 of the table (and between the other studies in time), the framework by Borenstein (2015) touches on
 515 nearly all important characteristics. However, the Borenstein framework cannot separate substitution
 516 and income effects cleanly in empirical analysis, reverting to partial analyses of both, leading to a ⊖
 517 rating in the “Detailed model of consumer preferences” and “Empirical application” rows.

518 No previous framework engages fully with either the differential financial effects or the differential
 519 energetic effects of the upfront purchase of the upgraded device, leading to low ratings across all
 520 previous frameworks in the “Capital cost and embodied energy effect” row. In fact, except for Nässén
 521 & Holmberg (2009), no framework engages with capital costs, although all note its importance.
 522 (Nässén & Holmberg note that capital costs and embodied energy can have very strong effects on
 523 rebound.) Thomas & Azevedo (2013a,b) provide the only framework that traces embodied energy
 524 effects of every consumer good using input-output methods, but they do not analyze embodied
 525 energy of the upgraded device. Borenstein (2015) notes the embodied energy of the upgraded device
 526 and the embodied energy of other goods but does not integrate embodied energy or financing costs
 527 into the framework for empirical analysis. Borenstein is, however, the only author to treat the
 528 financial side of embodied energy or maintenance and disposal effects. Borenstein (2015) postulates
 529 the macro effect, but does not operationalize the link between micro and macro levels, earning ○
 530 in the “Macro effect” row. No other framework even discusses the link between macro and micro

rebound effects, leading to \bigcirc in the “Macro effect” row for all previous frameworks (apart from Borenstein (2015)). Our framework operationalizes the link between micro and macro levels, via the macro factor (k), but more work can be done in this area. Thus, “This paper (2024)” earns \bigodot in the “Macro effect” row. Finally, all previous frameworks assume constant price elasticities and implicitly marginal or small improvements in efficiency, excluding the numerically precise analysis of important non-incremental upgrades where price elasticities are likely to vary. Therefore, all previous frameworks earn \bigcirc in the “Non-marginal energy service price changes” row.

Table 2 shows that previous frameworks contain many key pieces, providing starting points from which to develop our rebound analysis framework. A left-to-right reading of the table demonstrates that previous frameworks start from microeconomic consumer theory and move towards more rigorous theoretical treatment over time, with recent frameworks making important advanced theoretical contributions at the expense of empirical applicability. In the end, no previous rebound analysis framework combines all rebound effects across energy, expenditure, and consumption aspects with a detailed model of consumer preferences, non-marginal energy service price changes, and empirical applicability for the simplest case (understandable across disciplines) of a single fuel and a single energy service. In particular, assessing the rebound implications of differential capital costs, non-marginal price changes, and the macro effect required conceptual development as in Section 2.5.4 and Appendix B.4.5. (Development of empirical applications is left for Part II.) This paper addresses most of the gaps in Table 2; hence we fill the “This paper (2024)” column with filled circles (\bullet) in nearly all rows. By so doing, we help advance clarity in the field of energy rebound.

3.2 Notes on an energy price rebound effect

The income effect (Section 2.5.3) captures the energy and rebound implications of expanding real income at the level of the upgraded device. ~~Our~~The partial equilibrium framework described herein enables calculation of income effect rebound (Re_{inc}) without regard to changes in energy price (p_E), because the energy price is assumed exogenous.

But there are other effects at work beyond the device level and outside the boundaries of a partial equilibrium analysis. One of those effects is an energy price effect. This section (and Appendix F)

shows that our partial equilibrium framework can be extended to obtain an initial estimate of the rebound implications of an energy price effect (Re_{p_E}) with an analysis that remains short of full equilibrium.

The energy price effect can lead to rebound when EEUs are applied to energy conversion devices at a scale that is substantial relative to the economy-wide use of energy. Examples of conditions under which the energy price effect could be significant include replacing all cars in the economy by hybrids and replacing all domestic electric lamps in the economy by LEDs, to use the examples from Part II. With reduced energy demand throughout the economy, an energy price reduction can be expected ($p_E^o > \bar{p}_E$) as the lower energy price leads to rebalancing of supply and demand. With the now-lower energy price (\bar{p}_E), the device owner has additional freed cash (\dot{G}_{p_E}) to spend, in addition to the adjustments described by the substitution and income effects. (See Sections 2.5.2 and 2.5.3.)

A complete analysis of the price effect would amount to introducing a full model of the energy market and involve solving a system of simultaneous equations for the new economy-wide energy demand, the new energy price, and a new consumption bundle. But in this instance, as we desire a simple estimate of energy price rebound, we conservatively assume the device owner spends the additional freed cash (the result of the lower energy price) exclusively on other goods, with energy implications at the energy intensity of the economy (I_E). Under these assumptions, Appendix F derives an expression for rebound from the energy price effect as

$$Re_{p_E} = \frac{\dot{G}_{p_E} I_E}{\dot{S}_{dev}}, \quad (36)$$

where \dot{G}_{p_E} is the freed cash arising from the reduction in energy price due to widespread adoption of the EEU throughout the economy.

4 Conclusions

In this paper (Part I), we developed foundations of a rigorous analytical framework that includes all rebound effects across energy, expenditure, and consumption aspects with a detailed model of consumer preferences and non-marginal energy service price changes in an operational manner linking micro and macro effects for the simplest case of a single fuel and a single energy service.

583 Furthermore, we presented approaches for exploring consumer satiation of energy service demand
584 and for analyzing the effect of reduced energy demand on energy price to create energy price
585 rebound. With careful explication of rebound effects and clear derivation of rebound expressions,
586 we help advance the analytical foundations for empirical analyses and facilitate interdisciplinary
587 understanding of rebound phenomena toward the goal of enhancing clarity in the field of energy
588 rebound and enabling more robust rebound calculations for sound energy and climate policy.

589 Future work could be pursued in several areas. (i) Other utility models (besides the CES
590 utility model, but not a Cobb-Douglas utility model) could be explored for the substitution effect.
591 (ii) Although this is a consumer-sided framework, we demonstrated that it could be extended to
592 producer-sided effects such as the energy price rebound effect. Further work could explore additional
593 extensions to other producer-sided energy rebound effects. (iii) This framework could be extended
594 to include some of the advanced topics in Chan & Gillingham (2015) and Wang et al. (2021), such
595 as multiple fuels or energy services, more than one other consumption good, and nested utility
596 functions with intermediate inputs. (iv) This framework could be extended to include fuel-switching
597 EEUs, wherein the upgraded device uses a different fuel from the original device. (v) The greenhouse
598 gas emissions implications of energy rebound could be evaluated using this framework, provided
599 that the primary energy associated with final energy purchases were available. Borenstein (2015)
600 went some way to analyzing emissions and could provide a starting point for such work. The
601 capability to analyze fuel-switching EEUs will be important for analyzing the greenhouse gas
602 emissions implications of many EEUs that involve electrification, such as the transition to all-electric
603 vehicles and the conversion of natural gas and oil furnaces to heat pumps for home heating.

604 In Part II of this paper, we further help advance clarity in rebound analysis in three ways. First,
605 we develop a way to visualize the energy, expenditure, and consumption aspects of rebound effects.
606 Second, we apply the framework to two EEUs: an upgraded car and an upgraded electric lamp.
607 Finally, we provide results of rebound calculations for the two examples.

608 **Competing interests**

609 Declarations of interest: none.

Author contributions

Author contributions for this paper (Part I of the two-part paper) are shown in Table 3.

Table 3: Author contributions.

	MKH	GS	PEB
Conceptualization	●	●	
Methodology	●	●	●
Software			
Validation	●		●
Formal analysis			
Investigation	●	●	
Resources	●	●	●
Data curation			
Writing—original draft	●	●	
Writing—review & editing	●	●	●
Visualization			
Supervision	●		
Project administration	●		
Funding acquisition			●

Acknowledgements

Paul Brockway’s time was funded by the UK Research and Innovation (UKRI) Council, supported under EPSRC Fellowship award EP/R024254/1. The authors benefited from discussions with Daniele Girardi (University of Massachusetts at Amherst) and Christopher Blackburn (Bureau of Economic Analysis). The authors are grateful for comments from internal reviewers Becky Haney and Jeremy Van Antwerp (Calvin University); Nathan Chan (University of Massachusetts at Amherst); and Zeke Marshall (University of Leeds). The authors appreciate the many constructive comments on a working paper version of this article from Jeroen C.J.M. van den Bergh (Vrije Universiteit Amsterdam), Harry Saunders (Carnegie Institution for Science), and David Stern (Australian National University). Finally, the authors thank the students of MKH’s Fall 2019 Thermal Systems Design course (ENGR333) at Calvin University who studied energy rebound for many energy conversion devices using an early version of this framework.

References

Acemoglu, D., Carvalho, V. M., Ozdaglar, A., & Tahbaz-Salehi, A. (2012). The Network Origins of Aggregate Fluctuations. *Econometrica*, 80(5), 1977–2016.

Allen, R. G. D. (1936). Professor Slutsky's theory of consumers' choice. *Review of Economic Studies*, 3(2), 120–129.

Allen, R. G. D., & Lerner, A. P. (1934). The concept of arc elasticity of demand. *Review of Economic Studies*, 1(3), 226–230.

Antal, M., & van den Bergh, J. C. (2014). Re-spending rebound: A macro-level assessment for OECD countries and emerging economies. *Energy Policy*, 68, 585–590.

Baqaei, D. R., & Farhi, E. (2019). The Macroeconomic Impact of Microeconomic Shocks: Beyond Hulten's Theorem. *Econometrica*, 87(4), 1155–1203.

Berner, A., Bruns, S., Moneta, A., & Stern, D. I. (2022). Do energy efficiency improvements reduce energy use? Empirical evidence on the economy-wide rebound effect in Europe and the United States. *Energy Economics*, 110(105939), 1–9.

Birol, F., & Keppler, J. H. (2000). Prices, technology development, and the rebound effect. *Energy Policy*, 28, 457–469.

Blackburn, C. J., & Moreno-Cruz, J. (2020). Energy efficiency in general equilibrium with input-output linkages. BEA Working Paper Series WP2020-1, Bureau of Economic Analysis.

URL <https://www.bea.gov/index.php/system/files/papers/WP2020-1.pdf>

Borenstein, S. (2015). A microeconomic framework for evaluating energy efficiency rebound and some implications. *The Energy Journal*, 36(1), 1–21.

Brockway, P. E., Saunders, H., Heun, M. K., Foxon, T. J., Steinberger, J. K., Barrett, J. R., & Sorrell, S. (2017). Energy rebound as a potential threat to a low-carbon future: Findings from a new exergy-based national-level rebound approach. *Energies*, 10(51), 1–24.

Brockway, P. E., Sorrell, S., Semieniuk, G., Heun, M. K., & Court, V. (2021). Energy efficiency and economy-wide rebound effects: A review of the evidence and its implications. *Renewable and Sustainable Energy Reviews*, 141(110781), 1–20.

Brookes, L. (1979). A low energy strategy for the UK. *Atom*, 269(73-78).

Brookes, L. (1990). The greenhouse effect: the fallacies in the energy efficiency solution. *Energy Policy*, 18(2), 199–201.

Brown, M., & Herendeen, R. (1996). Embodied Energy Analysis and EMERGY Analysis: a Comparative View. *Ecological Economics*, 19, 219–235.

Buera, F. J., & Trachter, N. (2024). Sectoral Development Multipliers. *National Bureau of Economic Research Working Paper Series*, No. 32230.

Chan, N. W., & Gillingham, K. (2015). The microeconomic theory of the rebound effect and its welfare implications. *Journal of the Association of Environmental and Resource Economists*, 2(1), 133–159.

Dorner, Z. (2019). A behavioral rebound effect. *Journal of Environmental Economics and Management*, 98(102257), 1–28.

Dütschke, E., Frondel, M., Schleich, J., & Vance, C. (2018). Moral licensing—Another source of rebound? *Frontiers in Energy Research*, 6.

Feenstra, R. C., Luck, P., Obstfeld, M., & Russ, K. N. (2018). In search of the Armington elasticity. *The Review of Economics and Statistics*, 100(1), 135–150.

Foerster, A. T., Hornstein, A., Sarte, P.-D. G., & Watson, M. W. (2022). Aggregate Implications of Changing Sectoral Trends. *Journal of Political Economy*, 130(12), 3286–3333.

Folbre, N. (2021). *The Rise and Decline of Patriarchal Systems: An Intersectional Political Economy*. London and Brooklyn: Verso.

Foley, D. K. (2020). Information theory and behavior. *The European Physical Journal Special Topics*, 229(9), 1591–1602.

Fouquet, R. (2014). Long-run demand for energy services: Income and price elasticities over two hundred years. 8(2), 186–207.

Fullerton, D., & Ta, C. L. (2020). Costs of energy efficiency mandates can reverse the sign of rebound. *Journal of Public Economics*, 188, 104225.

Gabaix, X. (2011). The Granular Origins of Aggregate Fluctuations. *Econometrica*, 79(3), 733–772.

Gautham, L., & Folbre, N. (2024). Parental Expenditures of Time and Money on Children in the U.S. *Review of Income and Wealth*, (pp. 1–26).

Gechert, S., Havranek, T., Irsova, Z., & Kolcunova, D. (2021). Measuring capital-labor substitution: The importance of method choices and publication bias. *Review of Economic Dynamics*.

URL <https://www.sciencedirect.com/science/article/pii/S1094202521000387>

Gillingham, K., Kotchen, M. J., Rapson, D. S., & Wagner, G. (2013). The rebound effect is overplayed. *Nature*, 493.

Gillingham, K., Rapson, D., & Wagner, G. (2016). The rebound effect and energy efficiency policy. *Review of Environmental Economics and Policy*, 10(1), 68–88.

Gørtz, E. (1977). An identity between price elasticities and the elasticity of substitution of the utility function. *The Scandinavian Journal of Economics*, 79(4), 497–499.

Greening, L. A., Greene, D. L., & Difiglio, C. (2000). Energy efficiency and consumption—the rebound effect—a survey. *Energy policy*, 28(6-7), 389–401.

Grubb, M. (1990). Energy efficiency and economic fallacies. *Energy Policy*, 18(8), 783–785.

Grubb, M. (1992). Reply to Brookes. *Energy Policy*, (May), 392–393.

Haberl, H., Wiedenhofer, D., Virág, D., Kalt, G., Plank, B., Brockway, P., Fishman, T., Hausknost, D., Krausmann, F., Leon-Gruchalski, B., Mayer, A., Pichler, M., Schaffartzik, A., Sousa, T., Streeck, J., & Creutzig, F. (2020). A systematic review of the evidence on decoupling of GDP, resource use and GHG emissions, Part II: synthesizing the insights. *Environmental Research Letters*, 15(065003), 1–42.

Hicks, J. R., & Allen, R. G. D. (1934). A reconsideration of the theory of value. Part II. A mathematical theory of individual demand functions. *Economica*, 1(2), 196–219.

International Energy Agency (2017). *World Energy Outlook 2017*. Paris.
URL <https://www.iea.org/weo2017/>

Jenkins, J., Nordhaus, T., & Shellenberger, M. (2011). Energy emergence: Rebound and backfire as emergent phenomena. Tech. rep., Breakthrough Institute, Oakland, California, USA.
URL https://s3.us-east-2.amazonaws.com/uploads.thebreakthrough.org/legacy/blog/Energy_{_}Emergence.pdf

Jevons, W. S. (1865). *The Coal Question: An Inquiry Concerning the Progress of the Nation and the Probable Exhaustion of our Coal Mines*. London: Macmillan.

Kahn, R. F. (1931). The Relation of Home Investment to Unemployment. *The Economic Journal*, 41(162), 173–198.

Keynes, J. M. (1936). *The General Theory of Employment, Interest and Money*. London: Macmillan.

Khazzoom, J. D. (1980). Economic implications of mandated efficiency in standards for household appliances. *The Energy Journal*, 1(4).

Klump, R., Mcadam, P., & Willman, A. (2012). The normalized CES production function: Theory and empirics. *Journal of Economic Surveys*, 26(5), 769–799.

Lange, S., Kern, F., Peuckert, J., & Santarius, T. (2021). The Jevons paradox unravelled: A multi-level typology of rebound effects and mechanisms. *Energy Research and Social Science*, 74, 101982.

Lemoine, D. (2020). General equilibrium rebound from energy efficiency innovation. *European Economic Review*, 125, 1–20.

[Leontief, W. \(1986\). *Input-output Economics*. New York and Oxford: Oxford University Press. 2nd ed. ed.](#)

Lovins, A. B. (1988). Energy saving resulting from the adoption of more efficient appliances: Another view. *The Energy Journal*, (pp. 155–162).

Madlener, R., & Turner, K. (2016). *After 35 Years of Rebound Research in Economics: Where Do We Stand?*, chap. 1, (pp. 17–36). Rethinking Climate and Energy Policies New Perspectives on the Rebound Phenomenon. Cham, Switzerland: Springer.

[Magacho, G. R., & McCombie, J. S. L. \(2018\). A sectoral explanation of per capita income convergence and divergence: estimating Verdoorn’s law for countries at different stages of development. *Cambridge Journal of Economics*, 42\(4\), 917–934.](#)
URL <https://doi.org/10.1093/cje/bex064>

Marx, K. (1867). *Das Kapital: Erster Band*. Hamburg: Otto Meissner.

Nässén, J., & Holmberg, J. (2009). Quantifying the rebound effects of energy efficiency improvements and energy conserving behaviour in Sweden. *Energy Efficiency*, 2(3), 221–231.

Nicholson, W., & Snyder, C. (2017). *Microeconomic Theory: Basic Principles & Extensions*. Boston: Cengage Learning.

Paoli, L., & Cullen, J. (2020). Technical limits for energy conversion efficiency. *Energy*, 192, 1–12.

Parkes, J. (1838). On the evaporation of water from steam boilers. *Transactions of the Institution of Civil Engineers*, 2(1), 161–179.

[Quesnay, F. \(1759\). The 'First Edition' of the Tableau. In R. L. Meek \(Ed.\) translated in *The Economics of Physiocracy \(1962\)*. Allen and Unwin.](#)

Santarius, T. (2016). Investigating meso-economic rebound effects: Production-side effects and feedback loops between the micro and macro level. *Journal of Cleaner Production*, 134, 406–413.

Saunders, H. D. (2015). Recent evidence for large rebound: Elucidating the drivers and their implications for climate change models. *The Energy Journal*, 36(1), 23–48.

Saunders, H. D., Roy, J., Azevedo, I. M., Chakravart, D., Dasgupta, S., de la Rue du Can, S., Druckman, A., Fouquet, R., Grubb, M., Lin, B., Lowe, R., Madlener, R., McCoy, D. M., Mundaca, L., Oreszczyn, T., Sorrell, S., Stern, D., Tanaka, K., & Wei, T. (2021). Energy efficiency: What has research delivered in the last 40 years? *Annual Review of Environment and Resources*, 46, 135–165.

Sciubba, E., & Wall, G. (2007). A brief commented history of exergy from the beginnings to 2004. *International Journal of Thermodynamics*, 10(1), 1–26.

Slutsky, E. (1915). Sulla teoria del bilancio del consumatore. *Giornale degli Economisti e Rivista di Statistica*, 53(1), 1–26.

Smith, A. (1776). *An Inquiry into the Wealth of Nations*. London: Strahan.

Solow, R. M. (1957). Technical change and the aggregate production function. *The Review of Economics and Statistics*, 39(3), 312–320.

Sorrell, S. (2009). Jevons' paradox revisited: The evidence for backfire from improved energy efficiency. *Energy Policy*, 37(4), 1456–1469.

Sorrell, S., & Dimitropoulos, J. (2008). The rebound effect: Microeconomic definitions, limitations and extensions. *Ecological Economics*, 65(3), 636–649.

Sorrell, S., Dimitropoulos, J., & Sommerville, M. (2009). Empirical estimates of the direct rebound effect: A review. *Energy Policy*, 37(4), 1356–1371.

[Sorrell, S., Gatersleben, B., & Druckman, A. \(2020\). The limits of energy sufficiency: A review of the evidence for rebound effects and negative spillovers from behavioural change. *Energy Research & Social Science*, 64\(101439\), 1–17.](#)

[Sousa, T., Brockway, P. E., Cullen, J. M., Henriques, S. T., Miller, J., Serrenho, A. C., & Domingos, T. \(2017\). The need for robust, consistent methods in societal exergy accounting. *Ecological Economics*, 141, 11–21.](#)

[Spiegel, U. \(1994\). The case of a "Giffen Good". *The Journal of Economic Education*, 25\(2\), 137–147.](#)

Stern, D. I. (2020). How large is the economy-wide rebound effect? *Energy Policy*, 147, 111870.

Temple, J. (2012). The calibration of CES production functions. *Journal of Macroeconomics*, 34, 294–303.

Thomas, B. A., & Azevedo, I. L. (2013a). Estimating direct and indirect rebound effects for U.S. households with input–output analysis. Part 1: Theoretical framework. *Ecological Economics*, 86, 199–210.

Thomas, B. A., & Azevedo, I. L. (2013b). Estimating direct and indirect rebound effects for U.S. households with input–output analysis. Part 2: Simulation. *Ecological Economics*, 86, 188–198.

Turner, K. (2013). "Rebound" effects from increased energy efficiency: A time to pause and reflect. *The Energy Journal*, 34(4), 25–42. URL <https://www.jstor.org/stable/41969250>

van den Bergh, J. C. (2017). Rebound policy in the Paris agreement: Instrument comparison and climate-club revenue offsets. *Climate Policy*, 17(6), 801–813.

van den Bergh, J. C. J. M. (2011). Energy conservation more effective with rebound policy. *Environmental and Resource Economics*, 48(1), 43–58.

Walnum, H. J., Aall, C., & Løkke, S. (2014). Can rebound effects explain why sustainable mobility has not been achieved? *Sustainability*, 6(12), 9510–9537.

Wang, J., Yu, S., & Liu, T. (2021). A theoretical analysis of the direct rebound effect caused by energy efficiency improvement of private consumers. *Economic Analysis and Policy*, 69(145), 171–181.

Williams, C. W. (1840). *The combustion of coal and the prevention of smoke: Chemically and practically considered*. London: J. Weale, 1st ed.

Table A.1: Symbols and abbreviations.

Symbol	Meaning [example units]
A	annualized cost [\$/yr]
a	the share parameter in the CES utility model [-]
C	cost [\$]
E	final energy [MJ]
f	expenditure share [-]
G	freed cash [\$]
g	a constant in the derivation of $\varepsilon_{q_{ss}, p_{ss}, c}$ and $\frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} \frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} [-]$
h	a constant in the derivation of $\varepsilon_{q_{ss}, p_{ss}, c}$ and $\frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} \frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} [-]$
I	energy intensity of economic activity [MJ/\$]
i	summation index for present value calculations [-]
k	macro factor [-]
M	income [\$]
m	mass kg an exponent in the derivation of $\varepsilon_{q_{ss}, p_{ss}, c}$ and $\frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} \frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} [-]$
N	net savings [\$]
n	an exponent in the derivation of $\varepsilon_{q_{ss}, p_{ss}, c}$ and $\frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} \frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} [-]$
P	present value [\$]
p	price [\$]
Q	quantity <u>at the macroeconomic level</u> [-]
R	rebound <u>multiplicative term that accounts for discounting quantity</u> [-]
Re	rebound [-]
r	real monetary discount rate [1/yr]
S	energy cost savings [\$]
t	time variable [yr]
u	utility [utils]
x	position [m]
z	a constant in the derivation of $\varepsilon_{q_{ss}, p_{ss}, c}$ and $\frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} \frac{\varepsilon_{q_{ss}, p_{ss}, c}}{\varepsilon_{q_{ss}, p_{ss}, c}} [-]$

Appendices

A Nomenclature

Presentation of the rigorous analytical framework is aided by a nomenclature that describes energy stages and rebound effects. Table A.1 shows symbols and abbreviations, their meanings, and example units. Table A.2 shows Greek letters, their meanings, and example units. Table ~~??~~ shows ~~abbreviations and acronyms~~ A.3 shows initialisms. Table A.4 shows symbol decorations and their meanings. Table A.5 shows subscripts and their meanings.

Differences are indicated by the Greek letter Δ and always signify subtraction of a quantity at an earlier stage of Fig. 1 from the same quantity at the next later stage of Fig. 1. E.g., $\Delta \bar{X} \equiv \bar{X} - \hat{X}$, and $\Delta \tilde{X} \equiv \tilde{X} - \bar{X}$. Lack of decoration on a difference term indicates a difference that spans all stages of Fig. 1. E.g., $\Delta X \equiv \tilde{X} - X^\circ$. ΔX is also the sum of differences across each stage in Fig. 1, as shown below.

Table A.2: Greek letters.

Greek letter	Meaning [example units]
α	subscript that indicates capital cost payments at beginning of life
Δ	difference (later quantity less earlier quantity, see Fig. 1)
ε	price or income elasticity [-]
$\varepsilon_{\dot{q}_s, \dot{M}}$	income (\dot{M}) elasticity of energy service demand (\dot{q}_s) [-]
$\varepsilon_{\dot{q}_o, \dot{M}}$	income (\dot{M}) elasticity of other goods demand (\dot{q}_o) [-]
$\varepsilon_{\dot{q}_s, p_s}$	uncompensated energy service price (p_s) elasticity of energy service demand (\dot{q}_s) [-]
$\varepsilon_{\dot{q}_o, p_s}$	uncompensated energy service price (p_s) elasticity of other goods demand (\dot{q}_o) [-]
$\varepsilon_{\dot{q}_s, p_s, c}$	compensated energy service price (p_s) elasticity of energy service demand (\dot{q}_s) [-]
$\varepsilon_{\dot{q}_o, p_s, c}$	compensated energy service price (p_s) elasticity of other goods demand (\dot{q}_o) [-]
η	final-energy-to-service efficiency [vehicle-km/MJ]
γ	term in the derivation of end-of-life payment discounting [-]
ω	subscript that indicates disposal cost at end of life
ϕ	term in the derivation of beginning-of-life payment discounting [-]
ρ	exponent in the CES utility function, $\rho \equiv (\sigma - 1)/\sigma$ [-]
σ	elasticity of substitution between the energy service (\dot{q}_s°) and other goods (\dot{q}_o°) [-]
τ	multiplicative term that accounts for discounting [-]

Table A.3: ~~Abbreviations~~Initialisms.

Abbreviation Acronym	Meaning
CES	constant elasticity of substitution
CPE	constant price elasticity
CV	compensating variation
EEU	energy efficiency upgrade
EPSRC	engineering and physical sciences research council
GDP	gross domestic product
MPC marginal propensity to consume	UK United Kingdom
UKRI	UK research and innovation
U.S.	United States

Table A.4: Decorations.

Decoration	Meaning [example units]
X°	X originally (before the emplacement effect)
X^*	X after the emplacement effect (before the substitution effect)
\hat{X}	X after the substitution effect (before the income effect)
\bar{X}	X after the income effect (before the macro effect)
\tilde{X}	X after the macro effect
\dot{X}	rate of X [units of X /yr]
M'	effective income [\$]

Table A.5: Subscripts.

Subscript	Meaning
<i>c</i>	compensated
<i>cap</i>	capital costs
<i>dev</i>	device
<i>dempl</i>	direct emplacement effect
<i>d</i>	disposal
<i>dinc</i>	direct income effect
<i>dsub</i>	direct substitution effect
<i>E</i>	energy
<i>emb</i>	embodied
<i>empl</i>	emplacement effect
<i>g</i>	<u>other expenditures (besides energy) by the device user</u>
<i>iempl</i>	indirect emplacement effects
<i>iinc</i>	indirect income effect
<i>inc</i>	income effect
<i>isub</i>	indirect substitution effect
<i>life</i>	lifetime
<i>m</i>	maintenance
<i>macro</i>	macro effect
<i>OM</i>	operations and maintenance
<i>OMd</i>	operations, maintenance, and disposal
o	other expenditures (besides energy) by the device user
<i>s</i>	service stage of the energy conversion chain
<i>sub</i>	substitution effect
<i>tot</i>	sum of all rebound effects in the framework

$$\Delta X = \Delta \tilde{X} + \Delta \bar{X} + \Delta \hat{X} + \Delta X^*$$

$$\Delta X = (\tilde{X} - \bar{X}) + (\bar{X} - \hat{X}) + (\hat{X} - X^*) + (X^* - X^\circ)$$

$$\Delta X = (\tilde{X} - \tilde{X}') + (\tilde{X}' - \tilde{X}'') + (\tilde{X}'' - X^*) + (X^* - X^\circ)$$

$$\Delta X = \tilde{X} - X^\circ \tag{37}$$

B Derivation of the analytical framework

This appendix provides a detailed derivation of the analytical framework, beginning with the budget constraint for the device owner.

B.1 Budget constraint

We assume the device owner has four expense categories related to the device: capital cost (C_{cap}), energy service cost (C_s), operations and maintenance cost (C_{OM}), and disposal cost (C_d). We count one expense category for all other goods and services (~~C_o~~ C_g), one category for annual income (M), and net savings (N), the difference between income and expenses. Capital (cap) and disposal (d) costs are applied at the beginning (α) and end (ω), respectively, of the device lifetime (t_{life}). All

other budget categories are applied at the beginning of each year. A budget can be constructed for the device owner for each stage of Figure 1, leading to a different budget before emplacement (\circ), after emplacement ($*$), after the substitution effect (\wedge), after the income effect ($-$), and after the macro effect (\sim). When needed, the different budgets can be distinguished by symbol decorations shown in Table A.4. We allow the device owner to purchase the device with a loan and assume a real discount rate r . For a device not purchased on credit, $r = 0$ applies. The device owner may save (with real discount rate r) to pay for future disposal costs.

Each budget category is analyzed in perpetuity to allow comparisons at different rebound stages (\circ , $*$, etc.) where the device lifetime (t_{life}) may be different. The present value (P) of each expense category is obtained with an infinite sum ~~as follows for three cases.~~

First, the present value (P_{cap}) of the capital cost (C_{cap}) is given by the infinite sum

$$\begin{aligned}
 P_{cap} &= C_{cap} + \frac{C_{cap}}{(1+r)^{t_{life}}} + \frac{C_{cap}}{(1+r)^{2t_{life}}} + \dots + \frac{C_{cap}}{(1+r)^{it_{life}}} + \dots = C_{cap} \sum_{i=0}^{\infty} \frac{1}{(1+r)^{it_{life}}} \\
 &= \phi_{t_{life}} C_{cap} \text{ ~~$P_s = C_s + \frac{C_s}{(1+r)^{1\text{yr}}} + \frac{C_s}{(1+r)^{2\text{yr}}} + \dots + \frac{C_s}{(1+r)^{i\text{yr}}} + \dots = C_s \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i\text{yr}}} = \phi_{1\text{yr}} C_s P_{OM} = C_{OM} + \frac{C_{OM}}{(1+r)}$~~ }
 \end{aligned}
 \tag{38}$$

where $\phi_t \equiv \frac{(1+r)^t}{(1+r)^t - 1}$.

Second, the present value of all yearly expenses or income can be given by similar equations.
For the example of the present value (P_s) of annual energy services costs (C_s), we have

$$\begin{aligned}
 \text{ $P_s = C_s + \frac{C_s}{(1+r)^{1\text{yr}}} + \frac{C_s}{(1+r)^{2\text{yr}}} + \dots + \frac{C_s}{(1+r)^{i\text{yr}}} + \dots = C_s \sum_{i=0}^{\infty} \frac{1}{(1+r)^{i\text{yr}}}$ \\
 \text{ $= \phi_{1\text{yr}} C_s$.}
 \end{aligned}
 \tag{39}$$

Equations for the present value of annual operations and maintenance costs (P_{OM} and C_{OM}), annual other goods costs (P_g and C_g), annual income (P_M and M), and annual net savings (P_N and N) are identical except for the subscripts.

Finally, the present value (P_d) of disposal costs (C_d) is given by

$$\begin{aligned}
P_d &= \frac{C_d}{(1+r)^{t_{life}}} + \frac{C_d}{(1+r)^{2t_{life}}} + \dots + \frac{C_d}{(1+r)^{it_{life}}} + \dots = C_d \sum_{i=1}^{\infty} \frac{1}{(1+r)^{it_{life}}} \\
&= \gamma_{t_{life}} C_d ,
\end{aligned} \tag{40}$$

795 where $\gamma_t \equiv \frac{1}{(1+r)^t - 1}$.

796 For simplicity, we desire annual values (A) with equivalent present value for each cost category.

797 Using the capital cost to illustrate, we begin with the present value equivalence of the infinite series

798 and annual costs:

$$P_{cap} = P_{A_{cap}} . \tag{41}$$

799 Substituting expressions for present values (P) gives

$$\phi_{t_{life}} C_{cap} = \phi_{1\text{yr}} A_{cap} . \tag{42}$$

800 Rearranging gives

$$A_{cap} = \frac{\phi_{t_{life}}}{\phi_{1\text{yr}}} C_{cap} . \tag{43}$$

801 Further, we desire annualized rates defined as $\dot{A} \equiv A/1\text{yr}$ such that $\dot{A}_{cap} = A_{cap}/1\text{yr}$ and $\dot{C}_{cap} \equiv$

802 C_{cap}/t_{life} . Solving for A_{cap} and C_{cap} and substituting gives

$$\dot{A}_{cap}(1\text{yr}) = \frac{\phi_{t_{life}}}{\phi_{1\text{yr}}} \dot{C}_{cap} t_{life} . \tag{44}$$

803 Defining $\textcolor{red}{R}_{\alpha} \equiv \frac{\phi_{t_{life}}}{\phi_{1\text{yr}}} \frac{t_{life}}{1\text{yr}}$ $\textcolor{blue}{T}_{\alpha} \equiv \frac{\phi_{t_{life}}}{\phi_{1\text{yr}}} \frac{t_{life}}{1\text{yr}}$ (with subscript α indicating payments at the beginning of each

804 device lifetime) gives

$$\dot{A}_{cap} = \textcolor{red}{R}_{\alpha} \dot{C}_{cap} . \tag{45}$$

805 Similar derivations can be employed for all other budget categories to obtain

$$\dot{A}_s = \dot{C}_s \quad (46)$$

$$\dot{A}_{OM} = \dot{C}_{OM} \quad (47)$$

$$\dot{A}_d = R_{\omega} \tau_{\omega} \dot{C}_d \quad (48)$$

$$\dot{A}_{\bar{o}g} = \dot{C}_{\bar{o}g} \quad (49)$$

$$\dot{A}_N = \dot{N} \quad (50)$$

$$\dot{A}_M = \dot{M} \quad (51)$$

where $R_{\omega} \equiv \frac{\gamma_{t_{life}} t_{life}}{\phi_{1 \text{ yr}} 1 \text{ yr}}$ $\tau_{\omega} \equiv \frac{\gamma_{t_{life}} t_{life}}{\phi_{1 \text{ yr}} 1 \text{ yr}}$ (with subscript ω indicating payments at the end of each device lifetime), and $\dot{C}_d \equiv C_d/t_{life}$, the annualized disposal cost without discounting.

The budget constraint expressed in annualized present-value equivalent terms is

$$\dot{A}_M = \dot{A}_{cap} + \dot{A}_s + \dot{A}_{OM} + \dot{A}_d + \dot{A}_{\bar{o}g} + \dot{A}_N. \quad (52)$$

Substituting cost rates gives

$$\dot{M} = R_{\omega} \tau_{\omega} \dot{C}_{cap} + \dot{C}_s + \dot{C}_{OM} + R_{\omega} \tau_{\omega} \dot{C}_d + \dot{C}_{\bar{o}g} + \dot{N}. \quad (53)$$

Substituting $\dot{C}_s = p_s \dot{q}_s$, $\dot{C}_o = p_o \dot{q}_o$, $\dot{C}_{OMd} \equiv \dot{C}_{OM} + R_{\omega} \dot{C}_d$, and the product of energy price (p_E) and the rate of energy consumption (given by the ratio of the rate of energy service consumption and efficiency, \dot{q}_s/η), the product of price (p_g) and the rate (\dot{q}_g) of other goods consumption, $\dot{C}_{OMd} \equiv \dot{C}_{OM} + \tau_{\omega} \dot{C}_d$, and after some rearranging gives the budget constraint used in this paper Eq. (5):

$$\dot{M} - \tau_{\alpha} \dot{C}_{cap} - \dot{C}_{OMd} = p_E \frac{\dot{q}_s}{\eta} + p_g \dot{q}_g + \dot{N}. \quad (54)$$

The term $R_{\alpha} \tau_{\alpha}$ represents the additional cost of annual interest payments when the device is purchased with a loan. When $r > 0$, $R_{\alpha} > 1$ $\tau_{\alpha} > 1$. When $r = 0$, $R_{\alpha} = 1$ $\tau_{\alpha} = 1$, as proved below (Section B.1.1). The term $R_{\omega} \tau_{\omega}$ represents the reduction of disposal costs if the device owner pays for disposal costs with money invested annually assuming real discount rate r . When $r > 0$, $0 < R_{\omega} < 1$ $0 < \tau_{\omega} < 1$. When $r = 0$, $R_{\omega} = 1$ $\tau_{\omega} = 1$, as proved below (Section B.1.2).

820 **B.1.1 Proof:** $R_\alpha = 1$ $\tau_\alpha = 1$ when $r = 0$

821 We expect that $R_\alpha = 1$ $\tau_\alpha = 1$ when $r = 0$. However, direct substitution of $r = 0$ into the expression
 822 for $R_\alpha \tau_\alpha$ gives $\frac{0}{0}$, so we rather assess $\lim_{r \rightarrow 0^+} R_\alpha \stackrel{?}{=} 1 \lim_{r \rightarrow 0^+} \tau_\alpha \stackrel{?}{=} 1$.

823 Substituting for $R_\alpha \tau_\alpha$ gives

$$\lim_{r \rightarrow 0^+} \left(\frac{\phi_{t_{life}}}{\phi_{1 \text{ yr}}} \frac{t_{life}}{1 \text{ yr}} \right) \stackrel{?}{=} 1 . \quad (55)$$

824 Substituting for ϕ terms gives

$$\lim_{r \rightarrow 0^+} \left[\frac{\frac{(1+r)^{t_{life}}}{(1+r)^{t_{life}-1}}}{\frac{(1+r)^{1 \text{ yr}}}{(1+r)^{1 \text{ yr}-1}}} \cdot \frac{t_{life}}{1 \text{ yr}} \right] \stackrel{?}{=} 1 . \quad (56)$$

825 Distributing double-fractions gives

$$\lim_{r \rightarrow 0^+} \left[\frac{(1+r)^{t_{life}}}{(1+r)^{1 \text{ yr}}} \cdot \frac{(1+r)^{1 \text{ yr}} - 1}{(1+r)^{t_{life}} - 1} \cdot \frac{t_{life}}{1 \text{ yr}} \right] \stackrel{?}{=} 1 . \quad (57)$$

826 Multiplying terms in numerator and demoninator gives

$$\lim_{r \rightarrow 0^+} \left\{ \frac{[(1+r)^{t_{life}}(1+r)^{1 \text{ yr}} - (1+r)^{t_{life}}] \frac{t_{life}}{1 \text{ yr}}}{(1+r)^{t_{life}}(1+r)^{1 \text{ yr}} - (1+r)^{1 \text{ yr}}} \right\} \stackrel{?}{=} 1 . \quad (58)$$

827 Applying L'Hôpital's rule gives

$$\lim_{r \rightarrow 0^+} \left(\frac{\frac{\partial}{\partial r} \left\{ [(1+r)^{t_{life}}(1+r)^{1 \text{ yr}} - (1+r)^{t_{life}}] \frac{t_{life}}{1 \text{ yr}} \right\}}{\frac{\partial}{\partial r} [(1+r)^{t_{life}}(1+r)^{1 \text{ yr}} - (1+r)^{1 \text{ yr}}]} \right) \stackrel{?}{=} 1 . \quad (59)$$

828 Applying the chain rule repeatedly gives

$$\lim_{r \rightarrow 0^+} \left(\frac{\frac{t_{life}}{1 \text{ yr}} \left\{ \frac{\partial}{\partial r} [(1+r)^{t_{life}}(1+r)^{1 \text{ yr}}] - \frac{\partial}{\partial r} [(1+r)^{t_{life}}] \right\}}{\frac{\partial}{\partial r} [(1+r)^{t_{life}}(1+r)^{1 \text{ yr}}] - \frac{\partial}{\partial r} [(1+r)^{1 \text{ yr}}]} \right) \stackrel{?}{=} 1 . \quad (60)$$

829 Several intermediate results are helpful.

$$\lim_{r \rightarrow 0^+} \left\{ \frac{\partial}{\partial r} [(1+r)^{t_{life}}] \right\} = t_{life} \quad (61)$$

$$\lim_{r \rightarrow 0^+} \left\{ \frac{\partial}{\partial r} [(1+r)^{1 \text{ yr}}] \right\} = 1 \text{ yr} \quad (62)$$

$$\lim_{r \rightarrow 0^+} \left\{ \frac{\partial}{\partial r} [(1+r)^{t_{life}} (1+r)^{1 \text{ yr}}] \right\} = t_{life} (1+r)^{1 \text{ yr}} + 1 \text{ yr} (1+r)^{t_{life}} \quad (63)$$

830 Substituting the intermediate results gives

$$\lim_{r \rightarrow 0^+} \left\{ \frac{\frac{t_{life}}{1 \text{ yr}} [(1+r)^{1 \text{ yr}} (t_{life}) + (1+r)^{t_{life}} (1 \text{ yr}) - t_{life}]}{(1+r)^{1 \text{ yr}} (t_{life}) + (1+r)^{t_{life}} (1 \text{ yr}) - 1 \text{ yr}} \right\} \stackrel{?}{=} 1. \quad (64)$$

831 Setting $r = 0$ in the remaining terms gives

$$\frac{\frac{t_{life}}{1 \text{ yr}} [(1)(t_{life}) + (1)(1 \text{ yr}) - t_{life}]}{(1)(t_{life}) + (1)(1 \text{ yr}) - 1 \text{ yr}} \stackrel{?}{=} 1. \quad (65)$$

832 Simplifying gives

$$\frac{\left(\frac{t_{life}}{1 \text{ yr}} \right) (1 \text{ yr})}{t_{life}} \stackrel{?}{=} 1 \quad (66)$$

$$1 \stackrel{\checkmark}{=} 1, \quad (67)$$

833 thereby completing the proof with the expected result.

834 **B.1.2 Proof:** ~~$R_\omega = 1$~~ ~~$\tau_\omega = 1$~~ when $r = 0$

835 We expect that ~~$R_\omega = 1$~~ ~~$\tau_\omega = 1$~~ when $r = 0$. However, direct substitution of $r = 0$ into the expression

836 for ~~R_ω~~ ~~τ_ω~~ gives $\frac{0}{0}$, so we rather assess ~~$\lim_{r \rightarrow 0^+} R_\omega = 1$~~ ~~$\lim_{r \rightarrow 0^+} \tau_\omega = 1$~~ .

837 Substituting for ~~R_ω~~ ~~τ_ω~~ gives

$$\lim_{r \rightarrow 0^+} \left(\frac{\gamma_{t_{life}} t_{life}}{\phi_{1 \text{ yr}} 1 \text{ yr}} \right) \stackrel{?}{=} 1. \quad (68)$$

838 Substituting for γ and ϕ terms gives

$$\lim_{r \rightarrow 0^+} \left[\frac{\frac{1}{(1+r)^{t_{life}} - 1} t_{life}}{\frac{(1+r)^{1 \text{ yr}}}{(1+r)^{1 \text{ yr}} - 1} 1 \text{ yr}} \right] \stackrel{?}{=} 1. \quad (69)$$

839 Distributing double-fractions gives

$$\lim_{r \rightarrow 0^+} \left[\frac{1}{(1+r)^{1 \text{ yr}}} \cdot \frac{(1+r)^{1 \text{ yr}} - 1}{(1+r)^{t_{life}} - 1} \cdot \frac{t_{life}}{1 \text{ yr}} \right] \stackrel{?}{=} 1. \quad (70)$$

840 Multiplying terms in numerator and demoninator gives

$$\lim_{r \rightarrow 0^+} \left\{ \frac{[(1+r)^{1 \text{ yr}} - 1] \left(\frac{t_{life}}{1 \text{ yr}} \right)}{(1+r)^{t_{life}} (1+r)^{1 \text{ yr}} - (1+r)^{1 \text{ yr}}} \right\} \stackrel{?}{=} 1 . \quad (71)$$

841 Applying L'Hôpital's rule gives

$$\lim_{r \rightarrow 0^+} \left\{ \frac{\frac{t_{life}}{1 \text{ yr}} \frac{\partial}{\partial r} [(1+r)^{1 \text{ yr}} - 1]}{\frac{\partial}{\partial r} [(1+r)^{t_{life}} (1+r)^{1 \text{ yr}}] - \frac{\partial}{\partial r} [(1+r)^{1 \text{ yr}}]} \right\} \stackrel{?}{=} 1 . \quad (72)$$

842 Applying the intermediate results from Section B.1.1 yields

$$\lim_{r \rightarrow 0^+} \left[\frac{\left(\frac{t_{life}}{1 \text{ yr}} \right) (1 \text{ yr})}{(1+r)^{1 \text{ yr}} (t_{life}) + (1+r)^{t_{life}} (1 \text{ yr}) - 1 \text{ yr}} \right] \stackrel{?}{=} 1 . \quad (73)$$

843 Setting $r = 0$ in the remaining terms gives

$$\frac{\left(\frac{t_{life}}{1 \text{ yr}} \right) (1 \text{ yr})}{(1)(t_{life}) + (1)1 \text{ yr} - 1 \text{ yr}} \stackrel{?}{=} 1 . \quad (74)$$

844 Simplifying the denominator gives

$$\frac{\left(\frac{t_{life}}{1 \text{ yr}} \right) (1 \text{ yr})}{t_{life}} \stackrel{?}{=} 1 \quad (75)$$

$$1 \stackrel{\checkmark}{=} 1 , \quad (76)$$

845 thereby completing the proof with the expected result.

846 B.2 Relationships for rebound effects

847 For each energy rebound effect in Fig. 1, energy and financial analysis must be performed. The
 848 purposes of the analyses are to determine for each effect (i) an expression for energy rebound (Re)
 849 for the effect and (ii) an equation for net savings (\dot{N}) remaining after the effect.

850 Analysis of each rebound effect involves a set of assumptions and constraints as shown in Table B.1.

851 In Table B.1, relationships for emplacement effect embodied energy rates (\dot{E}_{emb}° and \dot{E}_{emb}^*), capital
 852 expenditure rates (\dot{C}_{cap}° and \dot{C}_{cap}^*), and operations, maintenance, and disposal expenditure rates
 853 (\dot{C}_{OMd}° and \dot{C}_{OMd}^*) are typical, and inequalities could switch direction for a specific EEU. Macro effect
 854 relationships are given for a single device only. If the EEU is deployed at scale across the economy,

855 the energy service consumption rate (\tilde{q}_s), device energy consumption rate (\tilde{E}_s), embodied energy
856 rate (\tilde{E}_{emb}), capital expenditure rate (\tilde{C}_{cap}), and operations, maintenance, and disposal expenditure
857 rate (\tilde{C}_{OMd}) will all increase in proportion to the number of devices emplaced.

Table B.1: Assumptions and constraints for analysis of rebound effects.

Parameter	Emplacement Effect	Substitution Effect	Income Effect	Macro Effect
Energy price	$p_E^\circ = p_E^*$	$p_E^* = \hat{p}_E$	$\hat{p}_E = \bar{p}_E$	$\bar{p}_E = \tilde{p}_E$
Energy service efficiency	$\eta_\circ < \eta^*$	$\eta^* = \hat{\eta}$	$\hat{\eta} = \bar{\eta}$	$\bar{\eta} = \tilde{\eta}$
Energy service price	$p_s^\circ > p_s^*$	$p_s^* = \hat{p}_s$	$\hat{p}_s = \bar{p}_s$	$\bar{p}_s = \tilde{p}_s$
Other goods price	$p_o^\circ = p_o^*$ $p_g = \hat{p}_g$	$p_o^* = \hat{p}_o$ $p_g = \hat{p}_g$	$\hat{p}_o = \bar{p}_o$ $p_g = \hat{p}_g$	$\bar{p}_o = \tilde{p}_o$ $p_g = \hat{p}_g$
Energy service consumption rate	$\dot{q}_s^\circ = \dot{q}_s^*$	$\dot{q}_s^* < \dot{q}_s$	$\dot{q}_s < \bar{\dot{q}}_s$	$\bar{\dot{q}}_s = \tilde{\dot{q}}_s$
Other goods consumption rate	$\dot{q}_o^\circ = \dot{q}_o^*$ $\dot{q}_g = \hat{\dot{q}}_g$	$\dot{q}_o^* > \dot{q}_o$ $\dot{q}_g = \hat{\dot{q}}_g$	$\hat{\dot{q}}_o < \bar{\dot{q}}_o$ $\dot{q}_g = \hat{\dot{q}}_g$	$\bar{\dot{q}}_o = \tilde{\dot{q}}_o$ $\dot{q}_g = \hat{\dot{q}}_g$
Device energy consumption rate	$\dot{E}_s^\circ > \dot{E}_s^*$	$\dot{E}_s^* < \dot{E}_s$	$\dot{E}_s < \bar{\dot{E}}_s$	$\bar{\dot{E}}_s = \tilde{\dot{E}}_s$
Embodied energy rate	$\dot{E}_{emb}^\circ < \dot{E}_{emb}^*$	$\dot{E}_{emb}^* = \dot{E}_{emb}$	$\dot{E}_{emb} = \bar{\dot{E}}_{emb}$	$\bar{\dot{E}}_{emb} = \tilde{\dot{E}}_{emb}$
Device lifetime	$t_{life}^\circ < t_{life}^*$	$t_{life}^* = \hat{t}_{life}$	$\hat{t}_{life} = \bar{t}_{life}$	$\bar{t}_{life} = \tilde{t}_{life}$
Beginning-of-life discount factor	$R_\alpha^\circ < R_\alpha^*$ $\tau_\alpha = \hat{\tau}_\alpha$	$R_\alpha^* = \hat{R}_\alpha$ $\tau_\alpha = \hat{\tau}_\alpha$	$\hat{R}_\alpha = \bar{R}_\alpha$ $\tau_\alpha = \bar{\tau}_\alpha$	$\bar{R}_\alpha = \tilde{R}_\alpha$ $\tau_\alpha = \tilde{\tau}_\alpha$
End-of-life discount factor	$R_\omega^\circ > R_\omega^*$ $\tau_\omega = \hat{\tau}_\omega$	$R_\omega^* = \hat{R}_\omega$ $\tau_\omega = \hat{\tau}_\omega$	$\hat{R}_\omega = \bar{R}_\omega$ $\tau_\omega = \bar{\tau}_\omega$	$\bar{R}_\omega = \tilde{R}_\omega$ $\tau_\omega = \tilde{\tau}_\omega$
Capital expenditure rate	$\dot{C}_{cap}^\circ < \dot{C}_{cap}^*$	$\dot{C}_{cap}^* = \dot{C}_{cap}$	$\dot{C}_{cap} = \bar{\dot{C}}_{cap}$	$\bar{\dot{C}}_{cap} = \tilde{\dot{C}}_{cap}$
Ops., maint., and disp. expenditure rate	$\dot{C}_{OMd}^\circ < \dot{C}_{OMd}^*$	$\dot{C}_{OMd}^* = \dot{C}_{OMd}$	$\dot{C}_{OMd} = \bar{\dot{C}}_{OMd}$	$\bar{\dot{C}}_{OMd} = \tilde{\dot{C}}_{OMd}$
Energy service expenditure rate	$\dot{C}_s^\circ > \dot{C}_s^*$	$\dot{C}_s^* < \dot{C}_s$	$\dot{C}_s < \bar{\dot{C}}_s$	$\bar{\dot{C}}_s = \tilde{\dot{C}}_s$
Other goods expenditure rate	$\dot{C}_o^\circ = \dot{C}_o^*$ $\dot{C}_g = \hat{\dot{C}}_g$	$\dot{C}_o^* > \dot{C}_o$ $\dot{C}_g = \hat{\dot{C}}_g$	$\hat{\dot{C}}_o < \bar{\dot{C}}_o$ $\dot{C}_g = \hat{\dot{C}}_g$	$\bar{\dot{C}}_o = \tilde{\dot{C}}_o$ $\dot{C}_g = \hat{\dot{C}}_g$
Income	$\dot{M}^\circ = \dot{M}^*$ $\dot{M} = \hat{\dot{M}}$	$\dot{M}^* = \hat{\dot{M}}$ $\dot{M} = \hat{\dot{M}}$	$\hat{\dot{M}} = \bar{\dot{M}}$ $\dot{M} = \hat{\dot{M}}$	$\bar{\dot{M}} = \tilde{\dot{M}}$ $\dot{M} = \hat{\dot{M}}$
Net savings	$0 = \dot{N}^\circ < \dot{N}^*$	$\dot{N}^* < \dot{N}$	$\dot{N} > \bar{\dot{N}} = 0$	$\bar{\dot{N}} = \tilde{\dot{N}} = 0$

Table B.2: Justification for zeroed terms in Tables B.3–B.6.

Zeroed term	Justification (from Table B.1).
$\cancel{\Delta \dot{C}_o^*}^0 \quad \cancel{\Delta \dot{C}_g^*}^0$	$\dot{C}_o^* = \dot{C}_o^* (\dot{C}_o^* \dot{C}_g^* = \dot{C}_g^* (\dot{C}_g^* \text{ unchanged across emplacement effect.})$
\dot{N}^0	$0 = \dot{N}^0$ (Net savings are zero prior to the EEU.)
$\cancel{\Delta \hat{E}_{emb}}^0$	$\dot{E}_{emb}^* = \hat{E}_{emb}$ (\dot{E}_{emb} unchanged across substitution effect.)
$\cancel{\Delta \dot{C}_{OMd}}^0$	$\dot{C}_{OMd}^* = \hat{C}_{OMd}$ (\dot{C}_{OMd} unchanged across substitution effect.)
$\cancel{\Delta \bar{E}_{emb}}^0$	$\hat{E}_{emb} = \bar{E}_{emb}$ (\dot{E}_{emb} unchanged across income effect.)
$\cancel{\Delta \bar{C}_{OMd}}^0$	$\hat{C}_{OMd} = \bar{C}_{OMd}$ (\dot{C}_{OMd} unchanged across income effect.)
$\cancel{\bar{N}}^0$	$\bar{N} = 0$ (All net savings are spent in the income effect.)

B.3 Derivations

Derivations for rebound definitions and net savings equations are presented in Tables B.3–B.6, one for each rebound effect in Fig. 1. Energy and financial analyses are shown side by side, because each informs the other.

Several terms in Tables B.3–B.6 are zeroed, e.g. $\cancel{\Delta \dot{C}_o^*}^0 \quad \cancel{\Delta \dot{C}_g^*}^0$. These zeroes can be traced back to Table B.1. Table B.2 highlights the equations in Table B.1 that justify zeroing each term.

Table B.3. **Emplacement Effect***Energy analysis**Financial analysis*

$$\text{before } (\circ) \quad \dot{E}^\circ = \dot{E}_s^\circ + \dot{E}_{emb}^\circ + (\dot{C}_{OMd}^\circ + \dot{C}_g^\circ) I_E \quad (77)$$

$$\dot{M} = p_E \dot{E}_s^\circ + \tau_\alpha \dot{C}_{cap}^\circ + \dot{C}_{OMd}^\circ + \dot{C}_g^\circ + \dot{N}^\circ \quad (78)$$

$$\text{after } (*) \quad \dot{E}^* = \dot{E}_s^* + \dot{E}_{emb}^* + (\dot{C}_{OMd}^* + \dot{C}_g^*) I_E \quad (79)$$

$$\dot{M} = p_E \dot{E}_s^* + \tau_\alpha \dot{C}_{cap}^* + \dot{C}_{OMd}^* + \dot{C}_g^* + \dot{N}^* \quad (80)$$

Note: $\dot{C}_{OMd} \equiv \dot{C}_{OM} + R_\omega \dot{C}_d$.

Take differences to obtain the change in energy consumption,
 $\Delta \dot{E}^* \equiv \dot{E}^* - \dot{E}^\circ$.

Use the monetary constraint ($\dot{M}^\circ = \dot{M}^* \dot{M}$) and constant spending on
 other items ($\dot{C}_g^\circ = \dot{C}_g^* \dot{C}_g$) to cancel terms to obtain

$$\Delta \dot{E}^* = \Delta \dot{E}_s^* + \Delta \dot{E}_{emb}^* + (\Delta \dot{C}_{OMd}^* + \cancel{\Delta \dot{C}_g^*}^0) I_E \quad (81)$$

$$\begin{aligned} p_E \dot{E}_s^\circ + \tau_\alpha \dot{C}_{cap}^\circ + \dot{C}_{OMd}^\circ + \cancel{\dot{C}_g^\circ}^0 + \dot{N}^\circ \\ = p_E \dot{E}_s^* + \tau_\alpha \dot{C}_{cap}^* + \dot{C}_{OMd}^* + \cancel{\dot{C}_g^*}^0 + \dot{N}^* . \end{aligned} \quad (86)$$

Thus,

$$\Delta \dot{E}^* = \Delta \dot{E}_s^* + \Delta \dot{E}_{emb}^* + \Delta \dot{C}_{OMd}^* I_E . \quad (82)$$

Solving for $\Delta \dot{N}^* \equiv \dot{N}^* - \dot{N}^\circ$ gives

Define

$$\dot{S}_{dev} \equiv -\Delta \dot{E}_s^* \quad (83)$$

$$\Delta \dot{N}^* = p_E (\dot{E}_s^\circ - \dot{E}_s^*) + \tau_\alpha \dot{C}_{cap}^\circ - \tau_\alpha \dot{C}_{cap}^* + \dot{C}_{OMd}^\circ - \dot{C}_{OMd}^* . \quad (87)$$

(Also see Eqs. (114) and (12)). Use Eq. (1) to obtain

Rewriting with Δ terms gives

$$Re_{empl} = 1 - \frac{-\Delta \dot{E}_s^*}{\dot{S}_{dev}} = 1 - \frac{-\Delta \dot{E}_s^*}{\dot{S}_{dev}} - \frac{-\Delta \dot{E}_{emb}^*}{\dot{S}_{dev}} - \frac{-\Delta \dot{C}_{OMd}^* I_E}{\dot{S}_{dev}} . \quad (84)$$

$$\Delta \dot{N}^* = -p_E \Delta \dot{E}_s^* - \Delta (R_\alpha \dot{C}_{cap})^* - \Delta \dot{C}_{OMd}^* . \quad (88)$$

Define $Re_{dempl} \equiv 1 - \frac{-\Delta \dot{E}_s^*}{\dot{S}_{dev}} (= 0)$, $Re_{iempl} \equiv Re_{emb} + Re_{OMd}$, $Re_{emb} \equiv \frac{\Delta \dot{E}_{emb}^*}{\dot{S}_{dev}}$, $Re_{OMd} \equiv \frac{\Delta \dot{C}_{OMd}^* I_E}{\dot{S}_{dev}}$, $Re_{OMd} = Re_{OM} + Re_d$, $Re_{OM} \equiv \frac{\Delta \dot{C}_{OM}^* I_E}{\dot{S}_{dev}}$,
 and $Re_d \equiv \frac{\Delta (R_\omega \dot{C}_d)^* I_E}{\dot{S}_{dev}}$ such that

Substituting Eq. (83) gives

$$\Delta \dot{N}^* = \dot{N}^* = p_E \dot{S}_{dev} - \Delta (R_\alpha \dot{C}_{cap})^* - \Delta \dot{C}_{OMd}^* . \quad (89)$$

Freed cash (\dot{G}) resulting from the EEU, before any energy takeback, is
 given by

$$\dot{G} = p_E \dot{S}_{dev} . \quad (90)$$

Note that Eq. (78) and $\dot{N}^\circ = 0$ can be used to calculate \dot{C}_{og}° as

$$\dot{C}_{og}^\circ = \dot{M} - p_E \dot{E}_s^\circ - \tau_\alpha \dot{C}_{cap}^\circ - \dot{C}_{OMd}^\circ . \quad (91)$$

Table B.4. Substitution Effect

Energy analysis

Financial analysis

$$\text{before } (*) \quad \dot{E}^* = \dot{E}_s^* + \dot{E}_{emb}^* + (\dot{C}_{OMd}^* + \dot{C}_g^*) I_E \quad (79)$$

$$\dot{M} = p_E \dot{E}_s^* + \tau_\alpha^* \dot{C}_{cap}^* + \dot{C}_{OMd}^* + \dot{C}_g^* + \dot{N}^* \quad (80)$$

$$\text{after } (\wedge) \quad \hat{E} = \hat{E}_s + \hat{E}_{emb} + (\hat{C}_{OMd} + \hat{C}_g) I_E \quad (92)$$

$$\dot{M} = p_E \hat{E}_s + \hat{\tau}_\alpha \hat{C}_{cap} + \hat{C}_{OMd} + \hat{C}_g + \hat{N} \quad (93)$$

Take differences to obtain the change in energy consumption,
 $\Delta \hat{E} \equiv \hat{E} - \dot{E}^*$.

Use the monetary constraint ($\dot{M}^* = \dot{M}$) to obtain

$$\Delta \hat{E} = \Delta \hat{E}_s + \overset{0}{\cancel{\Delta \hat{E}_{emb}}} + (\overset{0}{\cancel{\Delta \hat{C}_{OMd}}} + \Delta \hat{C}_{\overline{og}}) I_E \quad (94)$$

$$\begin{aligned} p_E \dot{E}_s^* + \cancel{\tau_\alpha^* \dot{C}_{cap}^*} + \cancel{\dot{C}_{OMd}^*} + \dot{C}_{\overline{og}}^* + \dot{N}^* \\ = p_E \hat{E}_s + \cancel{\hat{\tau}_\alpha \hat{C}_{cap}} + \cancel{\hat{C}_{OMd}} + \hat{C}_{\overline{og}} + \hat{N} . \end{aligned} \quad (98)$$

Thus,

$$\Delta \hat{E} = \Delta \hat{E}_s + \Delta \hat{C}_{\overline{og}} I_E . \quad (95)$$

For the substitution effect, there is no change in capital or operations, maintenance, and disposal costs ($\cancel{R_\alpha^* \dot{C}_{cap}^*} = \cancel{\hat{R}_\alpha \hat{C}_{cap}} \cancel{\tau_\alpha^* \dot{C}_{cap}^*} = \cancel{\hat{\tau}_\alpha \hat{C}_{cap}}$ and $\dot{C}_{OMd}^* = \hat{C}_{OMd}$). Solving for $\Delta \hat{N} \equiv \hat{N} - \dot{N}^*$ gives

$$\Delta \hat{N} = -p_E \Delta \hat{E}_s - \Delta \hat{C}_{\overline{og}} . \quad (99)$$

All terms are energy takeback rates. Divide by \dot{S}_{dev} to create rebound terms.

$$\frac{\Delta \hat{E}}{\dot{S}_{dev}} = \frac{\Delta \hat{E}_s}{\dot{S}_{dev}} + \frac{\Delta \hat{C}_{\overline{og}} I_E}{\dot{S}_{dev}} \frac{\Delta \hat{C}_g I_E}{\dot{S}_{dev}} \quad (96)$$

The substitution effect adjusts net savings relative to \dot{N}^* by $\Delta \hat{N}$. Thus, and $\hat{N} = \dot{N}^* + \Delta \hat{N}$. Substituting Eqs. (89), (90), and (99) yields

$$\text{Define } Re_{sub} \equiv \frac{\Delta \hat{E}}{\dot{S}_{dev}}, \quad Re_{dsub} \equiv \frac{\Delta \hat{E}_s}{\dot{S}_{dev}},$$

$$\cancel{Re_{sub}} \equiv \frac{\Delta \hat{C}_{\overline{og}} I_E}{\dot{S}_{dev}} \cancel{Re_{sub}} \equiv \frac{\Delta \hat{C}_g I_E}{\dot{S}_{dev}}, \text{ such that}$$

$$Re_{sub} = Re_{dsub} + Re_{isub} . \quad (97)$$

The difference $\dot{N}^* - \hat{N}$ is the compensating variation from microeconomic analysis that allows the consumer to reach the pre-price change utility after a price change. It is negative as the energy service prices declines.

$$\hat{N} = \dot{G} - \Delta(\cancel{R_\alpha \dot{C}_{cap}})^* (\cancel{\tau_\alpha \dot{C}_{cap}})^* - \Delta \dot{C}_{OMd} - p_E \Delta \hat{E}_s - \Delta \hat{C}_{\overline{og}} . \quad (100)$$

Table B.5. **Income Effect***Energy analysis**Financial analysis*

$$\text{before } (\wedge) \quad \hat{E} = \hat{E}_s + \hat{E}_{emb} + (\hat{C}_{OMd} + \hat{C}_g)I_E \quad (92)$$

$$\dot{M} = p_E \hat{E}_s + \hat{\tau}_\alpha \hat{C}_{cap} + \hat{C}_{OMd} + \hat{C}_g + \hat{N} \quad (93)$$

$$\text{after } (-) \quad \bar{E} = \bar{E}_s + \bar{E}_{emb} + (\bar{C}_{OMd} + \bar{C}_g)I_E \quad (101)$$

$$\dot{M} = p_E \bar{E}_s + \bar{\tau}_\alpha \bar{C}_{cap} + \bar{C}_{OMd} + \bar{C}_g + \bar{N} \quad (102)$$

Take differences to obtain the change in energy consumption,
 $\Delta \bar{E} \equiv \bar{E} - \hat{E}$.

Use the monetary constraint ($\dot{M} = \bar{M} - \hat{M}$) to obtain

$$\Delta \bar{E} = \Delta \bar{E}_s + \overset{0}{\Delta \bar{E}_{emb}} + (\overset{0}{\Delta \bar{C}_{OMd}} + \Delta \bar{C}_{\bar{o}g})I_E \quad (103)$$

$$\begin{aligned} & p_E \hat{E}_s + \cancel{\hat{\tau}_\alpha \hat{C}_{cap}} + \cancel{\hat{C}_{OMd}} + \hat{C}_{\bar{o}g} + \hat{N} \\ &= p_E \bar{E}_s + \cancel{\bar{\tau}_\alpha \bar{C}_{cap}} + \cancel{\bar{C}_{OMd}} + \bar{C}_{\bar{o}g} + \overset{0}{\bar{N}}. \end{aligned} \quad (107)$$

Thus,

$$\Delta \bar{E} = \Delta \bar{E}_s + \Delta \bar{C}_{\bar{o}g} I_E \quad (104)$$

All terms are energy takeback rates. Divide by \dot{S}_{dev} to create rebound terms.

$$\frac{\Delta \bar{E}}{\dot{S}_{dev}} = \frac{\Delta \bar{E}_s}{\dot{S}_{dev}} + \frac{\Delta \bar{C}_{\bar{o}g} I_E}{\dot{S}_{dev}} \frac{\Delta \bar{C}_g I_E}{\dot{S}_{dev}} \quad (105)$$

For the income effect, there is no change in capital or maintainance, opoerations, and disposal costs ($\hat{R}_\alpha \hat{C}_{cap} = \bar{R}_\alpha \bar{C}_{cap}$, $\hat{\tau}_\alpha \hat{C}_{cap} = \bar{\tau}_\alpha \bar{C}_{cap}$, and $\hat{C}_{OMd} = \bar{C}_{OMd}$). Notably, $\bar{N} = 0$, because it is assumed that all net monetary savings after the substitution effect (\hat{N}) are spent on more energy service ($\hat{E}_s < \bar{E}_s$) and additional purchases in the economy ($\hat{C}_{\bar{o}} < \bar{C}_{\bar{o}}$, $\hat{C}_g < \bar{C}_g$). Solving for \hat{N} gives

Define $Re_{inc} \equiv \frac{\Delta \bar{E}}{\dot{S}_{dev}}$, $Re_{dinc} \equiv \frac{\Delta \bar{E}_s}{\dot{S}_{dev}}$, and $Re_{iinc} = \frac{\Delta \bar{C}_{\bar{o}g} I_E}{\dot{S}_{dev}}$, $Re_{iinc} = \frac{\Delta \bar{C}_g I_E}{\dot{S}_{dev}}$, such that

$$\hat{N} = p_E \Delta \bar{E}_s + \Delta \bar{C}_{\bar{o}g}, \quad (108)$$

$$Re_{inc} = Re_{dinc} + Re_{iinc}.$$

(106) the budget constraint for the income effect. By construction, Eq. (108) ensures spending of net savings (\hat{N}) on (i) additional energy services ($\Delta \bar{E}_s$) and (ii) additional purchases of other goods in the economy ($\Delta \bar{C}_{\bar{o}}$, $\Delta \bar{C}_g$) only.

888
889
890
891
892
893
894
895

50

Table B.6. **Macro Effect**

Energy analysis

Financial analysis

before (−)	$\bar{\dot{E}}$	(109)
after (∼)	$\tilde{\dot{E}}$	(110)

Take differences to obtain the change in energy consumption, N/A

$$\Delta\tilde{\dot{E}} \equiv \tilde{\dot{E}} - \bar{\dot{E}} . \quad (111)$$

The energy change due to the macro effect ($\Delta\tilde{\dot{E}}$) is a scalar multiple (k) of net savings (\dot{N}^*), assumed to be spent at the energy intensity of the economy (I_E).

$$\Delta\tilde{\dot{E}} = k\dot{N}^* I_E \quad (112)$$

All terms are energy takeback rates. Divide by \dot{S}_{dev} to create rebound terms.

$$\frac{\Delta\tilde{\dot{E}}}{\dot{S}_{dev}} = \frac{k\dot{N}^* I_E}{\dot{S}_{dev}} \quad (113)$$

Define $Re_{macro} \equiv \frac{\Delta\tilde{\dot{E}}}{\dot{S}_{dev}}$, such that

$$Re_{macro} = \frac{k\dot{N}^* I_E}{\dot{S}_{dev}} . \quad (33)$$

B.4 Rebound expressions

All that remains is to determine expressions for each rebound effect. We begin with the device-level expected energy savings rate (\dot{S}_{dev}), which appears in the denominator of all rebound expressions.

B.4.1 Expected energy savings (\dot{S}_{dev})

\dot{S}_{dev} is the reduction of energy consumption rate by the device due to the EEU. No other effects are considered.

$$\dot{S}_{dev} \equiv \dot{E}_s^\circ - \dot{E}_s^* \quad (114)$$

The final energy consumption rates (\dot{E}_s° and \dot{E}_s^*) can be written as Eq. (6) in the forms $\dot{E}_s^\circ = \dot{q}_s^\circ / \eta^\circ$ and $\dot{E}_s^* = \dot{q}_s^* / \eta^*$.

$$\dot{S}_{dev} = \frac{\dot{q}_s^\circ}{\eta^\circ} - \frac{\dot{q}_s^*}{\eta^*} \quad (115)$$

With reference to Table B.1, we use $\dot{q}_s^* = \dot{q}_s^\circ$ and $\eta^* = \tilde{\eta}$ to obtain

$$\dot{S}_{dev} = \frac{\dot{q}_s^\circ}{\eta^\circ} - \frac{\dot{q}_s^\circ}{\tilde{\eta}} \frac{\eta^\circ}{\eta^*}. \quad (116)$$

When the EEU increases efficiency such that $\eta^\circ < \tilde{\eta} < \eta^*$, expected energy savings grows ($\dot{S}_{dev} > 0$) as the rate of final energy consumption declines, as expected. As $\tilde{\eta} \rightarrow \eta^*$, all final energy consumption is eliminated ($\dot{E}_s^* \rightarrow 0$), and $\dot{S}_{dev} = \dot{q}_s^\circ / \eta^\circ = \dot{E}_s^\circ$. (Of course, $\tilde{\eta} \rightarrow \eta^*$ is impossible. See Paoli & Cullen (2020) for a recent discussion of upper limits to device efficiencies.)

After rearrangement and using $\dot{E}_s^\circ = \dot{q}_s^\circ / \eta^\circ$, we obtain a convenient form

$$\dot{S}_{dev} = \left(\frac{\eta^*}{\eta^\circ} - 1 \right) \frac{\eta^\circ}{\eta^*} \dot{E}_s^\circ. \quad (12)$$

B.4.2 Emplacement effect

The emplacement effect accounts for performance of the EEU only. No behavior changes occur. The direct emplacement effect of the EEU is device energy savings and energy cost savings. The indirect emplacement effects of the EEU produce changes in the embodied energy rate and the

914 maintenance and disposal expenditure rates. By definition, the direct emplacement effect has no
 915 rebound. However, indirect emplacement effects may cause energy rebound. Both direct and indirect
 916 emplacement effects are discussed below.

917 **Direct emplacement effect rebound expression (Re_{dempl})** As shown in Table B.3, the direct
 918 rebound from the emplacement effect is $Re_{dempl} \equiv 0$. This result is expected, because in the absence
 919 of embodied energy, maintenance and disposal cost, or behavioral changes, there is no takeback of
 920 energy savings at the upgraded device.

921 **Indirect emplacement effect rebound expression (Re_{iempl})** Indirect emplacement rebound
 922 effects can occur at any point in the life cycle of an energy conversion device, from manufacturing
 923 and distribution to the use phase (maintenance), and finally to disposal. For simplicity, we group
 924 maintenance with disposal to form two distinct indirect emplacement rebound effects: (i) an embodied
 925 energy effect (Re_{emb}) and (ii) a maintenance and disposal effect (Re_{md}).

926 **Embodied energy effect rebound expression (Re_{emb})** The first component of indirect em-
 927 placement effect rebound involves embodied energy. We define embodied energy consistent with the
 928 energy analysis literature to be the sum of all final energy consumed in the production of the energy
 929 conversion device. The EEU causes the embodied final energy of the device to change from \dot{E}_{emb}° to
 930 \dot{E}_{emb}^{*} .

931 Energy is embodied in the device within manufacturing and distribution supply chains prior to
 932 consumer acquisition of the device. For simplicity, we spread all embodied energy over the lifetime
 933 of the device, an equal amount assigned to each period.

934 Thus, we allocate embodied energy over the life of the original and upgraded devices (t_{life}° and t_{life}^{*} ,
 935 respectively) without discounting to obtain embodied energy rates, such that $\dot{E}_{emb}^{\circ} = E_{emb}^{\circ}/t_{life}^{\circ}$ and
 936 $\dot{E}_{emb}^{*} = E_{emb}^{*}/t_{life}^{*}$. The change in embodied final energy due to the EEU (expressed as a rate) is given
 937 by $\dot{E}_{emb}^{*} - \dot{E}_{emb}^{\circ}$. After substitution and algebraic rearrangement, the change in embodied energy
 938 rate due to the EEU can be expressed as $[(E_{emb}^{*}/E_{emb}^{\circ})(t_{life}^{\circ}/t_{life}^{*}) - 1]\dot{E}_{emb}^{\circ}$, a term that represents
 939 energy savings taken back due to embodied energy effects. Thus, Eq. (3) can be employed to write

embodied energy rebound as

$$Re_{emb} = \frac{\left(\frac{E_{emb}^*}{E_{emb}^\circ} \frac{t_{life}^\circ}{t_{life}^*} - 1 \right) \dot{E}_{emb}^\circ}{\dot{S}_{dev}}. \quad (14)$$

Embodied energy rebound can be either positive or negative, depending on the sign of the term $(E_{emb}^*/E_{emb}^\circ)(t_{life}^\circ/t_{life}^*) - 1$. Rising energy efficiency can be associated with increased device complexity and more embodied energy, such that $E_{emb}^* > E_{emb}^\circ$ and $Re_{emb} > 0$. However, if the upgraded device has longer life than the original device ($t_{life}^* > t_{life}^\circ$), $\dot{E}_{emb}^* - \dot{E}_{emb}^\circ$ can be negative, meaning that the upgraded device has a lower embodied energy rate than the original device.

Operations, maintenance, and disposal effect rebound expression (Re_{OMd}) In addition to embodied energy effects, indirect emplacement rebound can be associated with energy demanded by operations, maintenance, and disposal expenditures. We apply discounting to end-of-life disposal expenditures to form expenditure rates such that $\dot{C}_{OMd}^\circ = \dot{C}_{OM}^\circ + R_\omega \dot{C}_d^\circ$ and $\dot{C}_{OMd}^* = \dot{C}_{OM}^* + R_\omega \dot{C}_d^*$, with $\dot{C}_d \equiv C_d/t_{life}$. (For details, see Appendix B.1.)

We assume, for simplicity, that operations, maintenance, and disposal expenditures indicate energy consumption elsewhere in the economy at its energy intensity (I_E). Therefore, the change in energy consumption rate caused by a change in operations, maintenance, and disposal expenditures is given by $\Delta \dot{C}_{OMd}^* I_E$. This term is an energy takeback rate, so maintenance and disposal rebound is given by

$$Re_{OMd} = \frac{\Delta \dot{C}_{OMd}^* I_E}{\dot{S}_{dev}}, \quad (117)$$

as shown in Table B.3. Slight rearrangement gives

$$Re_{OMd} = \frac{\left(\frac{\dot{C}_{OMd}^*}{\dot{C}_{OMd}^\circ} - 1 \right) \dot{C}_{OMd}^\circ I_E}{\dot{S}_{dev}}. \quad (15)$$

Rebound from operations, maintenance, and disposal can be positive or negative, depending on the sign of the term $\dot{C}_{OMd}^*/\dot{C}_{OMd}^\circ - 1$.

B.4.3 Substitution effect

This section derives expressions for substitution effect rebound. Two terms comprise substitution effect rebound, direct substitution rebound (Re_{dsub}) and indirect substitution rebound (Re_{isub}). Assuming that conditions after the emplacement effect (*) are known, both the rate of energy service consumption (\hat{q}_s) and the rate of other goods consumption ($\hat{\dot{C}}_o \hat{\dot{C}}_g$) must be determined as a result of the substitution effect (the \wedge point).

The EEU's energy efficiency increase ($\eta^\circ < \tilde{\eta}$) causes the price of the energy service provided by the device to fall ($p_s^\circ > \tilde{p}_s$). The substitution effect quantifies the amount by which the device user, in response, increases the consumption rate of the energy service ($\dot{q}_s^* < \hat{q}_s$) and decreases the consumption rate of other goods ($\dot{q}_o^* > \hat{\dot{C}}_o \hat{\dot{C}}_g$).

The increase in consumption of the energy service substitutes for consumption of other goods in the economy, subject to a utility constraint. The reduction in spending on other goods in the economy is captured by indirect substitution rebound (Re_{isub}).

We begin by deriving an expression for direct and indirect substitution effect rebound (Re_{dsub} and Re_{isub} , respectively). Thereafter, we develop a constant price elasticity (CPE) utility model and a constant elasticity of substitution (CES) utility model for determining the post-substitution point (\hat{q}_s and $\hat{\dot{C}}_o \hat{\dot{C}}_g$).

Direct substitution effect rebound expression Direct substitution effect rebound (Re_{dsub}) is given by

$$Re_{dsub} = \frac{\Delta \hat{E}_s}{\dot{S}_{dev}} = \frac{\hat{E}_s - \dot{E}_s^*}{\dot{S}_{dev}}. \quad (17)$$

Substituting the typical relationship of Eq. (6) in the form $\dot{E}_s = \dot{q}_s / \eta$ gives

$$Re_{dsub} = \frac{\frac{\dot{q}_s}{\tilde{\eta}} - \frac{\dot{q}_s^*}{\tilde{\eta}}}{\dot{S}_{dev}} \frac{\frac{\hat{q}_s}{\tilde{\eta}} - \frac{\dot{q}_s^*}{\eta^*}}{\dot{S}_{dev}}. \quad (118)$$

~~Rearranging~~ Realizing that $\eta^* = \hat{\eta}$ and rearranging produces

$$Re_{dsub} = \frac{\left(\frac{\hat{q}_s}{\hat{q}_s^\circ} - \frac{\dot{q}_s^*}{\dot{q}_s^\circ} \right) \frac{\dot{q}_s^\circ}{\hat{\eta}}}{\dot{S}_{dev}} \frac{\left(\frac{\hat{q}_s}{\dot{q}_s^\circ} - \frac{\dot{q}_s^*}{\dot{q}_s^\circ} \right) \frac{\dot{q}_s^\circ}{\eta^*}}{\dot{S}_{dev}}. \quad (119)$$

980 Recognizing that the rate of energy service consumption (\dot{q}_s) is unchanged across the emplace-
 981 ment leads to $\dot{q}_s^*/\dot{q}_s^\circ = 1$. Furthermore, $\cancel{\dot{q}_s^\circ/\tilde{\eta}} = (\dot{q}_s^\circ/\eta^\circ)(\eta^\circ/\tilde{\eta}) = \cancel{\dot{E}_s^\circ(\eta^\circ/\tilde{\eta})} \dot{q}_s^\circ/\eta^* = \underbrace{(\dot{q}_s^\circ/\eta^\circ)(\eta^\circ/\eta^*)}_{\dot{E}_s^\circ(\eta^\circ/\eta^*)}$,
 982 such that

$$Re_{dsub} = \left(\frac{\hat{q}_s}{\dot{q}_s^\circ} - 1 \right) \frac{\cancel{\dot{E}_s^\circ} \frac{\eta^\circ}{\tilde{\eta}}}{\cancel{\dot{S}_{dev}}} \frac{\dot{E}_s^\circ \frac{\eta^\circ}{\eta^*}}{\underbrace{\dot{S}_{dev}}}. \quad (120)$$

983 Substituting Eq. (12) for \dot{S}_{dev} and rearranging gives

$$Re_{dsub} = \frac{\frac{\hat{q}_s}{\dot{q}_s^\circ} - 1}{\frac{\eta^\circ}{\tilde{\eta}} - 1} \frac{\frac{\hat{q}_s}{\dot{q}_s^\circ} - 1}{\underbrace{\frac{\eta^*}{\eta^\circ} - 1}} \left(\frac{\cancel{\dot{E}_s^\circ} \frac{\eta^\circ}{\tilde{\eta}}}{\cancel{\frac{\eta^\circ}{\tilde{\eta}} \cancel{\dot{E}_s^\circ}}} \frac{\cancel{\dot{E}_s^\circ} \frac{\eta^\circ}{\eta^*}}{\underbrace{\frac{\eta^\circ}{\eta^*} \cancel{\dot{E}_s^\circ}}_{\dot{E}_s^\circ}} \right). \quad (121)$$

984 Canceling terms yields

$$Re_{dsub} = \frac{\frac{\hat{q}_s}{\dot{q}_s^\circ} - 1}{\frac{\eta^\circ}{\tilde{\eta}} - 1} \frac{\frac{\hat{q}_s}{\dot{q}_s^\circ} - 1}{\underbrace{\frac{\eta^*}{\eta^\circ} - 1}}. \quad (18)$$

985 Eq. (18) is the basis for developing expressions for Re_{dsub} under both the CPE and the CES utility
 986 models.

987 **Indirect substitution effect rebound expression** Indirect substitution effect rebound (Re_{isub})
 988 is given by

$$Re_{isub} = \frac{\frac{\Delta \hat{C}_o I_E}{\dot{S}_{dev}} \frac{\Delta \hat{C}_g I_E}{\dot{S}_{dev}}}{\underbrace{\dot{S}_{dev}}} = \frac{(\hat{C}_o - \hat{C}_o^*) I_E}{\dot{S}_{dev}} \frac{(\hat{C}_g - \hat{C}_g^*) I_E}{\underbrace{\dot{S}_{dev}}}. \quad (19)$$

989 Rearranging gives

$$Re_{isub} = \frac{\left(\frac{\hat{C}_o}{\hat{C}_o^\circ} - \frac{\hat{C}_o^*}{\hat{C}_o^\circ} \right) \dot{C}_o^\circ I_E}{\dot{S}_{dev}} \frac{\left(\frac{\hat{C}_g}{\hat{C}_g^\circ} - \frac{\hat{C}_g^*}{\hat{C}_g^\circ} \right) \dot{C}_g^\circ I_E}{\underbrace{\dot{S}_{dev}}}. \quad (122)$$

990 Recognizing that expenditures on other goods are constant across the emplace-
 991 ment effect gives

$$\cancel{\dot{C}_o^*/\dot{C}_o^\circ} = 1 \quad \underbrace{\dot{C}_g^*/\dot{C}_g^\circ}_{=1} \text{ and}$$

$$Re_{isub} = \left(\frac{\frac{\hat{C}_o}{\hat{C}_o^\circ} \frac{\hat{C}_g}{\hat{C}_g^\circ} - 1 \right) \frac{\frac{\hat{C}_o^\circ}{\dot{S}_{dev}} \frac{\hat{C}_g^\circ I_E}{\underbrace{\dot{S}_{dev}}}}{\underbrace{\dot{S}_{dev}}}. \quad (123)$$

992 Substituting Eq. (12) for \dot{S}_{dev} and rearranging gives

$$Re_{isub} = \frac{\frac{\dot{C}_g^\circ - 1}{\frac{\dot{C}_g^\circ}{\eta^\circ} - 1} \eta^*}{\frac{\dot{C}_g^\circ - 1}{\frac{\dot{C}_g^\circ}{\eta^\circ} - 1} \eta^\circ} \frac{\dot{C}_g^\circ I_E}{\dot{E}_s^\circ} \frac{\dot{C}_g^\circ I_E}{\dot{E}_s^\circ} . \quad (20)$$

993 Eq. (20) is the basis for developing expressions for Re_{isub} under both the CPE and the CES utility
994 models.

995 Determining the post-substitution effect conditions requires reference to a consumer utility model.
996 We first show the CPE utility model, often used in the literature. Second, we use a constant elasticity
997 of substitution (CES) utility model. The CES utility model is used for nearly all calculations and
998 graphs in this paper.

999 **Constant price elasticity (CPE) utility model** In the literature, a constant price elasticity
1000 (CPE) utility model has been used to determine conditions after the substitution effect (\wedge) (Borenstein,
1001 2015, p. 17, footnote 43). However, the CPE model does not produce precisely utility-preserving
1002 preferences, thus it cannot calculate the actual substitution effect. We discuss the CPE utility model
1003 here for comparison purposes only.

1004 Borenstein's CPE utility model uses the reduced form relationship between energy service price
1005 (p_s) and energy service consumption rate (\dot{q}_s), namely the observed, uncompensated own price
1006 elasticity of energy service demand ($\varepsilon_{\dot{q}_s, p_s}$), such that

$$\frac{\hat{q}_s}{\dot{q}_s^*} = \left(\frac{\tilde{p}_s p_s^*}{p_s^\circ \underline{p}_s^*} \right)^{\varepsilon_{\dot{q}_s, p_s}} . \quad (124)$$

1007 Note that the uncompensated own price elasticity of energy service demand ($\varepsilon_{\dot{q}_s, p_s}$) is assumed
1008 constant in the CPE utility model. A negative value for the uncompensated own price elasticity of
1009 energy service demand is expected ($\varepsilon_{\dot{q}_s, p_s} < 0$), such that when the energy service price decreases
1010 ($\underline{p}_s^\circ \rightarrow \tilde{p}_s \underline{p}_s^\circ \rightarrow p_s^*$), the rate of energy service consumption increases ($\dot{q}_s^* < \hat{q}_s$).

1011 Substituting Eq. (7) in the form $p_s^\circ = p_E^\circ / \eta^\circ$ and $\tilde{p}_s = p_E^\circ / \tilde{\eta}$ $\underline{p}_s^* = p_E^\circ / \underline{\eta}^*$ and noting that $\dot{q}_s^\circ = \dot{q}_s^*$
1012 gives

$$\frac{\hat{q}_s}{\dot{q}_s^\circ} = \left(\frac{\tilde{\eta} \eta^*}{\eta^\circ \underline{\eta}^*} \right)^{-\varepsilon_{\dot{q}_s, p_s}} . \quad (125)$$

Again, note that the compensated own price elasticity of energy service demand is negative ($\varepsilon_{\dot{q}_s, p_s} < 0$), so that as energy service efficiency increases ($\eta^\circ \leftarrow \tilde{\eta} \eta^* \leq \eta^*$), the energy service consumption rate increases ($\dot{q}_s^\circ = \dot{q}_s^* < \hat{q}_s$) as well.

Substituting Eq. (125) into Eq. (18) yields the CPE model's expression for direct substitution rebound

$$Re_{dsub} = \frac{\left(\frac{\eta^*}{\eta^\circ}\right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1}{\frac{\eta^*}{\eta^\circ} - 1}, \quad (126)$$

such that, e.g., $\varepsilon_{\dot{q}_s, p_s} = -0.2$ and $\tilde{\eta}/\eta^\circ = 2 \cdot \eta^*/\eta^\circ = 2$ yields $Re_{dsub} = 0.15$.

As long as $\varepsilon_{\dot{q}_s, p_s} \in (-1, 0)$, the CPE utility model indicates that direct substitution rebound will be below 1. At $\varepsilon_{\dot{q}_s, p_s} = 1$, the effect would be the same as the Cobb-Douglas utility model (see footnote 16) and the sum of substitution and income rebound effects would be exactly 100%.

To quantify the substitution effect on other purchases in the CPE utility model, expenditure on other goods is reduced by the same dollar amount as expenditure on the energy service increased due to the direct substitution effect: expenditure is held constant. Thus,

$$\Delta \hat{C}_{\overline{og}} = -\Delta \hat{C}_s. \quad (127)$$

The advantage of this approach is that no cross price elasticity is needed. The disadvantage is that it does not adhere to the definition of the substitution effect, which assumes that utility, not expenditure, is held constant.

Solving for $\hat{C}_o/\hat{C}_o^* \hat{C}_g/\hat{C}_g^*$, substituting an expression for the change in expenditure on the energy service ($\Delta \hat{C}_s$), namely

$$\Delta \hat{C}_s = \frac{p_E(\hat{q}_s - \dot{q}_s^*)}{\tilde{\eta}} \frac{p_E(\hat{q}_s - \dot{q}_s^*)}{\eta^*}, \quad (128)$$

and substituting Eq. (125) gives

$$\frac{\hat{C}_o}{\hat{C}_o^*} \frac{\hat{C}_g}{\hat{C}_g^*} = 1 - \frac{p_E \dot{q}_s^*}{\eta^* \dot{C}_o^*} \frac{p_E \dot{q}_s^*}{\eta^* \dot{C}_g^*} \left[\left(\frac{\eta^*}{\eta^\circ} \right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1 \right]. \quad (129)$$

Substituting Eq. (129) into Eq. (20) gives

$$Re_{isub} = - \frac{\frac{p_E \dot{q}_s^*}{\tilde{\eta} \dot{C}_o^*} \left[\left(\frac{\eta^*}{\eta^\circ} \right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1 \right]}{\frac{\eta^*}{\eta^\circ} - 1} \underbrace{\frac{\frac{p_E \dot{q}_s^*}{\eta^* \dot{C}_g^*} \left[\left(\frac{\eta^*}{\eta^\circ} \right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1 \right]}{\frac{\eta^*}{\eta^\circ} - 1}}_{\text{blue wavy}} \frac{\eta^*}{\eta^\circ} \underbrace{\frac{\dot{C}_o^* I_E}{\dot{E}_s^\circ}}_{\text{blue wavy}} \frac{\dot{C}_g^* I_E}{\dot{E}_s^\circ}. \quad (130)$$

1032 Rearranging and substituting Eq. (126) gives the expression for indirect substitution rebound under
 1033 the CPE utility model.

$$Re_{isub} = - \frac{\frac{\dot{q}_s^* \dot{C}_o^* p_E I_E}{\eta^\circ \dot{C}_o^* \dot{E}_s^\circ}}{\underbrace{\frac{\eta^\circ \dot{C}_g^* \dot{E}_s^\circ}{\eta^\circ \dot{C}_g^* \dot{E}_s^\circ}}_{\text{blue wavy}}} Re_{dsub} \quad (131)$$

1034 Because (i) the compensated cross price elasticity of other goods consumption is positive
 1035 ($\varepsilon_{\dot{q}_o, p_s, c} > 0$), i.e., we exclude Giffen goods (Spiegel, 1994) whose consumption declines as
 1036 their price declines and (ii) the energy service efficiency ratio is greater than 1 ($\eta^\circ < \tilde{\eta}$), direct
 1037 substitution rebound will be positive always ($Re_{dsub} > 0$) and indirect substitution rebound will be
 1038 negative always ($Re_{isub} < 0$), as expected, under the CPE utility model. Negative rebound indicates
 1039 that indirect substitution effects reduce the energy takeback rate by direct substitution effects.

1040 **CES utility model** The CPE utility model assumes that the compensated own price elasticity of
 1041 energy service demand ($\varepsilon_{\dot{q}_s, p_s, c}$) is constant along an indifference curve, an assumption that holds
 1042 only for infinitesimally small energy service price changes ($\Delta p_s^* \equiv p_s^* - p_s^\circ \approx 0$). The CPE utility
 1043 model provides reasonable approximations for a 1–2% change in energy efficiency. However, in the
 1044 case of an energy efficiency upgrade (EEU), the energy service price change is neither infinitesimal
 1045 nor confined to single-digit percentages. Rather, Δp_s^* is finite and may be very large in percentage
 1046 terms.

1047 To determine the new consumption bundle after the substitution effect (\hat{q}_s and $\hat{C}_a \hat{C}_g$) and,
 1048 ultimately, to quantify the direct and indirect substitution rebound effects (Re_{dsub} and Re_{isub})
 1049 exactly, we remove the restriction that energy service price elasticity ($\varepsilon_{\dot{q}_s, p_s}$) must be constant
 1050 along an indifference curve (as in the CPE utility model). Instead, we require constancy of only
 1051 the elasticity of substitution (σ) between the consumption rate of the energy service (\dot{q}_s) and the
 1052 expenditure rate for other goods ($\dot{C}_o \dot{C}_g$) across the substitution effect. Thus, we employ a CES
 1053 utility model in our framework. Figs. 4 and 7 in Part II (especially segments $* \text{---} c$ and $c \text{---} \wedge$)

illustrates features of the CES utility model for determining the new consumption bundle.

Two equations are helpful for this analysis. First, the slope at any point on indifference curve (the i° — i° curve in Figs. 4 and 7 of Part II) is given by Eq. (160) with $\dot{u}/\dot{u}^\circ = 1$ and the share parameter (a) replaced by $f_{\dot{C}_s}^\circ$, as discussed in Appendix C.

$$\frac{\frac{\partial(\dot{C}_o/\dot{C}_g^\circ)}{\partial(\dot{q}_s/\dot{q}_s^\circ)} \frac{\partial(\dot{C}_g/\dot{C}_g^\circ)}{\partial(\dot{q}_s/\dot{q}_s^\circ)}}{\frac{\partial(\dot{q}_s/\dot{q}_s^\circ)}{\partial(\dot{q}_s/\dot{q}_s^\circ)}} = - \frac{f_{\dot{C}_s}^\circ}{1 - f_{\dot{C}_s}^\circ} \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^{(\rho-1)} \times \left[\left(\frac{1}{1 - f_{\dot{C}_s}^\circ} \right) - \left(\frac{f_{\dot{C}_s}^\circ}{1 - f_{\dot{C}_s}^\circ} \frac{\dot{q}}{\dot{q}_s^\circ} \right)^\rho \right]^{(1-\rho)/\rho}. \quad (132)$$

Second, the equation of the pre-substitution-effect expenditure line ($*—*$ in Figs. 4 and 7 of Part II) is

$$\frac{\frac{\dot{C}_o}{\dot{C}_o^\circ} \frac{\dot{C}_g}{\dot{C}_g^\circ}}{\frac{\dot{C}_o}{\dot{C}_o^\circ} \frac{\dot{C}_g}{\dot{C}_g^\circ}} = - \frac{\tilde{p}_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right) + \frac{1}{\dot{C}_o^\circ} \frac{1}{\dot{C}_g^\circ} (\dot{M} - \tau_\alpha^\circ \dot{C}_{cap} - \dot{C}_{OMd} - \dot{G}). \quad (133)$$

To find the rate of energy service consumption after the substitution effect (\hat{q}_s), we set the slope of the expenditure line (Eq. (133) and line $*—*$ in Figs. 4 and 7 of Part II) equal to the slope of the indifference curve (i° — i° in Figs. 4 and 7 of Part II) at the original utility rate of $\dot{u}/\dot{u}^\circ = 1$ (Eq. (132)).

$$- \frac{\tilde{p}_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} = - \frac{f_{\dot{C}_s}^\circ}{1 - f_{\dot{C}_s}^\circ} \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^{(\rho-1)} \left[\left(\frac{1}{1 - f_{\dot{C}_s}^\circ} \right) - \left(\frac{f_{\dot{C}_s}^\circ}{1 - f_{\dot{C}_s}^\circ} \right) \left(\frac{\dot{q}}{\dot{q}_s^\circ} \right)^\rho \right]^{(1-\rho)/\rho} \quad (134)$$

Solving for $\dot{q}_s/\dot{q}_s^\circ$ gives $\hat{q}_s/\dot{q}_s^\circ$ as

$$\frac{\hat{q}_s}{\dot{q}_s^\circ} = \left\{ f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho}. \quad (21)$$

Eq. (21) can be substituted directly into Eq. (18) to obtain an estimate for direct substitution rebound (Re_{dsub}) via the CES utility model.

$$Re_{dsub} = \frac{\left\{ f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1} \quad (23)$$

1067 The rate of other goods consumption after the substitution effect ($\hat{\dot{C}}_o \hat{\dot{C}}_g$) can be found by
 1068 substituting Eq. (21) and $\dot{u}/\dot{u}^\circ = 1$ into the functional form of the CES utility model (Eq. (159))
 1069 to obtain

$$\frac{\hat{\dot{C}}_o}{\dot{C}_o^\circ} \frac{\hat{\dot{C}}_g}{\dot{C}_g^\circ} = \left(\left(\frac{1}{1 - f_{\dot{C}_s}^\circ} \right) - \left(\frac{f_{\dot{C}_s}^\circ}{1 - f_{\dot{C}_s}^\circ} \right) \left\{ f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{\tilde{p}_s \dot{q}_s^\circ}{\dot{C}_g^\circ} \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\frac{\rho}{1-\rho}} \right\}^{-1} \right)^{1/\rho} \quad (135)$$

1070 Simplifying gives

$$\frac{\hat{\dot{C}}_o}{\dot{C}_o^\circ} \frac{\hat{\dot{C}}_g}{\dot{C}_g^\circ} = \left(1 + f_{\dot{C}_s}^\circ \left\{ \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(\rho-1)} - 1 \right\} \right)^{-1/\rho} \quad (22)$$

1071 Eq. (22) can be substituted into Eq. (20) to obtain an expression for indirect substitution
 1072 rebound (Re_{isub}) via the CES utility model.

$$Re_{isub} = \frac{\left(1 + f_{\dot{C}_s}^\circ \left\{ \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(\rho-1)} - 1 \right\} \right)^{-1/\rho} - 1}{\frac{\hat{\eta}}{\eta^\circ} - 1} \frac{\hat{\eta}}{\eta^\circ} \frac{\dot{C}_g^\circ I_E}{\dot{E}_s^\circ} \quad (24)$$

1073 B.4.4 Income effect

1074 Rebound from the income effect rebound quantifies the rate of additional energy demand that
 1075 arises because the user of the energy conversion device spends net savings from the EEU. The
 1076 income rate of the device user is $\dot{M}^\circ \dot{M}$, which remains unchanged across the rebound effects, ~~such~~
 1077 ~~that $\dot{M}^\circ = \dot{M}^* = \dot{M} = \bar{M} = \tilde{M}$.~~ Freed cash from the EEU is given by Eq. (90) as $\dot{G} = p_E \dot{S}_{dev}$.
 1078 In combination, the emplacement effect and the substitution effect leave the device user with *net*
 1079 savings (\hat{N}) from the EEU, as shown in Eq. (100). Derivations of expressions for freed cash from the
 1080 emplacement effect (\dot{G}) and net savings after the substitution effect (\hat{N}) are presented in Tables B.3
 1081 and B.4.

1082 In this framework, all net savings (\hat{N}) are spent on either (i) additional energy service ($\hat{q}_s < \bar{q}_s$)
 1083 or (ii) additional other goods ($\hat{\dot{q}}_o \leftarrow \bar{\dot{q}}_o \hat{\dot{q}}_g \leftarrow \bar{\dot{q}}_g$). The income elasticity of energy service demand and
 1084 the income elasticity of other goods demand ($\varepsilon_{\dot{q}_s, \dot{M}}$ and $\varepsilon_{\dot{q}_o, \dot{M}} \varepsilon_{\dot{q}_g, \dot{M}}$, respectively) quantify the income
 1085 preferences of the device user according to the following expressions:

$$\frac{\bar{q}_s}{\hat{q}_s} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\hat{q}_s, \hat{M}}} \quad (25)$$

1086 and

$$\frac{\bar{q}_g}{\hat{q}_g} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\hat{q}_g, \hat{M}}}, \quad (29)$$

1087 where effective income (\hat{M}') is

$$\hat{M}' \equiv \dot{M} - \tau_\alpha^* \dot{C}_{cap}^* - \dot{C}_{OMd}^* - \hat{N}. \quad (26)$$

1088 Homotheticity means that $\varepsilon_{\hat{q}_s, \hat{M}} = 1$ and ~~$\varepsilon_{\hat{q}_s, \hat{M}} = 1$~~ $\varepsilon_{\hat{q}_g, \hat{M}} = 1$.

1089 The budget constraint across the income effect (Eq. (108)) ensures that all net savings available
 1090 after the substitution effect (\hat{N}) is re-spent across the income effect, such that $\bar{N} = 0$. Appendix D
 1091 proves that the income preference equations (Eqs. (25) and (~~??~~29)) satisfy the budget constraint
 1092 (Eq. (108)).

1093 The purpose of this section is derivation of expressions for (i) direct income rebound (Re_{dinc})
 1094 arising from increased consumption of the energy service ($\hat{q}_s < \bar{q}_s$) and (ii) indirect income re-
 1095 bound (Re_{iinc}) arising from increased consumption of other goods (~~$\hat{q}_s < \bar{q}_s$~~ $\hat{q}_g < \bar{q}_g$).

1096 But first, we derive an expression for device energy consumption rate prior to the income effect
 1097 (\hat{E}_s). This expression will be helpful later.

1098 **Derivation of expression for \hat{E}_s** An expression for \hat{E}_s that will be helpful later begins with

$$\hat{E}_s = \left(\frac{\hat{E}_s}{\dot{E}_s^*}\right) \left(\frac{\dot{E}_s^*}{\dot{E}_s^\circ}\right) \dot{E}_s^\circ. \quad (136)$$

1099 Substituting Eq. (6) and noting efficiency (η) equalities from Table B.1 gives

$$\hat{E}_s = \left(\frac{\hat{q}_s/\cancel{\eta}}{\dot{q}_s^*/\cancel{\eta}} \frac{\hat{q}_s/\cancel{\eta}}{\dot{q}_s^*/\cancel{\eta}}\right) \left(\frac{\dot{q}_s^*/\cancel{\eta}}{\dot{q}_s^\circ/\eta^\circ} \frac{\dot{q}_s^*/\eta^*}{\dot{q}_s^\circ/\eta^\circ}\right) \dot{E}_s^\circ. \quad (137)$$

1100 Canceling terms yields

$$\hat{E}_s = \left(\frac{\hat{q}_s}{\dot{q}_s^*}\right) \left(\frac{\dot{q}_s^*}{\dot{q}_s^\circ}\right) \left(\frac{\eta^\circ}{\cancel{\eta}} \frac{\eta^\circ}{\cancel{\eta^*}}\right) \dot{E}_s^\circ. \quad (138)$$

1101 Noting energy service consumption rate equalities from Table B.1 ($\dot{q}_s^* = \dot{q}_s^\circ$) gives

$$\hat{E}_s = \frac{\hat{q}_s}{\dot{q}_s^*} \frac{\eta^\circ}{\hat{\eta}} \frac{\eta^\circ}{\eta^*} \dot{E}_s^\circ. \quad (139)$$

1102 The next step is to develop an expression for Re_{dinc} using the income preference for energy
1103 service consumption.

1104 **Derivation of expression for Re_{dinc}** As shown in Table B.5, direct income rebound is defined as

$$Re_{dinc} \equiv \frac{\Delta \bar{E}_s}{\dot{S}_{dev}}. \quad (27)$$

1105 Expanding the difference and rearranging gives

$$Re_{dinc} = \frac{\bar{E}_s - \hat{E}_s}{\dot{S}_{dev}}, \quad (140)$$

1106 and

$$Re_{dinc} = \frac{\left(\frac{\bar{E}_s}{\hat{E}_s} - 1 \right) \hat{E}_s}{\dot{S}_{dev}}. \quad (141)$$

1107 Substituting Eq. (6) as $\bar{E}_s = \frac{\bar{q}_s}{\bar{\eta}}$ and $\hat{E}_s = \frac{\hat{q}_s}{\hat{\eta}}$ $\bar{E}_s = \bar{q}_s/\bar{\eta}$ and $\hat{E}_s = \hat{q}_s/\hat{\eta}$ gives

$$Re_{dinc} = \frac{\left(\frac{\bar{q}_s/\bar{\eta}}{\hat{q}_s/\hat{\eta}} - 1 \right) \hat{E}_s}{\dot{S}_{dev}} \frac{\left(\frac{\bar{q}_s/\bar{\eta}}{\hat{q}_s/\hat{\eta}} - 1 \right) \hat{E}_s}{\dot{S}_{dev}}. \quad (142)$$

1108 Eliminating terms and substituting Eq. (12) for \dot{S}_{dev} and Eq. (25) for \bar{q}_s/\hat{q}_s gives

$$Re_{dinc} = \frac{\left[\left(1 + \frac{\hat{N}}{\hat{M}'} \right)^{\varepsilon_{\hat{q}_s, \hat{M}}} - 1 \right] \hat{E}_s}{\left(\frac{\eta^*}{\eta^\circ} - 1 \right) \frac{\eta^\circ}{\eta^*} \dot{E}_s^\circ}. \quad (143)$$

1109 Substituting Eq. (139) for \hat{E}_s gives

$$Re_{dinc} = \frac{\left[\left(1 + \frac{\hat{N}}{\hat{M}'} \right)^{\varepsilon_{\hat{q}_s, \hat{M}}} - 1 \right] \frac{\hat{q}_s}{\dot{q}_s^*} \frac{\eta^\circ}{\hat{\eta}} \cancel{\dot{E}_s^\circ}}{\left(\frac{\eta^*}{\eta^\circ} - 1 \right) \frac{\eta^\circ}{\hat{\eta}} \cancel{\dot{E}_s^\circ}} \frac{\left[\left(1 + \frac{\hat{N}}{\hat{M}'} \right)^{\varepsilon_{\hat{q}_s, \hat{M}}} - 1 \right] \frac{\hat{q}_s}{\dot{q}_s^*} \frac{\eta^\circ}{\hat{\eta}} \cancel{\dot{E}_s^\circ}}{\left(\frac{\eta^*}{\eta^\circ} - 1 \right) \frac{\eta^\circ}{\hat{\eta}} \cancel{\dot{E}_s^\circ}}. \quad (144)$$

Eliminating terms, recognizing that $\dot{q}_s^\circ = \dot{q}_s^*$, and substituting Eq. (21), which assumes the CES utility model, gives

$$Re_{dinc} = \frac{\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_s, \hat{M}}} - 1}{\frac{\eta^*}{\eta^\circ} - 1} \left\{ f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho}. \quad (28)$$

If there is no net savings ($\hat{N} = 0$), direct income effect rebound is zero ($Re_{dinc} = 0$), as expected.

The next step is to develop an expression for Re_{iinc} using the income preference for other goods consumption.

Derivation of expression for Re_{iinc} As shown in Table B.5, indirect income rebound is defined as

$$Re_{iinc} \equiv \frac{\Delta \bar{\dot{C}}_o I_E}{\dot{S}_{dev}} \frac{\Delta \bar{\dot{C}}_g I_E}{\dot{S}_{dev}}. \quad (31)$$

Expanding the difference and rearranging gives

$$Re_{iinc} = \frac{(\bar{\dot{C}}_o - \hat{\dot{C}}_o) I_E}{\dot{S}_{dev}} \frac{(\bar{\dot{C}}_g - \hat{\dot{C}}_g) I_E}{\dot{S}_{dev}}, \quad (145)$$

and

$$Re_{iinc} = \frac{\left(\frac{\bar{\dot{C}}_o}{\hat{\dot{C}}_o} - 1\right) \hat{\dot{C}}_o I_E}{\dot{S}_{dev}} \frac{\left(\frac{\bar{\dot{C}}_g}{\hat{\dot{C}}_g} - 1\right) \hat{\dot{C}}_g I_E}{\dot{S}_{dev}}. \quad (146)$$

Substituting $\bar{\dot{C}}_o = p_o \bar{\dot{q}}_o$ and $\hat{\dot{C}}_o = p_o \hat{\dot{q}}_o$, $\bar{\dot{C}}_g = p_g \bar{\dot{q}}_g$ and $\hat{\dot{C}}_g = p_g \hat{\dot{q}}_g$ and cancelling terms gives

$$Re_{iinc} = \frac{\left(\frac{\bar{\dot{q}}_o}{\hat{\dot{q}}_o} - 1\right) \hat{\dot{C}}_o I_E}{\dot{S}_{dev}} \frac{\left(\frac{\bar{\dot{q}}_g}{\hat{\dot{q}}_g} - 1\right) \hat{\dot{C}}_g I_E}{\dot{S}_{dev}}. \quad (147)$$

Substituting the income preference equation for other goods consumption (Eq. (??) for $\bar{\dot{q}}_o/\hat{\dot{q}}_o$ 29) for $\bar{\dot{q}}_g/\hat{\dot{q}}_g$ and Eq. (12) for \dot{S}_{dev} yields

$$Re_{iinc} = \frac{\left[\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_o, \hat{M}}} - 1 \right] \hat{\dot{C}}_o I_E}{\left(\frac{\eta^*}{\eta^\circ} - 1\right) \frac{\eta^\circ}{\eta^*} \dot{E}_s^\circ} \frac{\left[\left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\dot{q}_g, \hat{M}}} - 1 \right] \hat{\dot{C}}_g I_E}{\left(\frac{\eta^*}{\eta^\circ} - 1\right) \frac{\eta^\circ}{\eta^*} \dot{E}_s^\circ}. \quad (148)$$

1122 Substituting $(\hat{\dot{C}}_o/\dot{C}_o^{\circ})\dot{C}_o^{\circ}$ for $\hat{\dot{C}}_o$ ($\hat{\dot{C}}_g/\dot{C}_g^{\circ})\dot{C}_g^{\circ}$ for $\hat{\dot{C}}_g$, recognizing that $\dot{C}_o^* = \dot{C}_o^{\circ}\dot{C}_g^* = \dot{C}_g^{\circ}$, and simplifying
 1123 gives

$$Re_{iinc} = \frac{\left(1 + \frac{\hat{N}}{\dot{M}'}\right)^{\varepsilon_{q_o, \dot{M}}} - 1}{\frac{\eta^*}{\eta^{\circ}} - 1} \frac{\left(1 + \frac{\hat{N}}{\dot{M}'}\right)^{\varepsilon_{q_g, \dot{M}}} - 1}{\frac{\eta^*}{\eta^{\circ}} - 1} \left(\frac{\eta^*}{\eta^{\circ}}\right) \frac{\dot{C}_o^{\circ} I_E}{\dot{E}_s^{\circ}} \frac{\dot{C}_g I_E}{\dot{E}_s^{\circ}} \left(\frac{\dot{C}_o^{\circ}}{\dot{C}_g^{\circ}} \frac{\dot{C}_g}{\dot{C}_g^{\circ}} \right). \quad (149)$$

1124 Substituting Eq. (??) for $\hat{\dot{C}}_o/\dot{C}_o^{\circ}$ ($\hat{\dot{C}}_g/\dot{C}_g^{\circ}$), thereby assuming the CES utility model, gives
 1125 the final form of the indirect income rebound expression:

$$Re_{iinc} = \frac{\left(1 + \frac{\hat{N}}{\dot{M}'}\right)^{\varepsilon_{q_g, \dot{M}}} - 1}{\frac{\eta^*}{\eta^{\circ}} - 1} \left(\frac{\eta^*}{\eta^{\circ}}\right) \frac{\dot{C}_g I_E}{\dot{E}_s^{\circ}} \left(1 + f_{\dot{C}_s}^{\circ} \left\{ \left[\left(\frac{1 - f_{\dot{C}_s}^{\circ}}{f_{\dot{C}_s}^{\circ}} \right) \frac{p_s^* \dot{q}_s^{\circ}}{\dot{C}_g^{\circ}} \right]^{\rho/(\rho-1)} - 1 \right\} \right)^{-1/\rho}. \quad (32)$$

1126 If there is no net savings ($\hat{N} = 0$), indirect income effect rebound is zero ($Re_{iinc} = 0$), as expected.

1127 **Income effect rebound under the CPE utility model** Following Borenstein (2015), under
 1128 CPE utility model all freed cash is spent on other goods, as in the fully satiated case discussed in
 1129 Section 2.5.3. However, because the substitution effect under the CPE utility model does not alter
 1130 freed cash, the income effect involves the product of the energy intensity of the economy (I_E) and
 1131 \dot{N}^* (instead of \hat{N}).

1132 B.4.5 Macro effect

1133 Macro rebound (Re_{macro}) is given by Eq. (33). Substituting Eq. (89) for net savings (\dot{N}^*) gives

$$Re_{macro} = \frac{k(p_E \dot{S}_{dev} - \Delta(R_{\alpha} \dot{C}_{cap})^* - \Delta \dot{C}_{OMd}^*) I_E}{\dot{S}_{dev}}. \quad (150)$$

1134 Separating terms gives

$$Re_{macro} = \frac{k p_E \cancel{\dot{S}_{dev}} I_E}{\cancel{\dot{S}_{dev}}} - \frac{k \Delta(R_{\alpha} \dot{C}_{cap})^* I_E}{\dot{S}_{dev}} - \frac{k \Delta \dot{C}_{OMd}^* I_E}{\dot{S}_{dev}}. \quad (151)$$

1135 Canceling terms, substituting Eq. (117) to obtain Re_{OMd} , and defining Re_{cap} as

$$Re_{cap} \equiv \frac{\Delta(R_{\alpha} \dot{C}_{cap})^* I_E}{\dot{S}_{dev}} \quad (152)$$

1136 gives

$$Re_{macro} = k(p_E I_E - Re_{cap} - Re_{OMd}) . \quad (34)$$

1137 B.4.6 Rebound sum

1138 The sum of the four rebound effects is

$$Re_{tot} = Re_{empl} + Re_{sub} + Re_{inc} + Re_{macro} . \quad (153)$$

1139 Substituting Eqs. (85), (97), and (106) gives

$$\begin{aligned} Re_{tot} &= Re_{emb} + Re_{OMd} && \text{emplacement effect} \\ &+ Re_{dsub} + Re_{isub} && \text{substitution effect} \\ &+ Re_{dinc} + Re_{iinc} && \text{income effect} \\ &+ Re_{macro} && \text{macro effect} \end{aligned} \quad (154)$$

1140 Macro effect rebound (Re_{macro} , Eq. (34)) can be expressed in terms of other rebound effects.

1141 Substituting Eq. (34) gives

$$\begin{aligned} Re_{tot} &= Re_{emb} + Re_{OMd} && \text{emplacement effect} \\ &+ Re_{dsub} + Re_{isub} && \text{substitution effect} \\ &+ Re_{dinc} + Re_{iinc} && \text{income effect} \\ &+ kp_E I_E - kRe_{cap} - kRe_{OMd} . && \text{macro effect} \end{aligned} \quad (155)$$

1142 Rearranging distributes macro effect terms to emplacement and substitution effect terms. This last

1143 rearrangement gives the final expression for total rebound.

$$Re_{tot} = Re_{emb} + k(p_E I_E - Re_{cap}) + (1 - k)Re_{OMd} + Re_{dsub} + Re_{isub} + Re_{dinc} + Re_{iinc} \quad (35)$$

1144 Eq. (35) shows that determining seven rebound values,

- 1145 • Re_{emb} (Eq. (14)),

- Re_{cap} (Eq. (152)),
- Re_{OMd} (Eq. (15)),
- Re_{dsub} (Eq. (23)),
- Re_{isub} (Eq. (24)),
- Re_{dinc} (Eq. (28)), and
- Re_{iinc} (Eq. (32)),

is sufficient to calculate total rebound, provided that the macro factor (k), the price of energy (p_E), and the energy intensity of the economy (I_E) are known.

C Utility models and elasticities

As discussed in Section 2.5.2 and Appendix B.4.3, the substitution effect requires a model for device user behavior. Behavior is typically represented by a model of utility that is maximized with arguments of consuming the energy service (\dot{q}_s) and other goods and services (\dot{q}_g) and subject to income and price constraints. In this appendix, we describe two utility models. The first utility model is a constant price elasticity (CPE) utility model, which allows an easy calculation of price-demand relationships as Appendix B.4.3 illustrates. It gives a good approximation of the behavioral response for very small changes in energy efficiency and energy service price, such that $\Delta\eta^* \approx 0$ and $\Delta p_s^* \approx 0$. The CPE utility model is discussed for continuity with the literature only. (See, for example, Borenstein (2015, p. 17, footnote 43).)

We note that larger and non-marginal efficiency gains cause greater rebound (measured in joules) than small and marginal efficiency gains. Thus, any rebound analysis framework needs to accommodate large, non-marginal efficiency changes. Since price elasticities are point-measures in analytical utility models, a version of the framework amenable to empirical applications should account for the changing price elasticity along an indifference curve.²⁵ The second utility model

²⁵In principle, calculated arc elasticities could describe the relationship between price and quantity changes for any EEU by representing the percentage price and quantity changes between any two known consumption bundles (Allen & Lerner, 1934). However, we do not know the new consumption bundle and instead determine it with the CES utility function whose price elasticities vary along the indifference curve.

discussed in this appendix is the Constant Elasticity of Substitution (CES) utility model which does, in fact, accommodate large, non-marginal energy efficiency and energy service price changes. The CES utility model underlies the substitution effect in this framework. (See Section 2.5.2.) Furthermore, the CES utility model is needed for the example energy efficiency upgrades (EEUs) in Part II, which have large, non-marginal percentage increases in energy efficiency.

In addition to the substitution effect, the income effect requires income elasticities to describe consumer behavior. Elasticities for both the substitution effect and the income effect are discussed below, after we lay out the CPE and CES utility models.

Before proceeding with the utility models and elasticities, we note briefly that the rate of other goods consumption (\dot{q}_o/\dot{q}_g) is not known independently from the prices of other goods (p_o/p_g). With the assumption that the prices of other goods do not change across rebound effects (i.e., p_o/p_g is exogenous), the ratio of other goods consumption is equal to the ratio of other goods spending, such that

$$\frac{\dot{q}_o/\dot{q}_g}{\dot{q}_o^\circ/\dot{q}_g^\circ} = \frac{\dot{C}_o/p_o/\dot{C}_g/p_g}{\dot{C}_o^\circ/p_o^\circ/\dot{C}_g^\circ/p_g^\circ} = \frac{\dot{C}_o}{\dot{C}_o^\circ} \frac{\dot{C}_g}{\dot{C}_g^\circ} \quad (156)$$

at all rebound stages. (See Appendix E for details.)

C.1 Utility models for the substitution effect

A utility model gives the ratio of energy service consumption rate and other goods consumption rates across the substitution effect (\hat{q}_s/\hat{q}_s^* and $\hat{q}_o/\hat{q}_o^* \hat{q}_g/\hat{q}_g^*$, respectively). In so doing, utility models quantify the decrease in other goods consumption ($\hat{q}_o/\hat{q}_o^* < 1$ and $\hat{q}_g/\hat{q}_g^* < 1$) caused by the increase of energy service consumption ($\hat{q}_s/\hat{q}_s^* > 1$) resulting from the decrease of the energy service price ($p_s^* < p_s^\circ$) under the constraint of constant device user utility. Across the substitution effect, the utility increase of the larger energy service consumption rate must be exactly offset by the utility decrease of the smaller other goods consumption rate.

1191 C.1.1 Constant price elasticity (CPE) utility model

1192 The constant price elasticity (CPE) utility model is given by Eqs. (125) and (??129). The equations
 1193 for the approximate utility model are repeated here for convenience.

$$\frac{\hat{q}_s}{\dot{q}_s^\circ} = \left(\frac{\bar{\eta}}{\eta^\circ} \frac{\eta^*}{\eta^\circ} \right)^{-\varepsilon_{\dot{q}_s, p_s} - \varepsilon_{\dot{q}_s, p_s}} \quad (125)$$

$$\frac{\frac{\hat{C}_o}{\dot{C}_o^*} \frac{\hat{C}_g}{\dot{C}_g^*}}{\frac{\hat{C}_o}{\dot{C}_o^*} \frac{\hat{C}_g}{\dot{C}_g^*}} = 1 - \frac{p_E \dot{q}_s^*}{\eta^* \dot{C}_o^*} \frac{p_E \dot{q}_s^*}{\eta^* \dot{C}_g^*} \left[\left(\frac{\eta^*}{\eta^\circ} \right)^{-\varepsilon_{\dot{q}_s, p_s}} - 1 \right] \quad (129)$$

1194 C.1.2 CES utility model

1195 The CES utility model is given by Eq. (16). Here, its derivation is shown. Throughout the derivation,
 1196 references to Part II are provided for visual representations of several important concepts. Those
 1197 concepts (equilibrium tangency requirements, e.g.) are best visualized in rebound planes that are
 1198 introduced in Section 2.2 of Part II.

1199 The CES utility model is normalized by (indexed to) conditions prior to emplacement:

$$\frac{\dot{u}}{\dot{u}^\circ} = \left[a \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^\rho + (1-a) \left(\frac{\dot{q}_o}{\dot{q}_o^\circ} \frac{\dot{q}_g}{\dot{q}_g^\circ} \right)^\rho \right]^{(1/\rho)}, \quad (157)$$

1200 where $\rho \equiv (\sigma - 1)/\sigma$, a is a share parameter (determined below), and σ is the elasticity of substitution
 1201 between the normalized consumption rate of the energy service (\dot{q}_s) and the normalized consumption
 1202 rate of other goods ($\dot{q}_o \dot{q}_g$).²⁶ By definition, σ is assumed constant such that $\sigma^\circ = \sigma^* = \hat{\sigma} = \bar{\sigma} = \tilde{\sigma} = \sigma$.

1203 With the assumption of exogenous other goods prices in Eq. (??156), we find

$$\frac{\dot{u}}{\dot{u}^\circ} = \left[a \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^\rho + (1-a) \left(\frac{\dot{C}_o}{\dot{C}_o^\circ} \frac{\dot{C}_g}{\dot{C}_g^\circ} \right)^\rho \right]^{(1/\rho)}. \quad (158)$$

1204 Eq. (158) is the functional form of the CES utility model, whose share parameter (a) is yet to
 1205 be determined. The correct expression for the share parameter (a) is found from the equilibrium

²⁶In the international trade literature, where the CES utility model is often used, the elasticity of substitution is also called the Armington elasticity (Feenstra et al., 2018).

1206 requirement, namely that the expenditure curve is tangent to the indifference curve in the $\dot{C}_o/\dot{C}_o^\circ$
 1207 $\dot{C}_g/\dot{C}_g^\circ$ vs. $\dot{q}_s/\dot{q}_s^\circ$ plane (the “consumption plane” in Part II) prior to the EEU. For example, the $\circ—\circ$
 1208 line is tangent to the constant-utility indifference curve $i^\circ—i^\circ$ at point \circ in Figs. 4 and 7 of Part II.
 1209 To find the slope at any point on the indifference curve ($i^\circ—i^\circ$ in Figs. 4 and 7 of Part II),
 1210 Eq. (158) can be rearranged to give the normalized consumption rate of other goods ($\dot{C}_o/\dot{C}_o^\circ \dot{C}_g/\dot{C}_g^\circ$)
 1211 as a function of the normalized consumption rate of the energy service ($\dot{q}_s/\dot{q}_s^\circ$) and the normalized
 1212 utility rate (\dot{u}/\dot{u}°):

$$\frac{\dot{C}_o}{\dot{C}_o^\circ} \frac{\dot{C}_g}{\dot{C}_g^\circ} = \left[\frac{1}{1-a} \left(\frac{\dot{u}}{\dot{u}^\circ} \right)^\rho - \frac{a}{1-a} \left(\frac{\dot{q}}{\dot{q}_s^\circ} \right)^\rho \right]^{(1/\rho)}, \quad (159)$$

1213 a form convenient for drawing constant utility rate (\dot{u}/\dot{u}°) indifference curves on a graph of $\dot{C}_o/\dot{C}_o^\circ$
 1214 $\dot{C}_g/\dot{C}_g^\circ$ vs. $\dot{q}_s/\dot{q}_s^\circ$ (the consumption plane of Figs. 4 and 7 in Part II). In the consumption plane, the
 1215 slope of an indifference curve is found by taking the first partial derivative of $\dot{C}_o/\dot{C}_o^\circ \dot{C}_g/\dot{C}_g^\circ$ with
 1216 respect to $\dot{q}_s/\dot{q}_s^\circ$, starting from Eq. (159) and using the chain rule repeatedly. The result is

$$\begin{aligned} \frac{\partial(\dot{C}_o/\dot{C}_o^\circ)}{\partial(\dot{q}_s/\dot{q}_s^\circ)} \frac{\partial(\dot{C}_g/\dot{C}_g^\circ)}{\partial(\dot{q}_s/\dot{q}_s^\circ)} &= - \frac{a}{1-a} \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^{(\rho-1)} \\ &\times \left[\left(\frac{1}{1-a} \right) \left(\frac{\dot{u}}{\dot{u}^\circ} \right)^\rho - \left(\frac{a}{1-a} \right) \left(\frac{\dot{q}}{\dot{q}_s^\circ} \right)^\rho \right]^{(1-\rho)/\rho}. \end{aligned} \quad (160)$$

1217 The budget constraint is the starting point for finding the slope of an expenditure line in the
 1218 consumption plane. (Example expenditure lines include the $\circ—\circ$, $*—*$, $\wedge—\wedge$, and $— — —$ lines in
 1219 Figs. 4 and 7 of Part II.) The following equation is a generic version of Eqs. (78), (80), (93), and
 1220 (102) with $p_s \dot{q}_s$ substituted for $p_E \dot{E}_s$.

$$\dot{M} = p_s \dot{q}_s + \mathcal{R}_{\mathcal{T}\alpha} \dot{C}_{cap} + \dot{C}_{OMd} + \dot{C}_{og} + \dot{N} \quad (161)$$

1221 In a manner similar to derivations in Appendix B.3.1 of Part II, we solve for $\dot{C}_o/\dot{C}_o^\circ \dot{C}_g/\dot{C}_g^\circ$ and judiciously
 1222 multiply by $\dot{C}_o/\dot{C}_o^\circ \dot{C}_g/\dot{C}_g^\circ$ and $\dot{q}_s/\dot{q}_s^\circ$ to obtain

$$\frac{\dot{C}_o}{\dot{C}_o^\circ} \frac{\dot{C}_g}{\dot{C}_g^\circ} \dot{C}_{og} = -p_s \frac{\dot{q}_s}{\dot{q}_s^\circ} \dot{q}_s^\circ + \dot{M} - \mathcal{R}_{\mathcal{T}\alpha} \dot{C}_{cap} - \dot{C}_{OMd} - \dot{N}. \quad (162)$$

1223 Solving for $\dot{C}_o/\dot{C}_o^\circ \dot{C}_g/\dot{C}_g^\circ$ and rearranging gives

$$\frac{\dot{C}_o}{\dot{C}_o^\circ} \frac{\dot{C}_g}{\dot{C}_g^\circ} = - \frac{p_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \frac{p_s \dot{q}_s^\circ}{\dot{C}_g^\circ} \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right) + \frac{1}{\dot{C}_o^\circ} \frac{1}{\dot{C}_g^\circ} (\dot{M} - \mathbf{R}_{\mathcal{L}\alpha} \dot{C}_{cap} - \dot{C}_{OMd} - \dot{N}) , \quad (163)$$

from which the slope of the indifference curve in the consumption plane is taken by inspection to be

$$\frac{\partial(\dot{C}_o/\dot{C}_o^\circ)}{\partial(\dot{q}_s/\dot{q}_s^\circ)} \frac{\partial(\dot{C}_g/\dot{C}_g^\circ)}{\partial(\dot{q}_s/\dot{q}_s^\circ)} = - \frac{p_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \frac{p_s \dot{q}_s^\circ}{\dot{C}_g^\circ} . \quad (164)$$

At any equilibrium point, the expenditure line must be tangent to its indifference curve, or, as economists say, the ratio of prices must be equal to the marginal rate of substitution. Applying the tangency requirement before emplacement enables solving for the correct expression for a , the share parameter in the CES utility model. Setting the slope of the expenditure line (Eq. (164)) equal to the slope of the indifference curve (Eq. (160)) gives

$$- \frac{p_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \frac{p_s \dot{q}_s^\circ}{\dot{C}_g^\circ} = - \frac{a}{1-a} \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^{(\rho-1)} \times \left[\left(\frac{1}{1-a} \right) \left(\frac{\dot{u}}{\dot{u}^\circ} \right)^\rho - \left(\frac{a}{1-a} \right) \left(\frac{\dot{q}}{\dot{q}_s^\circ} \right)^\rho \right]^{(1-\rho)/\rho} . \quad (165)$$

For the equilibrium point prior to emplacement (point \circ in Figs. 4 and 7 of Part II), $\dot{q}_s/\dot{q}_s^\circ = 1$, $\dot{u}/\dot{u}^\circ = 1$, and $p_s = p_s^\circ$, which reduces Eq. (165) to

$$- \frac{p_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \frac{p_s \dot{q}_s^\circ}{\dot{C}_g^\circ} = - \frac{a}{1-a} (1)^{(\rho-1)} \left[\left(\frac{1}{1-a} \right) (1)^\rho - \left(\frac{a}{1-a} \right) (1)^\rho \right]^{(1-\rho)/\rho} . \quad (166)$$

Simplifying gives

$$\frac{p_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \frac{p_s \dot{q}_s^\circ}{\dot{C}_g^\circ} = \frac{a}{1-a} . \quad (167)$$

Recognizing that $p_s \dot{q}_s^\circ = \dot{C}_s^\circ$ and solving for a gives

$$a = \frac{\dot{C}_s^\circ}{\dot{C}_s^\circ + \dot{C}_o^\circ} \frac{\dot{C}_s^\circ}{\dot{C}_s^\circ + \dot{C}_g^\circ} , \quad (168)$$

which is called $f_{\dot{C}_s^\circ}^\circ$, the share of energy service expenditure (\dot{C}_s°) relative to the sum of energy service and other goods expenditures ($\dot{C}_s^\circ + \dot{C}_o^\circ + \dot{C}_g^\circ$) before emplacement of the EEU. Thus, the CES

1236 utility equation (Eq. (158)) becomes

$$\frac{\dot{u}}{\dot{u}^\circ} = \left[f_{\dot{C}_s}^\circ \left(\frac{\dot{q}_s}{\dot{q}_s^\circ} \right)^\rho + (1 - f_{\dot{C}_s}^\circ) \left(\frac{\dot{C}_g}{\dot{C}_g^\circ} \right)^\rho \right]^{(1/\rho)}, \quad (16)$$

1237 with

$$f_{\dot{C}_s}^\circ \equiv \frac{\dot{C}_s^\circ}{\dot{C}_s^\circ + \dot{C}_g^\circ} \frac{\dot{C}_s^\circ}{\dot{C}_s^\circ + \dot{C}_g^\circ}. \quad (169)$$

1238 C.2 Elasticities for the substitution effect

1239 Calculating the change in consumer preferences across the substitution effect requires a utility model,
 1240 two of which are described in the section above: the constant price elasticity (CPE) model and
 1241 the constant elasticity of substitution (CES) model. Within those utility models, price (ε) and
 1242 substitution (σ) elasticities describe consumer preferences.

1243 Own and cross price elasticities describe consumer preferences for consumption of the energy
 1244 service (\dot{q}_s) and other goods (\dot{q}_g) as the price of the energy service (p_s) changes due to the EEU.
 1245 Thus, there are four price elasticities: (i) the uncompensated own price elasticity of energy service
 1246 consumption ($\varepsilon_{\dot{q}_s, p_s}$), (ii) the uncompensated cross price elasticity of other goods consumption
 1247 ($\varepsilon_{\dot{q}_g, p_s}$), (iii) the compensated own price elasticity of energy service consumption ($\varepsilon_{\dot{q}_s, p_s, c}$), and
 1248 (iv) the compensated cross price elasticity of other goods consumption ($\varepsilon_{\dot{q}_g, p_s, c}$).

1249 The elasticity of substitution (σ) describes the willingness of consumers to substitute one good
 1250 for another. In the context of rebound from an EEU, substitution is considered between consumption
 1251 of the energy service (\dot{q}_s) and consumption of the basket of other goods (\dot{q}_g).

1252 C.2.1 Original, pre-EEU (\circ) elasticities

1253 Economists use surveys, statistical data, and other means to estimate values for the uncompensated
 1254 own price elasticity of energy service consumption ($\varepsilon_{\dot{q}_s, p_s}^\circ$) prior to the EEU. With $\varepsilon_{\dot{q}_s, p_s}^\circ$ in hand,
 1255 calculation of all other elasticities is possible.

1256 **Elasticity of substitution (σ)** For the constant price elasticity (CPE) utility model, there is
 1257 no analytical expression for the elasticity of substitution (σ) and values are most likely taken from

estimation, if they are obtained at all. As we show in Tables 12 and 13 of Part II, not all rebounds are typically calculated, so not all elasticities are needed.

For the constant elasticity of substitution (CES) utility model, Gørtz (1977) shows that the elasticity of substitution prior to the EEU (σ°) can be computed by

$$\sigma^\circ = \frac{f_{\dot{C}_s}^\circ + \varepsilon_{\dot{q}_s, p_s}^\circ}{f_{\dot{C}_s}^\circ - 1} . \quad (170)$$

Thus, the original elasticity of substitution (σ°) can be determined from two pieces of readily available information: (i) the original uncompensated own price elasticity ($\varepsilon_{\dot{q}_s, p_s}^\circ$) and (ii) the share of income spent on the energy service prior to the EEU ($f_{\dot{C}_s}^\circ$ from Eq. (169)). In the CES utility model, σ° is assumed invariant and given the undecorated symbol σ to indicate that it applies across all rebound effects.

For the rest of the pre-EEU elasticities ($\varepsilon_{\dot{q}_o, p_s}^\circ$, $\varepsilon_{\dot{q}_g, p_s}^\circ$, $\varepsilon_{\dot{q}_s, p_s, c}^\circ$, and $\varepsilon_{\dot{q}_o, p_s, c}^\circ$), there is no difference for the CPE utility model or the CES utility model.

Uncompensated cross price elasticity ($\varepsilon_{\dot{q}_o, p_s}^\circ$) From Hicks & Allen (1934), we note that the pre-EEU uncompensated cross price elasticity ($\varepsilon_{\dot{q}_o, p_s}^\circ$) can be expressed as

$$\varepsilon_{\dot{q}_g, p_s}^\circ = f_{\dot{C}_s}^\circ (\sigma - \varepsilon_{\dot{q}_g, M}) . \quad (171)$$

Compensated own price elasticity ($\varepsilon_{\dot{q}_s, p_s, c}^\circ$) An expression for the pre-EEU compensated own price elasticity ($\varepsilon_{\dot{q}_s, p_s, c}^\circ$) can be derived using the Slutsky equation, whereby the uncompensated own price elasticity of the energy service ($\varepsilon_{\dot{q}_s, p_s}^\circ$) is decomposed into the compensated own price elasticity ($\varepsilon_{\dot{q}_s, p_s, c}^\circ$) and the income elasticity ($\varepsilon_{\dot{q}_s, M}$) as follows:

$$\varepsilon_{\dot{q}_s, p_s}^\circ = \varepsilon_{\dot{q}_s, p_s, c}^\circ - f_{\dot{C}_s}^\circ \varepsilon_{\dot{q}_s, M} , \quad (172)$$

where $f_{\dot{C}_s}^\circ$ is given by Eq. (169), and the income elasticity ($\varepsilon_{\dot{q}_s, M}$) is given in Section C.3. Solving for the compensated price elasticity prior to the EEU ($\varepsilon_{\dot{q}_s, p_s, c}^\circ$) gives

$$\varepsilon_{\dot{q}_s, p_s, c}^\circ = \varepsilon_{\dot{q}_s, p_s}^\circ + f_{\dot{C}_s}^\circ \varepsilon_{\dot{q}_s, M} . \quad (173)$$

1277 **Compensated cross price elasticity** ($\frac{\varepsilon_{q_\alpha, p_s, c}^\circ}{\varepsilon_{q_g, p_s, c}^\circ}$) The cross price version of the Slutsky equation
 1278 is the starting point for deriving the pre-EEU compensated cross price elasticity ($\frac{\varepsilon_{q_\alpha, p_s, c}^\circ}{\varepsilon_{q_g, p_s, c}^\circ}$):

$$\varepsilon_{q_g, p_s}^\circ = \varepsilon_{q_g, p_s, c}^\circ - f_{\dot{C}_s}^\circ \varepsilon_{q_g, \dot{M}} . \quad (174)$$

1279 The income elasticity of other goods consumption ($\frac{\varepsilon_{q_\alpha, \dot{M}}^\circ}{\varepsilon_{q_g, \dot{M}}^\circ}$) is given in Section C.3. Solving for
 1280 $\frac{\varepsilon_{q_\alpha, p_s, c}^\circ}{\varepsilon_{q_g, p_s, c}^\circ}$ gives

$$\varepsilon_{q_g, p_s, c}^\circ = \varepsilon_{q_g, p_s}^\circ + f_{\dot{C}_s}^\circ \varepsilon_{q_g, \dot{M}} . \quad (175)$$

1281 An alternative formulation can be derived by setting Eq. (171) equal to Eq. (174) to obtain

$$f_{\dot{C}_s}^\circ (\sigma - \varepsilon_{q_g, \dot{M}}) = \varepsilon_{q_g, p_s, c}^\circ - f_{\dot{C}_s}^\circ \varepsilon_{q_g, \dot{M}} . \quad (176)$$

1282 Solving for $\frac{\varepsilon_{q_\alpha, p_s, c}^\circ}{\varepsilon_{q_g, p_s, c}^\circ}$ gives

$$\varepsilon_{q_g, p_s, c}^\circ = f_{\dot{C}_s}^\circ \sigma . \quad (177)$$

1283 Substituting σ from Eq. (170) gives

$$\varepsilon_{q_g, p_s, c}^\circ = \frac{f_{\dot{C}_s}^\circ (f_{\dot{C}_s}^\circ + \varepsilon_{q_s, p_s}^\circ)}{f_{\dot{C}_s}^\circ - 1} . \quad (178)$$

1284 Assuming a known value for the original uncompensated own price elasticity ($\varepsilon_{q_s, p_s}^\circ$), all other
 1285 pre-EEU elasticities can be calculated from Eqs. (170), (171), (173), and (175) or (178).

1286 Note that the rebound framework in this paper uses the CES utility model and needs only the
 1287 uncompensated own price elasticity ($\varepsilon_{q_s, p_s}^\circ$) and the derived elasticity of substitution (σ) to calculate
 1288 rebound values. The other price elasticities ($\varepsilon_{q_s, p_s}^\circ$, $\varepsilon_{q_s, p_s, c}^\circ$, and $\frac{\varepsilon_{q_\alpha, p_s, c}^\circ}{\varepsilon_{q_g, p_s, c}^\circ}$) are not necessary for the
 1289 model. However, they are helpful for elucidating results derived from the framework, a task left for
 1290 Part II.

1291 C.2.2 Post substitution effect (\wedge) elasticities

1292 The stage after the substitution effect (\wedge) represents utility-maximizing behavior after the energy
 1293 service price drop caused by the EEU and the compensating variation. Post-EEU, elasticities may

be different from the original condition, because the consumption bundle has changed (due to a move along the indifference curve). This section derives expressions for elasticities at the \wedge stage. Elasticities at the \wedge stage are different for the CPE utility model and the CES utility model.

CPE utility model By definition, the uncompensated own-price elasticity is assumed unchanged from their original values across the substitution effect in the constant price elasticity (CPE) utility model. Thus,

$$\varepsilon_{\dot{q}_s p_s}^{\circ} = \hat{\varepsilon}_{\dot{q}_s p_s} . \quad (179)$$

CES utility model The CES utility model is rather different to the CPE model with respect to the behavior of elasticities across the substitution effect. In the CES utility model, price elasticities (ε) are different after the substitution effect (\wedge) compared to the original (\circ).

Elasticity of substitution (σ) Be definition, the elasticity of substitution (σ) is constant across the substitution effect for the CES utility model. Thus,

$$\sigma^{\circ} = \hat{\sigma} . \quad (180)$$

Because the elasticity of substitution is unchanged, we refer to σ without decoration for the CES utility model. The constancy of σ means that the price elasticities (ε) will vary with the energy service price ($\tilde{p}_s p_s^*$) across the substitution effect.

Compensated own price elasticity ($\hat{\varepsilon}_{\dot{q}_s p_{s,c}}$) The compensated own price elasticity of energy service demand ($\hat{\varepsilon}_{\dot{q}_s p_{s,c}}$) gives the percentage change of the consumption rate of the energy service (\dot{q}_s) across the substitution effect due to a unit percentage change in the energy service price ($\tilde{p}_s p_s^*$) resulting from the EEU under the constraint that utility is unchanged ($\dot{u}^* = \hat{u}$). In contrast to the CPE utility model above, the compensated own price elasticity of energy service demand ($\hat{\varepsilon}_{\dot{q}_s p_{s,c}}$) is not constant in the CES utility model. Rather, $\hat{\varepsilon}_{\dot{q}_s p_{s,c}}$ is a function of the post-EEU energy service price ($\tilde{p}_s p_s^*$). The definition of $\hat{\varepsilon}_{\dot{q}_s p_{s,c}}$ is

$$\hat{\varepsilon}_{\dot{q}_s p_{s,c}} \equiv \frac{\tilde{p}_s}{\hat{\dot{q}_s}} \frac{p_s^*}{\hat{\dot{q}_s}} \frac{\partial \hat{\dot{q}_s}}{\partial p_s^*} \bigg|_{\dot{u} = \dot{u}^* = \hat{u}} . \quad (181)$$

1315 To find an expression for $\hat{\varepsilon}_{\hat{q}_s, p_s, c}$ for the CES utility function, we need to first find the partial
 1316 derivative of the rate of energy service consumption (\hat{q}_s) with respect to the post-EEU energy service
 1317 price $\tilde{p}_s(p_s^*)$ at constant utility ($\dot{u} = \dot{u}^* = \hat{u}$) across the substitution effect. This derivation of an
 1318 expression for $\hat{\varepsilon}_{\hat{q}_s, p_s, c}$ for the CES utility model commences with Eq. (21), which was derived for
 1319 constant utility across the substitution effect.

$$\frac{\hat{q}_s}{\dot{q}_s^\circ} = \left\{ f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\left(\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \right) \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)} \right\}^{-1/\rho} \quad (21)$$

1320 In Eq. (21), all terms on the right side except $\tilde{p}_s p_s^*$ are constant for the purposes of the partial
 1321 derivative. Finding the partial derivative of \hat{q}_s with respect to $\tilde{p}_s p_s^*$ amounts to applying the chain
 1322 rule repeatedly. To simplify the derivation, we can define the following constants

$$f \equiv f_{\dot{C}_s}^\circ, \quad (182)$$

$$g \equiv 1 - f_{\dot{C}_s}^\circ, \quad (183)$$

$$h \equiv \frac{\dot{q}_s^\circ}{\dot{C}_s^\circ} \frac{\dot{q}_s^\circ}{\dot{C}_g^\circ}, \quad (184)$$

$$m_s \equiv \rho/(1 - \rho), \quad (185)$$

$$n \equiv -1/\rho, \text{ and} \quad (186)$$

$$z \equiv \frac{g}{f} h = \frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \frac{\dot{q}_s^\circ}{\dot{C}_s^\circ} \frac{\dot{q}_s^\circ}{\dot{C}_g^\circ} \quad (187)$$

1323 and rearrange slightly to obtain

$$\hat{q}_s = \dot{q}_s^\circ \left[f + g \left(z \tilde{p}_s p_s^* \right)^{m_s} \right]^n. \quad (188)$$

1324 Taking the partial derivative of \hat{q}_s with respect to $\tilde{p}_s p_s^*$, via repeated application of the chain
 1325 rule, gives

$$\frac{\partial \hat{q}_s}{\partial p_s^*} = \dot{q}_s^\circ m_s n g z^{m_s} (\tilde{p}_s p_s^*)^{m_s-1} \left\{ \left[f + g \left(z \tilde{p}_s p_s^* \right)^{m_s} \right]^{n-1} \right\}. \quad (189)$$

1326 Forming the elasticity via its definition (Eq. (181)) gives

$$\hat{\epsilon}_{\dot{q}_s, p_s, c} \equiv \frac{\tilde{p}_s}{\hat{q}_s} \frac{p_s^*}{\hat{q}_s} \frac{\partial \hat{q}_s}{\partial p_s^*} \bigg|_{\dot{u} = \dot{u}^* = \hat{u}} = \frac{\tilde{p}_s}{\cancel{\dot{q}_s} [f + g(z\tilde{p}_s)^{m_s}]^n} \frac{\tilde{p}_s}{\cancel{\dot{q}_s} [f + g(zp_s^*)^{m_s}]^n} \dot{q}_s m_s n g z^{m_s} (\underline{p_s^*})^{m_s-1} \left\{ \left[f + g \left(z \underline{p_s^*} \right)^{m_s} \right]^{n-1} \right\}. \quad (190)$$

1327 Cancelling terms and combining \tilde{p}_s and $[f + g(z\tilde{p}_s)^{m_s}]$ $\underline{p_s^*}$ and $[f + g(zp_s^*)^{m_s}]$ terms with different
1328 exponents gives

$$\hat{\epsilon}_{\dot{q}_s, p_s, c} = \frac{m_s n g (z\tilde{p}_s)^{m_s}}{f + g(z\tilde{p}_s)^{m_s}} \frac{m_s n g (zp_s^*)^{m_s}}{\underline{f + g(zp_s^*)^{m_s}}}. \quad (191)$$

1329 Back-substituting the constants and simplifying where possible yields

$$\hat{\epsilon}_{\dot{q}_s, p_s, c} = - \frac{\frac{1}{1-\rho} (1 - f_{\dot{C}_s}^\circ) \left[\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \frac{\tilde{p}_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \right]^{\rho/(1-\rho)}}{f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \frac{\tilde{p}_s \dot{q}_s^\circ}{\dot{C}_o^\circ} \right]^{\rho/(1-\rho)}} \frac{\frac{1}{1-\rho} (1 - f_{\dot{C}_s}^\circ) \left[\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)}}{\underline{f_{\dot{C}_s}^\circ + (1 - f_{\dot{C}_s}^\circ) \left[\frac{1 - f_{\dot{C}_s}^\circ}{f_{\dot{C}_s}^\circ} \frac{p_s^* \dot{q}_s^\circ}{\dot{C}_g^\circ} \right]^{\rho/(1-\rho)}}}. \quad (192)$$

1330 Eq. (192) shows that the compensated energy service price elasticity of energy service consumption
1331 ($\hat{\epsilon}_{\dot{q}_s, p_s, c}$) under the CES utility model is a function of the energy service price after the EEU ($\tilde{p}_s \underline{p_s^*}$). It
1332 is negative, as it should be, because all terms are positive, with ρ and $f_{\dot{C}_s}^\circ$ being bounded above by 1.

1333 Of interest is how the elasticity changes as $\tilde{p}_s \underline{p_s^*}$ changes. Taking the derivative of Eq. (191) and
1334 simplifying gives

$$\frac{\partial \hat{\epsilon}_{\dot{q}_s, p_s, c}}{\partial p_s^*} = \frac{m_s^2 n g (z\tilde{p}_s)^{m_s}}{\tilde{p}_s (f + g(z\tilde{p}_s)^{m_s})^2} \frac{m_s^2 n g (zp_s^*)^{m_s}}{\underline{p_s^* (f + g(zp_s^*)^{m_s})^2}}. \quad (193)$$

1335 All terms taken to their power are positive with the exception of n . For $\sigma < 1$, n is positive; for
1336 $\sigma > 1$, n is negative. Since we expect $\sigma < 1$ (otherwise we have backfire rebound conditions),
1337 the derivative is positive: the compensated own price elasticity becomes less negative as $\tilde{p}_s \underline{p_s^*}$
1338 increases.²⁷ Since the share of income spent on the energy service declines for $\sigma < 1$, it is not
1339 immediately clear in which direction $\hat{\epsilon}_{\dot{q}_s, p_s}$ moves according to [equation 171](#) Eq. (171). See Fig. C.8
1340 in Appendix C.7 of Part II for a graph of the sensitivity of price elasticities ($\hat{\epsilon}$) to energy service
1341 price ($\tilde{p}_s \underline{p_s^*}$) for concrete examples.

²⁷For $\sigma = 1$, $m_s = 0$, and the derivative is zero: the Cobb-Douglas special case.

Compensated cross price elasticity ($\hat{\epsilon}_{\hat{q}_o, p_s, c}^{\hat{q}_g, p_s, c}$) The compensated cross price elasticity

of other goods demand ($\hat{\epsilon}_{\hat{q}_o, p_s, c}^{\hat{q}_g, p_s, c}$) gives the percentage change of the consumption rate of other goods (\hat{q}_o) across the substitution effect due to a unit percentage change in the energy service price (\tilde{p}_s) resulting from the EEU under the constraint that utility is unchanged ($\dot{u}^* = \hat{u}$). To find the compensated cross price elasticity of other goods consumption ($\hat{\epsilon}_{\hat{q}_o, p_s, c}^{\hat{q}_g, p_s, c}$), we follow a similar procedure as for deriving the own price elasticity of energy service consumption ($\hat{\epsilon}_{\hat{q}_s, p_s, c}$), with two differences being (i) the elasticity definition and (ii) the equation from which the partial derivative is derived.

The first difference is the definition of the compensated cross price elasticity of other goods consumption ($\hat{\epsilon}_{\hat{q}_o, p_s, c}^{\hat{q}_g, p_s, c}$).

$$\hat{\epsilon}_{\hat{q}_g, p_s, c}^{\hat{q}_o, p_s, c} \equiv \left. \frac{\tilde{p}_s}{\hat{q}_o} \frac{p_s^*}{\hat{q}_g} \frac{\partial \hat{q}_g}{\partial p_s^*} \right|_{\dot{u} = \dot{u}^* = \hat{u}} \quad (194)$$

Again, we need to find the partial derivative of the rate of other goods consumption (\hat{q}_o) with respect to the energy service price (\tilde{p}_s) at constant utility ($\dot{u}^* = \hat{u}$) across the substitution effect. The second difference is the starting point for this derivation, Eq. (??22) (instead of Eq. (21)).

$$\frac{\hat{C}_o}{\hat{C}_g} = \left(1 + f_{\hat{C}_s}^{\circ} \left\{ \left[\left(\frac{1 - f_{\hat{C}_s}^{\circ}}{f_{\hat{C}_s}^{\circ}} \right) \frac{p_s^* \hat{q}_s^{\circ}}{\hat{C}_g^{\circ}} \right]^{\rho/(\rho-1)} - 1 \right\} \right)^{-1/\rho} \quad (22)$$

In Eq. (??22), all terms on the right side except \tilde{p}_s are constant for the purposes of the partial derivative. So finding the derivative amounts to applying the chain rule repeatedly. To simplify the derivation, we can define

$$m_{\bar{o}g} \equiv \rho/(\rho - 1) , \quad (195)$$

invoke the constancy of other prices ($\hat{p}_o = \hat{p}_o p_g^{\circ} = \hat{p}_g$) from Appendix E, and rearrange slightly to obtain

$$\hat{q}_{\bar{o}g} = \hat{q}_{\bar{o}g}^{\circ} \left\{ 1 + f \left[\left(z \tilde{p}_s^* \right)^{m_{\bar{o}g}} - 1 \right] \right\}^n , \quad (196)$$

with f , n , and z being constants defined in the derivation of $\hat{\epsilon}_{\hat{q}_s, p_s, c}$ above.

1361 Taking the partial derivative of $\hat{q}_o \hat{q}_g$ with respect to $\tilde{p}_s p_s^*$, via repeated application of the chain
 1362 rule, gives

$$\frac{\partial \hat{q}_g}{\partial p_s^*} = \dot{q}_o^{\circ} m_{\tilde{o}g} n f z^{\underline{m_o m_g}} (\underline{p_s^*})^{\underline{m_o-1}} \left\{ 1 + \left[f \left(z \underline{p_s^*} \right)^{\underline{m_o m_g}} - 1 \right] \right\}^{n-1}. \quad (197)$$

1363 Forming the elasticity via its definition (Eq. (??194)) gives

$$\begin{aligned} \hat{\epsilon}_{\hat{q}_g, p_s, c} &\equiv \frac{\tilde{p}_s p_s^*}{\hat{q}_o \hat{q}_g} \frac{\partial \hat{q}_g}{\partial p_s^*} \bigg|_{\dot{u} = \dot{u}^* = \hat{u}} \\ &= \frac{\tilde{p}_s}{\dot{q}_o^{\circ} \{1 + f[(z \tilde{p}_s)^{m_o} - 1]\}^n} \frac{p_s^*}{\dot{q}_g^{\circ} \{1 + f[(z p_s^*)^{m_g} - 1]\}^n} \dot{q}_g^{\circ} m_{\tilde{o}g} n f z^{\underline{m_o m_g}} (\underline{p_s^*})^{\underline{m_o-1}} \left\{ 1 + f \left[\left(z \underline{p_s^*} \right)^{\underline{m_o m_g}} - 1 \right] \right\}^n \end{aligned} \quad (198)$$

1364 Cancelling terms and combining \tilde{p}_s and $\{1 + f[(z \tilde{p}_s)^{m_o} - 1]\}$ terms with dif-
 1365 ferent exponents gives

$$\hat{\epsilon}_{\hat{q}_g, p_s, c} = \frac{m_o n f (z \tilde{p}_s)^{m_o}}{1 + f[(z \tilde{p}_s)^{m_o} - 1]} \frac{m_g n f (z p_s^*)^{m_g}}{1 + f[(z p_s^*)^{m_g} - 1]}. \quad (199)$$

1366 Back-substituting the constants and simplifying where possible yields

$$\hat{\epsilon}_{\hat{q}_g, p_s, c} = - \frac{\frac{1}{\rho-1} f_{\tilde{C}_s}^{\circ} \left(\frac{1-f_{\tilde{C}_s}^{\circ}}{f_{\tilde{C}_s}^{\circ}} \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\tilde{C}_o^{\circ}} \right)^{\rho/(\rho-1)}}{1 + f_{\tilde{C}_s}^{\circ} \left[\left(\frac{1-f_{\tilde{C}_s}^{\circ}}{f_{\tilde{C}_s}^{\circ}} \frac{\tilde{p}_s \dot{q}_s^{\circ}}{\tilde{C}_o^{\circ}} \right)^{\rho/(\rho-1)} - 1 \right]} \frac{\left(\frac{1}{\rho-1} \right) f_{\tilde{C}_s}^{\circ} \left(\frac{1-f_{\tilde{C}_s}^{\circ}}{f_{\tilde{C}_s}^{\circ}} \frac{p_s^* \dot{q}_s^{\circ}}{\tilde{C}_g^{\circ}} \right)^{\rho/(\rho-1)}}{1 + f_{\tilde{C}_s}^{\circ} \left[\left(\frac{1-f_{\tilde{C}_s}^{\circ}}{f_{\tilde{C}_s}^{\circ}} \frac{p_s^* \dot{q}_s^{\circ}}{\tilde{C}_g^{\circ}} \right)^{\rho/(\rho-1)} - 1 \right]}. \quad (200)$$

1367 Eq. (??200) shows that the compensated energy service price elasticity of other goods consumption
 1368 ($\hat{\epsilon}_{\tilde{q}_o, p_s, c} \hat{\epsilon}_{\hat{q}_g, p_s, c}$) under the CES utility model is a function of the energy service price after the EEU ($\tilde{p}_s p_s^*$).
 1369 It is positive, because all terms except $\frac{1}{\rho-1}$ are positive, with ρ and $f_{\tilde{C}_s}^{\circ}$ being bounded above by 1.

1370 Of interest is how the elasticity changes as $\tilde{p}_s p_s^*$ changes. Taking the derivative of ??199 and
 1371 simplifying gives

$$\frac{\partial \hat{\epsilon}_{\hat{q}_g, p_s, c}}{\partial p_s^*} = \frac{m_o^2 n f (z \tilde{p}_s)^{m_o}}{\tilde{p}_s (1 + f[(z \tilde{p}_s)^{m_o} - 1])^2} \frac{m_g^2 n f (z p_s^*)^{m_g}}{\underline{p_s^*} (1 + f[(z p_s^*)^{m_g} - 1])^2}. \quad (201)$$

1372 All terms taken to their power are positive with the exception of n , analogous to the derivative

1373 of the own price elasticity in equation 193. Thus, with $\sigma < 1$ and n positive, the compensated cross
 1374 price elasticity becomes more positive as $\tilde{p}_s p_s^*$ increases.

1375 See Fig. C.8 of Appendix C.7 of Part II for a graph of the sensitivity of price elasticities ($\hat{\varepsilon}$) to
 1376 energy service price ($\tilde{p}_s p_s^*$) for concrete examples.

1377 **Uncompensated own price elasticity** ($\hat{\varepsilon}_{\dot{q}_s p_s}$) After finding the compensated own price
 1378 elasticity ($\hat{\varepsilon}_{\dot{q}_s p_s, c}$), the Slutsky equation can be used directly to find the uncompensated own price
 1379 elasticity ($\hat{\varepsilon}_{\dot{q}_s p_s}$) after the substitution effect for the CES utility model.

$$\hat{\varepsilon}_{\dot{q}_s p_s} = \hat{\varepsilon}_{\dot{q}_s p_s, c} - \hat{f}_{\dot{C}_s} \varepsilon_{\dot{q}_s, \dot{M}} \quad (202)$$

1380 **Uncompensated cross price elasticity** ($\hat{\varepsilon}_{\overline{\dot{q}_o p_s} \dot{q}_g p_s}$) The result from Hicks & Allen (1934)
 1381 can be used to calculate the uncompensated cross price elasticity ($\hat{\varepsilon}_{\overline{\dot{q}_o p_s} \dot{q}_g p_s}$) for the CES utility
 1382 model.

$$\hat{\varepsilon}_{\dot{q}_g p_s} = \hat{f}_{\dot{C}_s} (\sigma - \varepsilon_{\dot{q}_g, \dot{M}}) . \quad (203)$$

1383 C.3 Elasticities for the income effect ($\varepsilon_{\dot{q}_s, \dot{M}}$ and $\varepsilon_{\overline{\dot{q}_o, \dot{M}} \dot{q}_g, \dot{M}}$)

1384 The income effect requires two elasticities to estimate the spending of net savings: the income
 1385 elasticity of energy service consumption ($\varepsilon_{\dot{q}_s, \dot{M}}$) and the income elasticity of other goods consumption
 1386 ($\varepsilon_{\overline{\dot{q}_o, \dot{M}} \dot{q}_g, \dot{M}}$). Due to the homotheticity assumption, both income elasticities are unitary. Thus,

$$\varepsilon_{\dot{q}_s, \dot{M}} = 1 , \quad (204)$$

1387 and

$$\varepsilon_{\dot{q}_g, \dot{M}} = 1 . \quad (205)$$

D Proof: Income preference equations satisfy the budget constraint

After the substitution effect, a rate of net savings is available (\hat{N}), all of which is spent on additional energy service ($\Delta\bar{q}_s, \Delta\bar{C}_s = p_E\Delta\bar{E}_s$) or additional other goods ($\Delta\bar{q}_o, \Delta\bar{C}_o, \Delta\bar{q}_g, \Delta\bar{C}_g$). The income effect must satisfy the budget constraint such that net savings is zero afterward ($\bar{N} = 0$). The budget constraint across the income effect is represented by Eq. (108):

$$\hat{N} = p_E\Delta\bar{E}_s + \Delta\bar{C}_{\bar{o}g} . \quad (108)$$

The additional spending due to the income effect is given by income preference equations

$$\frac{\bar{q}_s}{\hat{q}_s} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\hat{q}_s, \hat{M}}} \quad (25)$$

and

$$\frac{\bar{q}_o}{\hat{q}_o} \frac{\bar{q}_g}{\hat{q}_g} = \left(1 + \frac{\hat{N}}{\hat{M}'}\right)^{\varepsilon_{\hat{q}_o, \hat{M}} \varepsilon_{\hat{q}_g, \hat{M}}} , \quad (29)$$

where

$$\hat{M}' \equiv \dot{M} - \tau_\alpha^* \dot{C}_{cap}^* - \dot{C}_{OMd}^* - \hat{N} . \quad (26)$$

This appendix proves that the income preference equations (Eqs. (25) and (29)) satisfy the budget constraint (Eq. (108)).

The first step in the proof is to convert the income preference equations to \dot{C}_s° and $\dot{C}_o^\circ/\dot{C}_g^\circ$ ratios. For the energy service income preference equation (Eq. (25)), multiply numerator and denominator of the left-hand side by $\tilde{p}_s = p_E/\tilde{\eta}$ $p_s^* = p_E/\eta^*$ (Eq. (7)) to obtain \bar{C}_s/\hat{C}_s . For the other goods income preference equation (Eq. (29)), multiply numerator and denominator of the left-hand side by p_o to obtain \bar{C}_o/\hat{C}_o p_g to obtain \bar{C}_g/\hat{C}_g . Then, invoke homotheticity to set $\varepsilon_{\hat{q}_s, \hat{M}} = 1$ and $\varepsilon_{\hat{q}_o, \hat{M}} = 1$ $\varepsilon_{\hat{q}_g, \hat{M}} = 1$ to obtain

$$\frac{\bar{C}_s}{\hat{C}_s} = 1 + \frac{\hat{N}}{\hat{M}'} \quad (206)$$

1405 and

$$\frac{\bar{\dot{C}}_o}{\dot{\hat{C}}_o} \frac{\bar{\dot{C}}_g}{\dot{\hat{C}}_g} = 1 + \frac{\hat{N}}{\hat{M}'} . \quad (207)$$

1406 The second step in the proof is to obtain expressions for $\Delta\bar{C}_s$ and $\Delta\bar{\dot{C}}_o\Delta\bar{\dot{C}}_g$. Multiply the income
1407 preference equations above by $\Delta\hat{C}_s$ and $\Delta\hat{\dot{C}}_o\Delta\hat{\dot{C}}_g$, respectively. Then, subtract $\Delta\hat{C}_s$ and $\Delta\hat{\dot{C}}_o\Delta\hat{\dot{C}}_g$,
1408 respectively, to obtain

$$\Delta\bar{C}_s = \frac{\hat{C}_s}{\hat{M}'} \hat{N} \quad (208)$$

1409 and

$$\Delta\bar{\dot{C}}_{og} = \frac{\hat{\dot{C}}_o}{\hat{M}'} \frac{\hat{\dot{C}}_g}{\hat{M}'} \hat{N} . \quad (209)$$

1410 The above versions of the income preference equations can be substituted into the budget
1411 constraint (Eq. (108)) to obtain

$$\hat{N} \stackrel{?}{=} \frac{\hat{C}_s}{\hat{M}'} \hat{N} + \frac{\hat{\dot{C}}_o}{\hat{M}'} \frac{\hat{\dot{C}}_g}{\hat{M}'} \hat{N} . \quad (210)$$

1412 If equality is demonstrated, the income preference equations satisfy the budget constraint. The
1413 remainder of the proof shows the equality of Eq. (210).

1414 Dividing by \hat{N} and multiplying by \hat{M}' gives

$$\hat{C}_s + \hat{\dot{C}}_{og} \stackrel{?}{=} \hat{M}' . \quad (211)$$

1415 Substituting Eq. (26) for \hat{M}' gives

$$\hat{C}_s + \hat{\dot{C}}_{og} \stackrel{?}{=} \dot{M} - R_\alpha^* \dot{C}_{cap}^* - \dot{C}_{OMd}^* - \hat{N} . \quad (212)$$

1416 Substituting Eq. (93) for ~~\dot{M}° , because $\dot{M}^\circ = \dot{M}$, \dot{M}~~ gives

$$\hat{C}_s + \hat{\dot{C}}_{og} \stackrel{?}{=} p_E \hat{E}_s + \hat{R}_\alpha \hat{C}_{cap} + \hat{C}_{OMd} + \hat{\dot{C}}_{og} + \hat{N}' - R_\alpha^* \dot{C}_{cap}^* - \dot{C}_{OMd}^* - \hat{N}' . \quad (213)$$

1417 Cancelling terms and recognizing that $R_\alpha^* \dot{C}_{cap}^* = \hat{R}_\alpha \hat{C}_{cap}$, $\dot{C}_{OMd}^* = \hat{C}_{OMd}$, and $\hat{C}_s = p_E \hat{E}_s$ gives

$$\hat{C}_s + \hat{C}_{\overline{o}g} \stackrel{?}{=} \hat{C}_s + \cancel{\hat{R}_\alpha \hat{C}_{cap}} + \cancel{\hat{C}_{OMd}} + \hat{C}_{\overline{o}g} - \cancel{\hat{R}_\alpha \hat{C}_{cap}} - \cancel{\hat{C}_{OMd}} . \quad (214)$$

1418 Cancelling terms gives

$$\hat{C}_s + \hat{C}_{\overline{o}g} \stackrel{\checkmark}{=} \hat{C}_s + \hat{C}_{\overline{o}g} , \quad (215)$$

1419 thereby completing the proof that the income preference equations (Eqs. (25) and (2229)) satisfy
1420 the budget constraint (Eq. (108)).

1421 E Other goods expenditures and constant $p_o p_g$

1422 This framework utilizes a partial equilibrium analysis (at the microeconomic level) in which we
1423 account for the change of the energy service price due to the EEU ($p_s^\circ \neq p_s^*$), but we do not track
1424 the effect of the EEU on prices of other goods. These assumptions have important implications for
1425 the relationship between the rate of consumption of other goods ($\dot{q}_{\overline{o}g}$) and the rate of expenditure
1426 on other goods ($\dot{C}_{\overline{o}g}$).

1427 We assume a basket of other goods (besides the energy service) purchased in the economy, each
1428 (i) with its own price ($p_{\overline{o},i} p_{g,i}$) and rate of consumption ($\dot{q}_{\overline{o},i} \dot{q}_{g,i}$), such that the average price of all
1429 other goods purchased in the economy prior to the EEU ($p_o^\circ p_g^\circ$) is given by

$$p_{\overline{o}g}^\circ = \frac{\sum_i p_{o,i}^\circ q_{o,i}^\circ}{\sum_i q_{o,i}^\circ} \frac{\sum_i p_{g,i}^\circ q_{g,i}^\circ}{\underbrace{\sum_i q_{g,i}^\circ}} . \quad (216)$$

1430 Then, the expenditure rate of other purchases in the economy can be given as

$$\dot{C}_{\overline{o}g}^\circ = p_{\overline{o}g}^\circ \dot{q}_{\overline{o}g}^\circ \quad (217)$$

1431 before the EEU and

$$\hat{C}_{\overline{o}g} = \hat{p}_{\overline{o}g} \hat{q}_{\overline{o}g} \quad (218)$$

1432 after the substitution effect, for example.

1433 We assume that any microeconomic effects (emplacement, substitution, or income) for a single
 1434 device are not so large that they cause a measurable change in prices of other goods. Thus,

$$p^{\circ}_{\textcolor{red}{o}g} = p^*_{\textcolor{red}{o}g} = \hat{p}_{\textcolor{red}{o}g} = \bar{p}_{\textcolor{red}{o}g} = \tilde{p}_{\textcolor{red}{o}g} = \textcolor{blue}{p}_g . \quad (219)$$

1435 In the partial equilibrium analysis, any two other goods prices can be equated across any rebound
 1436 effect to obtain (for the example of the original conditions (\circ) and the post-substitution state (\wedge))

$$\frac{\textcolor{red}{\hat{C}}_{\textcolor{red}{o}}}{\textcolor{red}{\hat{C}}_{\textcolor{red}{o}}^{\circ}} \frac{\hat{C}_g}{\hat{C}_g^{\circ}} = \frac{\textcolor{red}{\hat{q}}_{\textcolor{red}{o}}}{\textcolor{red}{\hat{q}}_{\textcolor{red}{o}}^{\circ}} \frac{\hat{q}_g}{\hat{q}_g^{\circ}} . \quad (220)$$

1437 Thus, a ratio of other goods expenditure rates is always equal to a ratio of other goods consumption
 1438 rates.

1439 F Energy price rebound

1440 Energy price rebound (Re_{p_E}) is caused by a reduction in energy price (p_E) that can occur when
 1441 widespread implementation of an energy efficiency upgrade (EEU) leads to an economy-wide reduction
 1442 in energy demand. Reduced demand leads to the lower energy price (p_E). Conceptually, the demand
 1443 schedule for energy, which associates each level of economy-wide energy demand with a price, shifts
 1444 to the left. Consumers demand less energy at any given price of energy, as consumers can meet
 1445 their needs with less energy than before thanks to the EEU. Then adjustment takes place along the
 1446 unchanged energy supply schedule. Hence, the price elasticity of energy supply can be used to derive
 1447 the new energy price. As a result, the device owner spends less on energy purchases to operate the
 1448 upgraded device and all other devices that use the same energy type. For simplicity, we assume the
 1449 device owner's additional freed cash is spent on other goods and services with energy implications at
 1450 the energy intensity of the economy (I_E).

1451 This appendix derives an expression for an energy price rebound (Eq. (36)) shown in Section 3.2.
 1452 This derivation and our assessment of the magnitude of energy price rebound in Part II illustrate
 1453 the flexibility and extensibility of the framework presented in these papers.

1454 The derivation begins with an equation for the new economy-wide demand for energy ($\bar{\dot{Q}}_E$) after
 1455 the EEU:

$$\bar{\dot{Q}}_E = \dot{Q}_E^\circ - f_{EEU} N_{dev} \dot{E}_s^\circ \left(1 - \frac{\bar{\dot{E}}_s}{\dot{E}_s^\circ} \right), \quad (221)$$

1456 where \dot{Q}_E is the rate of economy-wide demand for energy in MJ/year, f_{EEU} is the fraction of devices
 1457 upgraded across the economy (i.e., the penetration of the EEU), N_{dev} is the number of devices
 1458 in service, and \dot{E}_s is the rate of energy consumption by a single device in MJ/device-year. The
 1459 decorations “o” and “–” have the usual meanings provided in Fig. 1, namely that “o” indicates
 1460 the original, pre-EEU device and “–” indicates conditions for the device owner after emplacement,
 1461 substitution, and income adjustments. The ratio between new ($\bar{\dot{Q}}_E$) and pre-EEU (\dot{Q}_E°) energy
 1462 demand is given by

$$\frac{\bar{\dot{Q}}_E}{\dot{Q}_E^\circ} = \frac{\dot{Q}_E^\circ - f_{EEU} N_{dev} \dot{E}_s^\circ \left(1 - \frac{\bar{\dot{E}}_s}{\dot{E}_s^\circ} \right)}{\dot{Q}_E^\circ}. \quad (222)$$

1463 Simplifying gives

$$\frac{\bar{\dot{Q}}_E}{\dot{Q}_E^\circ} = 1 - f_{EEU} \frac{N_{dev} \dot{E}_s^\circ}{\dot{Q}_E^\circ} \left(1 - \frac{\bar{\dot{E}}_s}{\dot{E}_s^\circ} \right). \quad (223)$$

1464 Note that the group $\frac{N_{dev} \dot{E}_s^\circ}{\dot{Q}_E^\circ}$ is the original (pre-EEU) fraction of all energy production (of the kind
 1465 used by the device) consumed by all such devices throughout the economy.

1466 The relationship between energy price (p_E) and economy-wide energy supply (\dot{Q}_E) can be given
 1467 by an elasticity relationship

$$\frac{\bar{\dot{Q}}_E}{\dot{Q}_E^\circ} = \left(\frac{\bar{p}_E}{p_E^\circ} \right)^{\varepsilon_{\dot{Q}_E, p_E}}, \quad (224)$$

1468 where $\varepsilon_{\dot{Q}_E, p_E}$ is the energy price (p_e) elasticity of economy-wide energy supply (\dot{Q}_E) and is expected
 1469 to be positive. To assess the effect on price ($p_E^\circ > \bar{p}_E$) of demand reduction due to widespread
 1470 adoption of the EEU ($\dot{Q}_E^\circ > \bar{\dot{Q}}_E$), we solve for $\frac{\bar{p}_E}{p_E^\circ}$ to obtain

$$\frac{\bar{p}_E}{p_E^\circ} = \left(\frac{\bar{\dot{Q}}_E}{\dot{Q}_E^\circ} \right)^{\frac{1}{\varepsilon_{\dot{Q}_E, p_E}}}. \quad (225)$$

1471 Substituting Eq. (223) gives

$$\frac{\bar{p}_E}{p_E^\circ} = \left[1 - f_{EEU} \frac{N_{dev} \dot{E}_s^\circ}{\dot{Q}_E^\circ} \left(1 - \frac{\bar{\dot{E}}_s}{\dot{E}_s^\circ} \right) \right]^{\frac{1}{\varepsilon_{\dot{Q}_E, p_E}}} . \quad (226)$$

1472 The energy price reduction ($p_E^\circ > \bar{p}_E$) leads to additional freed cash (\dot{G}_{p_E}) for the device owner
1473 at a rate of

$$\dot{G}_{p_E} = \left[\dot{E}^\circ - (\dot{E}_s^\circ - \bar{\dot{E}}_s) \right] (p_E^\circ - \bar{p}_E) , \quad (227)$$

1474 where \dot{E}° is the rate at which the device owner consumes the final energy carrier that supplies the
1475 energy service (gasoline for a car and electricity for an electric lamp) prior to the EEU in all devices
1476 (the upgraded device and others), $(\dot{E}_s^\circ - \bar{\dot{E}}_s)$ reduces \dot{E}° by the energy savings after the income
1477 adjustment such that $\dot{E}^\circ - (\dot{E}_s^\circ - \bar{\dot{E}}_s)$ is the total rate of energy consumption by all of the consumer's
1478 devices after the income effect and the energy price adjustment, and $(p_E^\circ - \bar{p}_E)$ is the energy price
1479 reduction caused by reduced demand for energy across the whole economy estimated by Eq. (226).

1480 Rearrangement of terms gives

$$\dot{G}_{p_E} = \left[\dot{E}^\circ - (\dot{E}_s^\circ - \bar{\dot{E}}_s) \right] \left(1 - \frac{\bar{p}_E}{p_E^\circ} \right) p_E^\circ , \quad (228)$$

1481 into which Eq. (226) can be substituted easily.

1482 The energy implications of spending the additional freed cash (\dot{G}_{p_E}) on other goods and services
1483 is $\dot{G}_{p_E} I_E$, another energy takeback rate. By Eq. (3), rebound associated with this energy price effect
1484 takeback can be written as

$$Re_{p_E} = \frac{\dot{G}_{p_E} I_E}{\dot{S}_{dev}} , \quad (36)$$

1485 as shown in Section 3.2, thus completing the derivation.