POLYTECHNIC UNIVERSITY OF MILAN

School of Industrial and Information Engineering
Computer Science and Engineering



Project of Software Engineering 2: MyTaxi Service Integration Test Plan Document

Course Professor: Prof. Elisabetta DI NITTO

Authors:

Mattia CRIPPA 854126

Francesca GALLUZZI 788328

Marco LATTARULO 841399

Academic Year 2015–2016

Contents

| 1 | Intr | roducti | on | 3 |
|---|------|---------|---|----|
| | 1.1 | Revisio | on History | 3 |
| | 1.2 | Purpos | se | 3 |
| | 1.3 | Scope | | 3 |
| | 1.4 | List of | Definitions and Abbreviations | 4 |
| | 1.5 | List of | Reference Documents | 4 |
| | 1.6 | Docum | nent Overview | 4 |
| 2 | Inte | egratio | n Strategy | 5 |
| | 2.1 | Entry | Criteria | 5 |
| | 2.2 | Elemen | nts to be Integrated | 5 |
| | 2.3 | Integra | ation Testing Strategy | 6 |
| | 2.4 | Sequer | nce of Component / Function Integration | 6 |
| 3 | Ind | ividual | Steps & Test Description | 8 |
| | 3.1 | Test ca | ase specifications | 8 |
| | | 3.1.1 | Integration test case I1 | 8 |
| | | 3.1.2 | Integration test case I2 | 9 |
| | | 3.1.3 | Integration test case I3 | 9 |
| | | 3.1.4 | Integration test case I4 | 9 |
| | | 3.1.5 | Integration test case I5 | 10 |
| | | 3.1.6 | Integration test case I6 | 10 |
| | | 3.1.7 | Integration test case I7 | 12 |
| | | 3.1.8 | Integration test case I8 | 14 |
| | | 3.1.9 | Integration test case I9 | 16 |
| | | 3.1.10 | Integration test case I10 | 17 |

| | | 3.1.11 | Integration test case I11 | 17 |
|---|------|--------|----------------------------|----|
| | | 3.1.12 | Integration test case I12 | 18 |
| | | 3.1.13 | Integration test case I13 | 18 |
| | | 3.1.14 | Integration test case I14 | 18 |
| | 3.2 | Test p | rocedures | 19 |
| | | 3.2.1 | Test procedure TP1 | 19 |
| | | 3.2.2 | Test procedure TP2 | 19 |
| | | 3.2.3 | Test procedure TP3 | 20 |
| | | 3.2.4 | Test procedure TP4 | 20 |
| | | 3.2.5 | Test procedure TP5 | 21 |
| 4 | Too | ls & T | est Equipment Required | 22 |
| 5 | Prog | gram S | Stubs & Test Data Required | 23 |

Introduction

Integration testing confirms that each piece of the application interacts as designed and that all functionality is working. Integration testing includes interactions between all layers of an application, including interfaces to other applications, as a complete end-to-end test of the functionality. The development team will be responsible for the creation of the integration test scripts in accordance to the integration test plan. A developer will be chosen by the team who will be responsible for execution of the test scripts and certifying that the integration testing is complete.

1.1 Revision History

Version 1.0, date 21/01/2016

1.2 Purpose

The purpose of the integration test plan is to describe the necessary tests to verify that all of the components of MyTaxiService are properly assembled. Integration testing ensures that the unit-tested modules interact correctly.

1.3 Scope

This document refers to the developing of an application called MyTaxiService, which is aimed to improve the quality and the efficiency of the taxi service of a large city by using localization, smartphones and IT technologies.

1.4 List of Definitions and Abbreviations

RASD: Requirement Analysis and Specification Document

ITPD: Integration Test Plan Document

IT: Integration Test

TP: Test Procedure

1.5 List of Reference Documents

List of all reference documents:

- Project Description: Assignments 1 and 2 (RASD and DD).pdf
- RASD: RASD v2.0-CrippaGalluzziLattarulo.pdf
- Design Document: DesignDocument v1.0-CrippaGalluzziLattarulo.pdf
- ITPD: Assignment 4 integration test plan.pdf

1.6 Document Overview

This document is essentially structured in five parts:

- Section $1 \to \text{Introduction}$: defines the purpose, the scope and an overview of this document.
- Section 2 → Integration Strategy: defines all the items to be tested and the integration testing approach.
- Section $3 \to \text{Individual Steps}$ and Test Description: describes the type of test that will be used to verify that the elements perform as expected.
- Section $4 \to \text{Tools}$ and Test Equipment Required: defines all tools and test equipment needed to accomplish the integration.
- Section 5 \rightarrow Program Stubs and Test Data Required: defines any program stubs or special test data required.

Integration Strategy

2.1 Entry Criteria

The Integration Testing can be carried out after the successful completion of the Unit Testing of the entire software. In addition the following points should be valid:

- The project should be code-complete and all its major features should be already present
- The project should satisfy the memory requirements specified in the RASD
- The correct version of the software is moved into the integration testing environment
- Sanity testing is done and build is stable for further testing
- The Database should be ready and its tables are populated with initial data

2.2 Elements to be Integrated

Due to the early stage of development of the software and the resulting low level of complexity of the entire system, we decided to focus our integration testing only on the main components of the Business Logic, keeping in mind that the future evolution of the project will lead to the creation of a number of subcomponent inside these component, needed to make the system fully working. Following this decision, we are going to integrate the Web Component and the Business Logic

Component, testing the direct connections between the managed Beans and their corresponding Managers and we are also going to integrate the 7 subcomponents of the Business Logic Component.

2.3 Integration Testing Strategy

Due to the particular stage of development explained in the previous point, at the moment there is not a complete hierarchy of (sub)components and (sub)systems, so it?s not possible to fully define the integration test strategy followed in this document, because all the components involved are on the same level. Anyway the selected approach is the top-down approach, because (as stated in the previous point) in the future other lower level subcomponents will be implemented and then the testing will follow this downward development.

2.4 Sequence of Component / Function Integration

| ID | Integration Test | Paragraphs |
|-----------|--|--------------|
| I1 | Visitor managed Bean \rightarrow Visitor Manager | 3.1.1 3.2.1 |
| I2 | Passenger managed Bean \rightarrow Passenger Manager | 3.1.2 3.2.1 |
| I3 | TaxiDriver managedBean \rightarrow TaxiDriver Manager | 3.1.3 3.2.1 |
| I4 | Developer managed Bean \rightarrow Developer Manager | 3.1.4 3.2.1 |
| I5 | Passenger Manager, Taxi Driver Manager \rightarrow Calls Manager | 3.1.5 3.2.2 |
| <u>I6</u> | Passenger Manager, TaxiDriver Manager, Calls Manager | 3.1.6 3.2.2 |
| | \rightarrow Ride Manager | |
| I7 | Visitor Manager, Passenger Manager, TaxiDriver Manager, | 3.1.7 3.2.3 |
| | Developer Manager, Calls Manager, Ride Manager \rightarrow Java | |
| | Persistence | |
| I8 | Java Persistence \rightarrow Visitor Manager, Passenger Manager, | 3.1.8 3.2.3 |
| | TaxiDriver Manager, Developer Manager, Calls Manager, | |
| | Ride Manager | |
| <u>I9</u> | $\label{eq:Ride Manager} \mbox{Ride Manager} \rightarrow \mbox{Passenger Manager}, \mbox{TaxiDriver Manager},$ | 3.1.9 3.2.4 |
| | Calls Manager | |
| I10 | Calls Manager \rightarrow Passenger Manager, TaxiDriver Manager | 3.1.10 3.2.4 |
| I11 | $\mbox{Visitor Manager} \rightarrow \mbox{Visitor managedBean}$ | 3.1.11 3.2.5 |
| I12 | Passenger Manager \rightarrow Passenger managedBean | 3.1.12 3.2.5 |
| I13 | TaxiDriver Manager \rightarrow TaxiDriver managedBean | 3.1.13 3.2.5 |
| | Developer Manager \rightarrow Developer managedBean | 3.1.14 3.2.5 |

Individual Steps & Test Description

3.1 Test case specifications

3.1.1 Integration test case I1

| Test Case Identifier | I1T1 |
|----------------------|--|
| Test Item | $\mbox{Visitor managedBeans} \rightarrow \mbox{Visitor Manager}$ |
| Input Specification | Create typical Visitor managedBeans input |
| Output Specification | Check if the correct methods are called in the Visitor |
| | Manager |
| Environmental Needs | Client driver |

3.1.2 Integration test case I2

| Test Case Identifier | I2T1 |
|----------------------|--|
| Test Item | $Passenger\ managedBeans \rightarrow Passenger\ Manager$ |
| Input Specification | Create typical Passenger managedBeans input |
| Output Specification | Check if the correct methods are called in the Passen- |
| | ger Manager |
| Environmental Needs | Client driver |

3.1.3 Integration test case I3

| Test Case Identifier | I3T1 |
|----------------------|--|
| Test Item | TaxiDriver managedBeans \rightarrow TaxiDriver Manager |
| Input Specification | Create typical TaxiDriver managedBeans input |
| Output Specification | Check if the correct methods are called in the |
| | TaxiDriver Manager |
| Environmental Needs | Client driver |

$3.1.4 \quad \text{Integration test case I4} \\$

| Test Case Identifier | I4T1 |
|----------------------|--|
| Test Item | Developer managed Beans \rightarrow Developer Manager |
| Input Specification | Create typical Developer managedBeans input |
| Output Specification | Check if the correct methods are called in the Devel- |
| | oper Manager |
| Environmental Needs | Client driver |

3.1.5 Integration test case I5

| Test Case Identifier | I5T1 |
|----------------------|--|
| Test Item | Passenger Manager \rightarrow Calls Manager |
| Input Specification | Create typical Passenger Manager input |
| Output Specification | Check if the correct methods are called in the Calls |
| | Manager |
| Environmental Needs | I2 succeded |

| Test Case Identifier | I5T2 |
|----------------------|--|
| Test Item | TaxiDriver Manager \rightarrow Calls Manager |
| Input Specification | Create typical TaxiDriver Manager input |
| Output Specification | Check if the correct methods are called in the Calls |
| | Manager |
| Environmental Needs | I3 succeded |

3.1.6 Integration test case I6

| Test Case Identifier | I6T1 |
|----------------------|---|
| Test Item | Passenger Manager \rightarrow Ride Manager |
| Input Specification | Create typical Passenger Manager input |
| Output Specification | Check if the correct methods are called in the Ride |
| | Manager |
| Environmental Needs | I2 succeded |

| Test Case Identifier | I6T2 |
|----------------------|---|
| Test Item | TaxiDriver Manager \rightarrow Ride Manager |
| Input Specification | Create typical TaxiDriver Manager input |
| Output Specification | Check if the correct methods are called in the Ride |
| | Manager |
| Environmental Needs | I3 succeded |

| Test Case Identifier | I6T3 |
|----------------------|---|
| Test Item | Calls Manager \rightarrow Ride Manager |
| Input Specification | Create typical Calls Manager input |
| Output Specification | Check if the correct methods are called in the Ride |
| | Manager |
| Environmental Needs | I2, I3, I5 succeded |

3.1.7 Integration test case I7

| Test Case Identifier | I7T1 |
|----------------------|--|
| Test Item | Visitor Manager \rightarrow Java Persistence |
| Input Specification | Create typical Visitor Manager input |
| Output Specification | Check if the correct methods are called in the Persis- |
| | tence Module |
| Environmental Needs | I1 succeded |

| Test Case Identifier | I7T2 |
|----------------------|--|
| Test Item | Passenger Manager \rightarrow Java Persistence |
| Input Specification | Create typical Passenger Manager input |
| Output Specification | Check if the correct methods are called in the Persis- |
| | tence Module |
| Environmental Needs | I2 succeded |

| Test Case Identifier | I7T3 |
|----------------------|--|
| Test Item | TaxiDriver Manager \rightarrow Java Persistence |
| Input Specification | Create typical TaxiDriver Manager input |
| Output Specification | Check if the correct methods are called in the Persis- |
| | tence Module |
| Environmental Needs | I3 succeded |

| Test Case Identifier | I7T4 |
|----------------------|--|
| Test Item | Developer Manager \rightarrow Java Persistence |
| Input Specification | Create typical Developer Manager input |
| Output Specification | Check if the correct methods are called in the Persis- |
| | tence Module |
| Environmental Needs | I4 succeded |

| Test Case Identifier | I7T5 |
|----------------------|--|
| Test Item | Calls Manager \rightarrow Java Persistence |
| Input Specification | Create typical Calls Manager input |
| Output Specification | Check if the correct methods are called in the Persis- |
| | tence Module |
| Environmental Needs | I2, I3 and I5 succeded |

| Test Case Identifier | I7T6 |
|----------------------|--|
| Test Item | Ride Manager \rightarrow Java Persistence |
| Input Specification | Create typical Ride Manager input |
| Output Specification | Check if the correct methods are called in the Persis- |
| | tence Module |
| Environmental Needs | I2, I3, I5 and I6 succeded |

3.1.8 Integration test case I8

| Test Case Identifier | I8T1 |
|----------------------|--|
| Test Item | Java Persistence \rightarrow Visitor Manager |
| Input Specification | Create typical Java Persistence input |
| Output Specification | Check if the correct methods are called in the Visitor |
| | Manager |
| Environmental Needs | Database Driver |

| Test Case Identifier | I8T2 |
|----------------------|--|
| Test Item | Java Persistence \rightarrow Passenger Manager |
| Input Specification | Create typical Java Persistence input |
| Output Specification | Check if the correct methods are called in the Passen- |
| | ger Manager |
| Environmental Needs | Database Driver |

| Test Case Identifier | I8T3 |
|----------------------|---|
| Test Item | Java Persistence \rightarrow TaxiDriver Manager |
| Input Specification | Create typical Java Persistence input |
| Output Specification | Check if the correct methods are called in the |
| | TaxiDriver Manager |
| Environmental Needs | Database Driver |

| Test Case Identifier | I8T4 |
|----------------------|---|
| Test Item | Java Persistence \rightarrow Developer Manager |
| Input Specification | Create typical Java Persistence input |
| Output Specification | Check if the correct methods are called in the Devel- |
| | oper Manager |
| Environmental Needs | Database Driver |

| Test Case Identifier | I8T5 |
|----------------------|--|
| Test Item | Java Persistence \rightarrow Calls Manager |
| Input Specification | Create typical Java Persistence input |
| Output Specification | Check if the correct methods are called in the Calls |
| | Manager |
| Environmental Needs | Database Driver |

| Test Case Identifier | I8T6 |
|----------------------|---|
| Test Item | Java Persistence \rightarrow Ride Manager |
| Input Specification | Create typical Java Persistence input |
| Output Specification | Check if the correct methods are called in the Ride |
| | Manager |
| Environmental Needs | Database Driver |

3.1.9 Integration test case I9

| Test Case Identifier | I9T1 |
|----------------------|--|
| Test Item | Ride Manager \rightarrow Passenger Manager |
| Input Specification | Create typical Ride Manager input |
| Output Specification | Check if the correct methods are called in the Passen- |
| | ger Manager |
| Environmental Needs | I8 succeded |

| Test Case Identifier | I9T2 |
|----------------------|--|
| Test Item | Ride Manager \rightarrow TaxiDriver Manager |
| Input Specification | Create typical Ride Manager input |
| Output Specification | Check if the correct methods are called in the |
| | TaxiDriver Manager |
| Environmental Needs | I8 succeded |

| Test Case Identifier | I9T3 |
|----------------------|--|
| Test Item | Ride Manager \rightarrow Calls Manager |
| Input Specification | Create typical Ride Manager input |
| Output Specification | Check if the correct methods are called in the Calls |
| | Manager |
| Environmental Needs | I8 succeded |

3.1.10 Integration test case I10

| Test Case Identifier | I10T1 |
|----------------------|--|
| Test Item | Calls Manager \rightarrow Passenger Manager |
| Input Specification | Create typical Calls Manager input |
| Output Specification | Check if the correct methods are called in the Passen- |
| | ger Manager |
| Environmental Needs | I8 and I9 succeded |

| Test Case Identifier | I10T2 |
|----------------------|--|
| Test Item | Calls Manager \rightarrow TaxiDriver Manager |
| Input Specification | Create typical Calls Manager input |
| Output Specification | Check if the correct methods are called in the |
| | TaxiDriver Manager |
| Environmental Needs | I8 and I9 succeded |

3.1.11 Integration test case I11

| Test Case Identifier | I11T1 |
|----------------------|--|
| Test Item | $Visitor\ Manager \rightarrow Visitor\ managedBeans$ |
| Input Specification | Create typical Visitor Manager input |
| Output Specification | Check if the correct methods are called in the Visitor |
| | managedBeans |
| Environmental Needs | I8 succeded |

3.1.12 Integration test case I12

| Test Case Identifier | I12T1 |
|----------------------|--|
| Test Item | $Passenger\ Manager \rightarrow Passenger\ managedBeans$ |
| Input Specification | Create typical Passenger Manager input |
| Output Specification | Check if the correct methods are called in the Passen- |
| | ger managedBeans |
| Environmental Needs | I8, I9 and I10 succeded |

3.1.13 Integration test case I13

| Test Case Identifier | I13T1 |
|----------------------|--|
| Test Item | TaxiDriver Manager \rightarrow TaxiDriver managedBeans |
| Input Specification | Create typical TaxiDriver Manager input |
| Output Specification | Check if the correct methods are called in the |
| | TaxiDriver managedBeans |
| Environmental Needs | I8, I9 and I10 succeded |

3.1.14 Integration test case I14

| Test Case Identifier | I14T1 |
|----------------------|--|
| Test Item | Developer Manager \rightarrow Developer managedBeans |
| Input Specification | Create typical Developer Manager input |
| Output Specification | Check if the correct methods are called in the Devel- |
| | oper managedBeans |
| Environmental Needs | I8 succeded |

3.2 Test procedures

3.2.1 Test procedure TP1

| Test Procedure Identifier | TP1 |
|---------------------------|--|
| Purpose | This test procedure verifies whether all the Managers |
| | of the Business Layer can successfully: |
| | receive requests from the corresponding managedBeans correctly elaborate those requests |
| Procedure Steps | Execute I1, I2, I3, I4 |

3.2.2 Test procedure TP2

| Test Procedure Identifier | TP2 |
|---------------------------|--|
| Purpose | This test procedure verifies whether the Calls Manager |
| | and the Ride Manager can successfully receive and han- |
| | dle requests from: |
| | • Visitor Manager |
| | Passenger Manager |
| | • TaxiDriver Manager |
| | • Developer Manager |
| | |
| | Also, this procedure verifies whether the Ride Manager |
| | can successfully receive and handle requests from the |
| | Calls Manager |
| Procedure Steps | Execute I5 and I6 |

3.2.3 Test procedure TP3

| Test Procedure Identifier | TP3 |
|---------------------------|---|
| Purpose | This test procedure verifies whether the Java Persis- |
| | tence Module can successfully receive, handle and reply |
| | to requests from: |
| | • Visitor Manager |
| | • Passenger Manager |
| | • TaxiDriver Manager |
| | • Developer Manager |
| | • Calls Manager |
| | • Ride Manager |
| | |
| Procedure Steps | Execute I8 after I7 |

3.2.4 Test procedure TP4

| Test Procedure Identifier | TP4 |
|---------------------------|---|
| Purpose | This test procedure verifies whether the Passenger |
| | Manager and the TaxiDriver Manager can successfully |
| | receive and handle inputs from: |
| | • Calls Manager |
| | • Ride Manager |
| | |
| | Also, this procedure verifies whether the Calls Manager |
| | can successfully receive and handle inputs from Ride |
| | Manager |
| Procedure Steps | Execute I9 and I10 |

3.2.5 Test procedure TP5

| Test Procedure Identifier | TP5 |
|---------------------------|--|
| Purpose | This test procedure verifies whether all the managed- |
| | Beans can successfully: |
| | receive inputs from the corresponding Managers correctly elaborate those inputs |
| Procedure Steps | Execute I11, I12, I13, I14 |

Tools & Test Equipment Required

For carrying out the Integration Test we decided to use *Arquillian*, an integration testing framework for Java EE, because it allows to make integration test as simple to write as unit test. Additional test equipment required in order to perform integration test are the GPS receivers specified in the RASD and a smartphone with characteristics that respect all the requirements already defined in RASD itself.

Program Stubs & Test Data Required