

MATH513 Practical Presentation

10570155, 10696253, 10701983

10/12/2020

Introduction

- Samsung and Apple
- Flagship phones chosen
 - ▶ S20FE
 - ▶ iPhone12
 - ▶ S20

Tools Utilised

- Rstudio
- RTweet
- Twitter Developer API
- GitHub



SAMSUNG



Choosing Twitter for Analysis

- Open API Access compared to others
- Almost all data is public
- Advanced filtering and queries
- Generous Rate limiting

Hashtags

- @SamsungMobile - <https://twitter.com/SamsungMobile>
- @Apple - <https://twitter.com/Apple>
- @tim_cook - https://twitter.com/tim_cook

Data Cleaning and Feature Engineering

Data Cleaning

- Duplicate tweet and user observations were removed
- Tweet text and user bios were cleaned
 - ▶ Removed links, hash-tags, emojis, and user mentions

Feature Engineering

- Users were marked as potential bots
- User country was extracted from the location of their profile
- Tweets were marked as potential spam
- Hash-tags were extracted from the tweet text
- Product features were extracted from the tweet text
 - ▶ Display, Battery, Camera, Price, and 5G Capability
- An overall sentiment score was calculated for each tweet

Summary of Collected Data

Total Tweets: 73690 after data cleaning

Total Features: 5 (Display, Battery, Camera, Price, and 5G)

Table 1: Summary of Tweet Data

Product	Number of Tweets	% Spam Tweets	% Feature Tweets
Galaxy S20	13147	3%	20%
Galaxy S20 FE	28923	19%	19%
iPhone12	31620	13%	7%


Table 2: Summary of User Data

Number of Users	% Bot Users	Unique Countries
35051	>1%	163

Time Periods for Data Collection

Frequency of Twitter Statuses

Twitter status counts aggregated using 1-day intervals



Source: Data collected from Twitter's REST API via rtweet


Overview of sentiment analysis

Choice of feature to analyse

Results - Sentiment Globally - Iphone12

```
## 6082 codes from your data successfully matched countries in  
## 23 codes from your data failed to match with a country code  
## 121 codes from the map weren't represented in your data  
  
## Warning in rwmGetColours(colourPalette, numColours): 3 colours  
## required, using interpolation to calculate colours
```

iPhone12 Sentiment by Country




Results - Sentiment Globally - S20FE

```
## 10474 codes from your data successfully matched countries i
## 2 codes from your data failed to match with a country code
## 164 codes from the map weren't represented in your data

## You asked for 7 categories, 10 were used due to pretty() cl

## Warning in rwmGetColours(colourPalette, numColours): 3 colo
## required, using interpolation to calculate colours
```


Galaxy S20 FE Sentiment by Country



Results - Sentiment Globally - S20

```
## 4115 codes from your data successfully matched countries in  
## 8 codes from your data failed to match with a country code  
## 136 codes from the map weren't represented in your data  
  
## You asked for 7 categories, 9 were used due to pretty() cla  
  
## Warning in rwmGetColours(colourPalette, numColours): 3 colo  
## required, using interpolation to calculate colours
```

Galaxy S20 Sentiment by Country



Improvements & Further Study

Improvements

Google Maps API to have region filter

Look at mentions of apple in samsung and vice versa

Issues and overcoming them

- Extraction by date
- Duplication
- Time limits
- Foreign languages
-

Conclusions

- Twitter data provides up to date information for companies to analyse for customer feedback
- Data can provide useful information to guide product teams when analysed correctly

References

- Ahmed, Wasim (2019) *Using Twitter as a data source: an overview of social media research tools* Available at: <https://blogs.lse.ac.uk/impactofsocialsciences/2019/06/18/using-twitter-as-a-data-source-an-overview-of-social-media-research-tools-2019/> (Accessed: 07 December 2020)
- Dalla Valle, Luciana (2020) *MATH513 Lecture and Tutorial Code* Available at: <https://dle.plymouth.ac.uk/course/view.php?id=49628> (Accessed: 2020)
- Fuchs, Matti (2018) *Doing your first sentiment analysis in R with Sentimentr* Available at: <https://towardsdatascience.com/doing-your-first-sentiment-analysis-in-r-with-sentimentr-167855445132> (Accessed: 06 December 2020)
- Rinker, Tyler (2020) *R Documentation - sentiment_by* Available at: https://www.rdocumentation.org/packages/sentimentr/versions/2.7.1/topics/sentiment_by (Accessed: 06 December 2020)
- RStudio (2020) *R Markdown Cheat Sheet* Available at: <https://www.rstudio.com/wp-content/uploads/2015/02/rmarkdown->

References

- Twitter (2020) *API Documentation* Available at: <https://developer.twitter.com/en/docs/twitter-api> (Accessed: 10 October 2020)
- Young, Michelle (2017) *Twitter Data Mining: A Guide to Big Data Analytics Using Python* Available at: <https://chatbotlife.com/twitter-data-mining-a-guide-to-big-data-analytics-using-python-4efc8ccfa219> (Accessed: 07 December 2020)

```
citation()
```

```
##
```

```
## To cite R in publications use:
```

```
##
```

```
## R Core Team (2020). R: A language and environment for sta  
## computing. R Foundation for Statistical Computing, Vienna  
## URL https://www.R-project.org/.
```

```
##
```