# Assignment 4 – XD Report

### Max Ratcliff

CSE 13S – Spring 24

## Purpose

The purpose of this program is to mimic that of 'xxd' that is to read a file name and create a hex dump with 3 columns, the first being the index of the first byte, the second column being 16 bytes of the file and the last collumn being the ascii representation of the 16 bytes.

### Questions

Please answer the following questions before you start coding. They will help guide you through the assignment. To make the grader's life easier, please do not remove the questions, and simply put your answers below the text of each question.

- What is a buffer? Why use one? a buffer is a temporary array that lets you process alot of text/data in chunks instead of all at once.
- What is the return value of read()? What are the inputs? read will return either the number of bytes read or -1 if there was some sort of error. its inputs are the file descriptor which specifies which input source to read from, a pointer to a buffer into which it should read, and a maximum amount of bytes to read
- What is a file no. ? What are the file numbers of stdin, stdout, and stderr? a file number is an integer number that helps inform where to read from, eg stdin, stdout, stderr, or any other file. stdin has file 0, stdout is 1 and stderr is 2
- What are the cases in which read(0,16) will return 16? When will it not return 16? read(0,16) will attempt to read 16 bytes from stdin. It will read all 16 as long as the user inputs at least 16 characters, if the user inputs less it will read less. if for somereason read doesnt have access to stdin it will eror
- Give at least 2 (very differnt) cases in which a file can not be read all at once you would not be able to read the file all at once if the file is too big, or if the file read is interupted by the user or some other program.

### Testing

List what you will do to test your code. Make sure this is comprehensive. <sup>1</sup> Be sure to test inputs with delays.

## How to Use the Program

to use this program run either './xd' or './xd ¡filename¿' the first one will read from stdin and the second one will read from the provided file

<sup>&</sup>lt;sup>1</sup>This question is a whole lot more vague than it has been the last few assignments. Continue to answer it with the same level of detail and thought.

### Program Design

Audience: Write this section for someone who will maintain your program. In industry you maintain your own programs, and so your audience could be future you! List the main data structures and the main algorithms. You are answering the basic question, "How is this thing organized so that I can have a chance of fixing it?". This section will be longer for a more complicated program and shorter for a less complicated program.

#### Pseudocode

Give the reader a top down description of your code! How will you break it down? What features will your code have? How will you implement each function.

### **Function Descriptions**

For each function in your program, you will need to explain your thought process. This means doing the following

- The inputs of every function (even if it's not a parameter)
- The outputs of every function (even if it's not the return value)
- The purpose of each function, a brief description about a sentence long.
- For more complicated functions, include pseudocode that describes how the function works
- For more complicated functions, also include a description of your decision making process; why you chose to use any data structures or control flows that you did.

Do not simply use your code to describe this. This section should be readable to a person with little to no code knowledge. DO NOT JUST PUT THE FUNCTION SIGNATURES HERE. MORE EXPLANATION IS REQUIRED.

### **Optimizations**

This section is optional, but is required if you do the extra credit. It due only on your final design. You do not need it on your initial.

In what way did you make your code shorter. List everything you did!