

INGI2132

Assignement 1 Report

Xavier Crochet, Julien De Coster

15 février 2013

1 Introduction

The goal of this mission was to add some features into the j- langage. We implemented first the division, the unary plus and the modulo. We wrote likewise the program *primes.java* with the Eratosthenes algorithm. We used jUnit tests to test both the operators and the j- program. Because we missread the assignment instruction, we also implement the left and right shift binary operators.

2 Development

2.1 Operators

To implements the operators, we simply follow the instruction in the book, read the A-B-C-D appendix and inspire us from the already implemented classes.

2.2 Primes

The main choice we did was on the data structure of the *primes.java* program. We analyzed two possibilies :

1. A structure with two lists. The first list contains integers from 1 to n . The second list contains the marks. Both lists are equals in size in order to match each element from the first list to a mark from the second one. An element is marked as 0 if it is potentially a prime number or as 1 if it is identified as a multiple of a previous number of the list. We use the term *potentially* because all the elements of the mark list are initialized at 0 except 0 and 1, initialized at 1.
2. A structure with an unique linked list. Here the strategy is to remove every element identified as a multiple of a previous number. The benefit of this method is clear : we don't have to visit elements wich are not relevant because already identied.

We choose the first strategy mainly for performance. Accessing elements and remove them from a linked list is costly. Our mesures showed that the first strategy took more or less ten times less time with wide values (e.g. 50 000).

In addition to the division, plus and modulo operators when had to implement the less one. We needed this operator for the *primes.java* program. The

interesting thing about this operator was that we had to be careful about the scanner. Because a `<` symbol can be followed by another `<` or a `=` symbol for instance. This was easily resolved by a *if ... else ...* bloc.

3 Testing

3.1 Test strategy for the operators

3.1.1 Normal behaviour of the operators

The test here are straightforward. We have to check whether the operation behave normally or not.

E.G.

- $4 / 3 = 1$
- $4 \% 3 = 1$
- $+1 = 1$
- ...

3.1.2 Priority of the operators

Because we are dealing with arithmetic operators, we have to check whether these operators respect the priority of the operation. Basically, we implement `rightPriority` and `leftPriority` functions in `pass/*.java` classes. Those one simply *mix* the concerned operation with the binary plus. For example

- $10 + 3 / 3 = 11$ (and not 4!!!)
- $3 / 3 + 10 = 11$ (and not 0!!!)
- ...%...

3.1.3 Exception rise

Concerning the modulo and the divisor operator, we have to test also that these operations raise the correct exceptions whenever we try to divide by 0. Sadly, it's not possible to check whether an exception is raised with the 3th version of JUnit. The workaround is to surround the concerned operations (in the concerned `pass/*.java` class) with a try catch instruction, call the `fail()` function just after the operation to force the program to stop and to check in the catch block that the message of the raised exception is the good one.

E.G. : `divide(3, 0)`

```
try {
    division.divide(42, 0);
    fail();
}
catch (Exception e) {
    assertEquals("/ by zero", e.getMessage());
}
```

3.2 Test strategy for Primes

We try to think differently. We try to remember what the course LINGI1122 (*Methode de conception de programme*). I.e. Be defensive, check arrays boundaries when

dealing with and check extremes values. Concretly, we tested the programm with negatives value, *strange* value as 0, 1 and 2.

4 Conclusion

Through implementing some simple feature into j-, it's clear that creating a programming langage from scratch can be tricky. However, this first assignment show us an insight of *How to do it*. At last, it reminded us the good practice of programm developpement, while testing our functions with jUnit for example.