AFRILANG Stdlib

std/m/bondcalc2

Bibliothèque AFRILANG `std/m/bondcalc2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : bondPrice, yieldT

`import "std/m/bondcalc2"` · `use bondcalc2`

- `bondPrice(face number, coupon number, rate number, years number) ? number`
- `yieldToMaturity(price number, face number, coupon number, years number) ? number`
- `currentYield(coupon number, price number) ? number`
- `duration(years number, coupon number) ? number`

Category: medium | Tier: medium | Functions: 4

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/m/bondcalc2` (niveau medium, catégorie medium). Elle expose 4 fonction(s) : bondPrice, yieldT

`import "std/m/bondcalc2"` · `use bondcalc2`

- `bondPrice(face number, coupon number, rate number, years number) ? number`
- `yieldToMaturity(price number, face number, coupon number, years number) ? number`
- `currentYield(coupon number, price number) ? number`
- `duration(years number, coupon number) ? number`

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/bondcalc2"
use bondcalc2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires ? import std/m/?

3. Référence API

? bondPrice(face number, coupon number, rate number, years number) ? number
? yieldToMaturity(price number, face number, coupon number, years number) ? number
? currentYield(coupon number, price number) ? number
? duration(years number, coupon number) ? number

4. Exemples d'utilisation

```
import "std/m/bondcalc2"
use bondcalc2

create result = bondPrice(/* args */)
say result

create result = yieldToMaturity(/* args */)
say result

create result = currentYield(/* args */)
say result

create result = duration(/* args */)
say result
```

5. Bonnes pratiques

? Préférez `import "std/m/bondcalc2"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module bondcalc2

function bondPrice(face number, coupon number, rate number, years number) returns number
end

function yieldToMaturity(price number, face number, coupon number, years number) returns number
end

function currentYield(coupon number, price number) returns number
end

function duration(years number, coupon number) returns number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/m/bondcalc2` (tier medium, category medium). Exports 4 function(s): bondPrice, yieldToMaturity, cu

`import "std/m/bondcalc2"` · `use bondcalc2`

- `bondPrice(face number, coupon number, rate number, years number) ? number`
- `yieldToMaturity(price number, face number, coupon number, years number) ? number`
- `currentYield(coupon number, price number) ? number`
- `duration(years number, coupon number) ? number`

2. Installation & import

Add the module to your program:

```
import "std/m/bondcalc2"
use bondcalc2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries ? import std/m/?

3. API reference

? bondPrice(face number, coupon number, rate number, years number) ? number
? yieldToMaturity(price number, face number, coupon number, years number) ? number
? currentYield(coupon number, price number) ? number
? duration(years number, coupon number) ? number

4. Usage examples

```
import "std/m/bondcalc2"
use bondcalc2

create result = bondPrice(/* args */)
say result

create result = yieldToMaturity(/* args */)
say result

create result = currentYield(/* args */)
say result

create result = duration(/* args */)
say result
```

5. Best practices

? Prefer `import "std/m/bondcalc2"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module bondcalc2

function bondPrice(face number, coupon number, rate number, years number) returns number
end

function yieldToMaturity(price number, face number, coupon number, years number) returns number
end

function currentYield(coupon number, price number) returns number
end

function duration(years number, coupon number) returns number
end
end
```