

AFRILANG Stdlib

std/c/mlsvm

Français. Bibliothèque AFRILANG 'std/c/mlsvm' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : svmSum, svmMean, svmMin, svmMax, svmVar, svmStd, svmNorm.

```
'import "std/c/mlsvm"' · 'use mlsvm'
```

```
- 'svmSum(v list number) → number' - 'svmMean(v list number) → number' - 'svmMin(v list number) → number' - 'svmMax(v list number) → number' - 'svmVar(v list number) → number' - 'svmStd(v list number) → number' - 'svmNorm(v list number) → list number'
```

English. AFRILANG library 'std/c/mlsvm' (tier complex, category complex). Exports 7 function(s): svmSum, svmMean, svmMin, svmMax, svmVar, svmStd, svmNorm.

```
'import "std/c/mlsvm"' · 'use mlsvm'
```

```
- 'svmSum(v list number) → number' - 'svmMean(v list number) → number' - 'svmMin(v list number) → number' - 'svmMax(v list number) → number' - 'svmVar(v list number) → number' - 'svmStd(v list number) → number' - 'svmNorm(v list number) → list number'
```

Catégorie / Category	Modules complex (c/)	
Niveau / Tier	complex	June 16, 2026
Fonctions / Functions	7	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/mlsvm' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : svmSum, svmMean, svmMin, svmMax, svmVar, svmStd, svmNorm.

```
'import "std/c/mlsvm"' · 'use mlsvm'
```

```
- `svmSum(v list number) → number`
- `svmMean(v list number) → number`
- `svmMin(v list number) → number`
- `svmMax(v list number) → number`
- `svmVar(v list number) → number`
- `svmStd(v list number) → number`
- `svmNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/mlsvm"
use mlsvm
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés – graphes, NLP, réseaux complexes.

3. Référence API

- svmSum(v list number) → number•
svmMean(v list number) → number•
svmMin(v list number) → number•
svmMax(v list number) → number•
svmVar(v list number) → number•
svmStd(v list number) → number•
svmNorm(v list number) → list

4. Exemples d'utilisation

```
import "std/c/mlsvm"
use mlsvm
```

```
create result = svmSum(/* args */)
say result
```

```
create result = svmMean(/* args */)
say result
```

```
create result = svmMin(/* args */)
say result
```

```
create result = svmMax(/* args */)
say result
```

```
create result = svmVar(/* args */)
say result
```

```
create result = svmStd(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/c/mlsvm"`` en tête de fichier.
- Lancez ``afriLang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module mlsvm

```
function svmSum(v list number) returns number
end
```

```
function svmMean(v list number) returns number
end
```

```
function svmMin(v list number) returns number
end
```

```
function svmMax(v list number) returns number
end
```

```
function svmVar(v list number) returns number
end
```

```
function svmStd(v list number) returns number
end
```

```
function svmNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library 'std/c/mlsvm' (tier complex, category complex). Exports 7 function(s): svmSum, svmMean, svmMin, svmMax, svmVar, svmStd, svmNorm.

'import "std/c/mlsvm"' · 'use mlsvm'

```
- `svmSum(v list number) → number`
- `svmMean(v list number) → number`
- `svmMin(v list number) → number`
- `svmMax(v list number) → number`
- `svmVar(v list number) → number`
- `svmStd(v list number) → number`
- `svmNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/mlsvm"
use mlsvm
```

Tier: complex · Category: Complex modules (c/)
Advanced domains – graphs, NLP, complex networks.

3. API reference

- - svmSum(v list number) → number
 - svmMean(v list number) → number
 - svmMin(v list number) → number
 - svmMax(v list number) → number
 - svmVar(v list number) → number
 - svmStd(v list number) → number
 - svmNorm(v list number) → list

4. Usage examples

```
import "std/c/mlsvm"
use mlsvm
```

```
create result = svmSum(/* args */)
say result
```

```
create result = svmMean(/* args */)
say result
```

```
create result = svmMin(/* args */)
say result
```

```
create result = svmMax(/* args */)
say result
```

```
create result = svmVar(/* args */)
say result
```

```
create result = svmStd(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/c/mlsvm"`` at the top of your file.
- Run ``afriLang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module mlsvm

```
function svmSum(v list number) returns number
end
```

```
function svmMean(v list number) returns number
end
```

```
function svmMin(v list number) returns number
end
```

```
function svmMax(v list number) returns number
end
```

```
function svmVar(v list number) returns number
end
```

```
function svmStd(v list number) returns number
end
```

```
function svmNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/mlsvm"`
- Vérification : `afriLang check`
- Documentation : <https://afriLang.dev/stdlib/std/c/mlsvm/>

Source (extrait)

```
module mlsvm

function svmSum(v list number) returns number
end

function svmMean(v list number) returns number
```

```
end

function svmMin(v list number) returns number
end

function svmMax(v list number) returns number
end

function svmVar(v list number) returns number
end

function svmStd(v list number) returns number
end

function svmNorm(v list number) returns list number
end
end
```