

Print in Reverse **■**



Problem Submissions Leaderboard Discussions Editorial

This challenge is part of a tutorial track by MyCodeSchool and is accompanied by a video lesson.

You are given the pointer to the head node of a linked list and you need to print all its elements in reverse order from tail to head, one element per line. The head pointer may be null meaning that the list is empty - in that case, do not print anything!

Input Format

You have to complete the void ReversePrint(Node* head) method which takes one argument - the head of the linked list. You should NOT read any input from stdin/console.

Output Format

Print the elements of the linked list in reverse order to stdout/console (using printf or cout), one per line.

Sample Input

1 --> 2 --> NULL 2 --> 1 --> 4 --> 5 --> NULL

Sample Output

2 1


5

4 1 2

Explanation

- 1. First list is printed from tail to head hence 2,1
- 2. Similarly second list is also printed from tail to head.

Video lesson



Current Buffer (saved locally, editable) &

1 v /*
2 Print elements of a linked list in reverse order as standard output head pointer could be NULL as well for empty list

```
13/06/2017
                                          Solve Linked Lists Questions | Data Structures | HackerRank
          Node is defined as
     5
          struct Node
     6
     7
              int data;
     8
              struct Node *next;
    9
   10
   11
       void ReversePrint(Node *head)
   12 ▼ {
   13
          // This is a "method-only" submission.
          // You only need to complete this method.
   14
            struct Node *h1=head;
   15
   16
   17
            if(head == NULL)
   18
                 return;
   19
            else
   20
                 ReversePrint (h1->next); //recursive approach
   21
            cout << h1->data << endl;</pre>
   22
   23
   24
   25
   26
   27
        }
   28
                                                                                                              Line: 20 Col: 53
   ⊥ <u>Upload Code as File</u> ☐ Test against custom input
                                                                                                     Run Code
                                                                                                                  Submit Code
                                          Congrats, you solved this challenge!

✓ Test Case #0

✓ Test Case #1
                                                                                                 ✓ Test Case #2

✓ Test Case #3

✓ Test Case #4
                                                                                                 ✓ Test Case #5

✓ Test Case #6

✓ Test Case #7

                                                                                                          Next Challenge
                                                                                You've earned 5.00 points!
```

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature