Modern Education Society's Wadia College of Engineering, Pune-01

Department of Computer Engineering

Name of Student:	Class:
Semester/Year:	Roll No:
Date of Performance:	Date of Submission:
Examined By:	Assignment No: 1

Laboratory Practice – V (Deep Learning) ASSIGNMENT NO: 01

AIM: Linear regression by using Deep Neural network: Implement Boston housing price prediction problem by Linear regression using Deep Neural network. Use Boston House price prediction dataset.

OBJECTIVES: Students should be able to perform Linear regression by using Deep Neural network on Boston House Dataset.

PREREQUISITE:

- 1. Basic of programming language
- 2. Concept of Linear Regression
- 3. Concept of Deep Neural Network

THEORY:

Linear Regression:

Linear regression is a statistical approach that is commonly used to model the relationship between a dependent variable and one or more independent variables. It assumes a linear relationship between the variables and uses mathematical methods to estimate the coefficients that best fit the data. Deep neural networks are a type of machine learning algorithm that are modeled after the structure and function of the human brain. They consist of multiple layers of interconnected neurons that process data and learn from it to make predictions or classifications.

Linear regression using deep neural networks combines the principles of linear regression

with the power of deep learning algorithms. In this approach, the input features are passed through one or more layers of neurons to extract features and then a linear regression model is applied to the output of the last layer to make predictions. The weights and biases of the neural network are adjusted during training to optimize the performance of the model.

This approach can be used for a variety of tasks, including predicting numerical values, such as stock prices or housing prices, and classifying data into categories, such as detecting whether an image contains a particular object or not. It is often used in fields such as finance, health care, and image recognition.

Deep Neural Network:

A deep neural network is a type of machine learning algorithm that is modeled after the structure and function of the human brain. It consists of multiple layers of interconnected nodes, or artificial neurons that process data and learn from it to make predictions or classifications. Each layer of the network performs a specific type of processing on the data, such as identifying patterns or correlations between features, and passes the results to the next layer. The layers closest to the input are known as the "input layer", while the layers closest to the output are known as the "output layer". The intermediate layers between the input and output layers are known as "hidden layers". These layers are responsible for extracting increasingly complex features from the input data, and can be deep or shallow.

Deep neural networks are trained using a process known as back propagation, which involves adjusting the weights and biases of the nodes based on the error between the predicted output and the actual output. This process is repeated for multiple iterations until the model reaches an optimal level of accuracy. Deep neural networks are used in a variety of applications, such as image and speech recognition, natural language processing, and recommendation systems. They are capable of learning from vast amounts of data and can automatically extract features from raw data, making them a powerful tool for solving complex problems in a wide range of domains.

How Deep Neural Network Work-

Boston House Price Prediction is a common example used to illustrate how a deep neural network can work for regression tasks. The goal of this task is to predict the price of a house in

LP V [DL]

Boston based on various features such as the number of rooms, crime rate, and accessibility to

public transportation. Here's how a deep neural network can work for Boston House Price

Prediction:

1. Data preprocessing: The first step is to preprocess the data. This involves normalizing the

input features to have a mean of 0 and a standard deviation of 1, which helps the network learn

more efficiently. The dataset is then split into training and testing sets.

2. Model architecture: A deep neural network is then defined with multiple layers. The first layer

is the input layer, which takes in the normalized features. This is followed by several hidden

layers, which can be deep or shallow. The last layer is the output layer, which predicts thehouse

price.

3. Model training: The model is then trained using the training set. During training, the weights

and biases of the nodes are adjusted based on the error between the predicted output and the actual

output. This is done using an optimization algorithm such as stochastic gradient descent.

4. Model evaluation: Once the model is trained, it is evaluated using the testing set. The

performance of the model is measured using metrics such as mean squared error or mean absolute

error.

5. Model prediction: Finally, the trained model can be used to make predictions on new data,

such as predicting the price of a new house in Boston based on its features.

6. By using a deep neural network for Boston House Price Prediction, we can obtain accurate

predictions based on a large set of input features. This approach is scalable and can be used for

other regression tasks as well.

Boston House Price Prediction Dataset-

Boston House Price Prediction is a well-known dataset in machine learning and is often used to

demonstrate regression analysis techniques. The dataset contains information about 506 houses

in Boston, Massachusetts, USA. The goal is to predict the median value of owner-occupied

homes in thousands of dollars.

The dataset includes 13 input features, which are:

CRIM: per capita crime rate by town

ZN: proportion of residential land zoned for lots over 25,000 sq.ft.

INDUS: proportion of non-retail business acres per town

3

CHAS: Charles River dummy variable (1 if tract bounds river; 0 otherwise)

NOX: nitric oxides concentration (parts per 10 million)

RM: average number of rooms per dwelling

AGE: proportion of owner-occupied units built prior to 1940

DIS: weighted distances to five Boston employment centers

RAD: index of accessibility to radial highways

TAX: full-value property-tax rate per \$10,000

PTRATIO: pupil-teacher ratio by town

B: 1000(Bk - 0.63)^2 where Bk is the proportion of black people by town

LSTAT: % lower status of the population

The output variable is the median value of owner-occupied homes in thousands of dollars(MEDV).

To predict the median value of owner-occupied homes, a regression model is trained on the dataset. The model can be a simple linear regression model or a more complex model, such as a deep neural network. After the model is trained, it can be used to predict the median value of owner-occupied homes based on the input features. The model's accuracy can be evaluated using

metrics such as mean squared error or mean absolute error.

Boston House Price Prediction is a example of regression analysis and is often used to teach machine learning concepts. The dataset is also used in research to compare the performance of different regression models.

CONCLUSION:

Liner regression was executed successfully on Boston House Pricing Dataset. It will help to predict Boston house price using deep neural network.

QUESTIONS:

- 1. What is Linear Regression?
- 2. What is a Deep Neural Network?
- 3. What is the concept of standardization?
- 4. Why do you split data into train and test?
- 5. Write Application of Deep Neural Network.