

Breaking the Records ★

89 more points to get your next star!

Rank: 1252126 | Points: 111/200



Problem

Submissions

Leaderboard

Editorial

Maria plays college basketball and wants to go pro. Each season she maintains a record of her play. She tabulates the number of times she breaks her season record for most points and least points in a game. Points scored in the first game establish her record for the season, and she begins counting from there.

Example

scores = [12, 24, 10, 24]

Scores are in the same order as the games played. She tabulates her results as follows:

Game	Score	Minimum	Maximum	Count	
				Min	Max
0	12	12	12	0	0
1	24	12	24	0	1
2	10	10	24	1	1
3	24	10	24	1	1

Given the scores for a season, determine the number of times Maria breaks her records for most and least points scored during the season.

Function Description

Complete the `breakingRecords` function in the editor below.

`breakingRecords` has the following parameter(s):

- `int scores[n]`: points scored per game

Returns

- `int[2]`: An array with the numbers of times she broke her records. Index **0** is for breaking most points records, and index **1** is for breaking least points records.

Input Format

The first line contains an integer n , the number of games.

The second line contains n space-separated integers describing the respective values of $score_0, score_1, \dots, score_{n-1}$.

Constraints

- $1 \leq n \leq 1000$
- $0 \leq scores[i] \leq 10^8$

Sample Input 0

```
9
10 5 20 20 4 5 2 25 1
```

Sample Output 0



Explanation 0

The diagram below depicts the number of times Maria broke her best and worst records throughout the season:

Game	0	1	2	3	4	5	6	7	8
Score	10	5	20	20	4	5	2	25	1
Highest Score	10	10	20	20	20	20	20	25	25
Lowest Score	10	5	5	5	4	4	2	2	1

She broke her best record twice (after games **2** and **7**) and her worst record four times (after games **1**, **4**, **6**, and **8**), so we print 2 4 as our answer. Note that she did not break her record for best score during game **3**, as her score during that game was not strictly greater than her best record at the time.

Sample Input 1

```
10
3 4 21 36 10 28 35 5 24 42
```

Sample Output 1

```
4 0
```

Explanation 1

The diagram below depicts the number of times Maria broke her best and worst records throughout the season:

Game	0	1	2	3	4	5	6	7	8	9
Score	3	4	21	36	10	28	35	5	24	42
Highest Score	3	4	21	36	36	36	36	36	36	42
Lowest Score	3	3	3	3	3	3	3	3	3	3

She broke her best record four times (after games **1**, **2**, **3**, and **9**) and her worst record zero times (no score during the season was lower than the one she earned during her first game), so we print 4 0 as our answer.

[Change Theme](#)

Language

Python 3



```
1  #!/bin/python3
2
3  import math
4  import os
5  import random
6  import re
```



```

8  import sys
9  #
10 # Complete the 'breakingRecords' function below.
11 #
12 # The function is expected to return an INTEGER_ARRAY.
13 # The function accepts INTEGER_ARRAY scores as parameter.
14 #
15
16 def breakingRecords(scores):
17     # Write your code here
18     min = max = scores[0]
19     min_count = max_count = 0
20     for i in scores[1:]:
21         if i > max:
22             max_count += 1
23             max = i
24         if i < min:
25             min_count += 1
26             min = i
27     return max_count, min_count
28
29
30
31
32 if __name__ == '__main__':
33     fptr = open(os.environ['OUTPUT_PATH'], 'w')
34
35     n = int(input().strip())

```

Line: 43 Col: 1

 Upload Code as File

☐ Test against custom input

Run Code

Submit Code

✓ Test case 0

✓ Test case 1

✓ Test case 2 

✓ Test case 3 

✓ Test case 4 

✓ Test case 5 

✓ Test case 6 

Compiler Message

Success

Input (stdin)

```

1  9
2  10 5 20 20 4 5 2 25 1

```

[Download](#)

Expected Output

```

1  2 4

```

[Download](#)



