Ethics in Information Technology, Fourth Edition

Software Development

Objectives

- As you read this chapter, consider the following questions:
 - Why do companies require high-quality software in business systems, industrial process control systems, and consumer products?
 - What potential ethical issues do software manufacturers face in making trade-offs between project schedules, project costs, and software quality?
 - What are the four most common types of software product liability claims?

Objectives (cont'd.)

- What are the essential components of a software development methodology, and what are the benefits of using such a methodology?
- How can the Capability Maturity Model Integration improve an organization's software development process?
- What is a safety-critical system, and what special actions are required during its development?

Strategies for Engineering Quality Software

- High-quality software systems:
 - Perform quickly and efficiently
 - Operate safely and reliably
 - Meet their users' needs
 - Are required to support the fields of:
 - Air traffic control
 - Nuclear power
 - Automobile safety
 - Health care
 - Military and defense
 - Space exploration

- Increased demand for high-quality software
 - End users cannot afford system crashes, lost work, or lower productivity, nor can they tolerate security holes through which intruders can spread viruses, steal data, or shut down Web sites
- Software defect
 - Could cause a system to fail to meet users' needs
 - Impact may be trivial or very serious
 - Subtle and undetectable or glaringly obvious
- Software quality
 - Degree to which software meets the needs of users

Software problems in the automated baggage sorting system at Heathrow airport caused the system to go offline for almost two days in February 2008. As a result, carriers in the terminal were forced to sort baggage manually, and 6,000 passengers experienced delays, flight cancellations, and frustration. The breakdown reportedly occurred during a software upgrade, despite pretesting of the software. The system continued to experience problems in subsequent months. ¹⁵

- Quality management
 - Defines, measures, and refines the quality of the development process and products developed during various stages
 - Objective
 - Help developers deliver high-quality systems that meet the needs of users
- Deliverables are products such as:
 - Statements of requirements
 - Flowcharts
 - User documentation

- Primary cause for poor software quality:
 - Many developers do not know how to design quality into software from the start
 - Or do not take the time to do so
- Developers must:
 - Define and follow rigorous engineering principles
 - Learn from past mistakes
 - Understand systems' operating environment
 - Design systems relatively immune to human error

- Programmers make mistakes in turning design specifications into code
 - About one defect for every 7-10 lines of code
- Extreme pressure to reduce time to market
 - Driven by need to:
 - Deliver new functionality
 - Begin generating revenue to recover costs
 - Resources and time to ensure quality are often cut

- Ethical dilemma: how much additional cost and effort should be expended to ensure products and services meet customers' expectations?
- First release of software
 - Organizations avoid buying the first release
 - Or prohibit its use in critical systems
 - Usually has many defects
- Established software products can also falter:
 - When operating conditions change

- Established software products can also falter:
 - When operating conditions change the software - in the Cincinnati Bell telephone switch had been thoroughly tested and had operated successfully for months after it was deployed. Later that year, however, when the time changed from daylight saving time to standard time, the switch failed because it was overwhelmed by the number of calls to the local "official time" phone number from people who wanted to set their clocks. The large increase in the number of simultaneous calls to the same number was a change in operating conditions that no one had anticipated.

The Importance of Software Quality

- Business information systems
 - Set of interrelated components including:
 - Hardware
 - Software
 - Databases
 - Networks
 - People
 - Procedures
 - Collect and process data and disseminate the output

The Importance of Software Quality (cont'd.)

- Business information system examples
 - Manufacturer's order-processing system
 - Bank's electronic-funds transfer system
 - Airline's online ticket reservation system
- Decision support system (DSS)
 - Used to improve decision making
- Software is used to control industrial processes
- Software controls the operation of many industrial and consumer products

The Importance of Software Quality (cont'd.)

- Mismanaged software can be fatal to a business
- Ethical questions
 - How much effort and money to invest to ensure high-quality software
 - Whether products could cause damage and what the legal exposure would be if they did
 - The use of software introduces product liability issues – concerns for executives

Software Product Liability

- Product liability
 - Liability of manufacturers, sellers and others for injuries caused by defective products
 - Ford truck stalled because of a software defect in the truck's fuel injector. In the ensuing accident, a young child was killed. A state supreme court later affirmed an award of \$7.5 million in punitive damages against the manufacturer.
 - In October 2008, a faulty onboard computer caused a Qantas passenger flight en route to Perth from Singapore to plunge some 8,000 feet in 10 seconds, injuring 46 passengers.

Software Product Liability

- Product liability
 - There is no federal product liability law
 - Mainly common law state level
 - Software defect can cause lawsuit if
 - Injury-death
 - Loss of revenue
 - Increase in cost

Software Product Liability

- Software liability claims are based on
 - Strict liability
 - Negligence
 - Breach of warranty
 - Misrepresentation
- Strict liability
 - Defendant held responsible for the injury
 - Regardless of negligence or intent

Strict liability

- Plaintiff must prove only that the software product is defective or unreasonably dangerous and that the defect caused the injury
- No requirement to prove that the manufacturer was careless or negligent or to prove who caused the defect
- All parties in the chain of distribution are liable
 - Manufacturer
 - Subcontractors
 - Distributors

- Strict liability
 - Defendants defense
 - Doctrine of supervening event?
 - Government contractor defense?
 - Expired statute of limitations

Negligence

- Failure to do what a reasonable person would do, or doing something that a reasonable person would not do
- Responsibility is limited to defects that could have been detected and corrected through "reasonable" software development practices

- Negligence
 - Area of great risk for software manufacturers
 - Defense of negligence may include:
 - Legal justification for the alleged misconduct
 - Demonstration that the plaintiffs' own actions contributed to injuries (contributory negligence)

Warranty

- Assures buyers or lessees that a product meets certain standards of quality
- May be expressly stated or implied by law
- Breach of warranty claim
 - When the product fails to meet the terms of its warranty
 - Plaintiff must have a valid contract that the supplier did not fulfill
 - Can be extremely difficult to prove because the software supplier writes the warranty to limit liability

- Intentional misrepresentation
 - Seller or lessor either misrepresents the quality of a product or conceals a defect in it
 - Forms of representation
 - Advertising
 - Salespersons' comments
 - Invoices
 - Shipping labels
 - Most software manufacturers use limited warranties and disclaimers to avoid any claim of misrepresentation.

Software Development Process

- Large software project roles
 - System analysts
 - Programmers
 - Architects
 - Database specialists
 - Project managers
 - Documentation specialists
 - Trainers
 - Testers

- Software development methodology
 - Standard, proven work process
 - Controlled and orderly progress
 - Defines activities in software development process
 - Defines individual and group responsibilities
 - Recommends specific techniques for activities
 - Offers guidelines for managing the quality of software during various stages of development

- Easier and cheaper to avoid software problems at the beginning than to attempt to fix damages after the fact
 - Cost to identify and remove a defect in an early stage can be up to 100 times less than removing a defect in distributed software
 - Identify and remove errors early in the development process
 - Cost-saving measure
 - Most efficient way to improve software quality

- Effective methodology protects from legal liability
 - Reduces the number of software errors
 - If an organization follows widely accepted development methods, negligence on its part is harder to prove
- Software quality assurance (QA) refers to methods within the development cycle
 - Guarantee reliable operation of product
 - Are applied at each stage in the development cycle
 - Include testing before the product ships

- Dynamic testing
 - Black-box testing
 - Tester has no knowledge of code
 - White-box testing
 - Testing all possible logic paths in the software unit, with thorough knowledge of the logic
 - Makes each program statement execute at least once

- Static testing
 - Static analyzers are run against the new code
 - Looks for suspicious patterns in programs that might indicate a defect
- Integration testing
 - Occurs after successful unit testing
 - Software units are combined into an integrated subsystem
 - Ensures that all linkages among various subsystems work successfully

- System testing
 - Occurs after successful integration testing
 - Various subsystems are combined
 - Tests the entire system as a complete entity
- User acceptance testing
 - Independent testing performed by trained end users
 - Ensures that the system operates as they expect

Capability Maturity Model Integration

- Process improvement approach
- Defined by the Software Engineering Institute
 - At Carnegie Mellon University in Pittsburgh
- Defines essential elements of effective processes
- General enough to evaluate and improve almost any process
- Frequently used to assess software development practices

Capability Maturity Model Integration (cont'd.)

- Defines five levels of software development maturity
- Identifies issues most critical to software quality and process improvement
- Organization conducts an assessment of its software development practices
 - Determines where they fit in the capability model
 - Identifies areas for improvement
 - Action plans defined to upgrade the development process

Capability Maturity Model Integration (cont'd.)

- Maturity level increases
 - Organization improves its ability to deliver good software on time and on budget
- CMMI-Development
 - Set of guidelines for 22 process areas related to systems development
 - Organizations that do these 22 things well will have an outstanding software development and maintenance process

Capability Maturity Model Integration (cont'd.)

TABLE 7-1 Definition of CMMI maturity levels

Maturity level	Description
Initial	Process is ad hoc and chaotic; organization tends to over commit and processes are often abandoned during times of crisis
Managed	Projects employ processes and skilled people; status of work products is visible to management at defined points
Defined	Processes are well defined and understood and are described in standards, procedures, tools, and methods; processes are consistent across the organization
Quantitatively managed	Quantitative objectives for quality and process performance are established and are used as criteria in managing projects; specific measures of process performance are collected and statistically analyzed
Optimizing	Organization continually improves its processes based on a quantitative under- standing of its business objectives and performance needs

Source Line: Used with permission from Carnegie Mellon University.

NetSol Technologies (Pvt.) Ltd.	CMMI Level 5		
! NCR Pakistan	CMM Level 5		
Kalsoft (Pvt.) Ltd.	CMMI Level 3		
Systems (Pvt.) Ltd.	CMMI Level 3		
Digital Processing Systems	CMMI Level 3		
ZTE Pakistan, Software R & D Center	CMMI Level 2		
'Eworx Intl (Pvt.) Ltd.	CMMI Level 2		
3 Techlogix Pakistan (Pvt.) Ltd.	CMMI Level 2		
Si3 - System Innovations (Pvt.) Ltd.	CMMI Level 2		
0 Abacus Consulting (Pvt.) Ltd.	CMMI Level 2		
1 Descon Information Systems	CMMI Level 2		
2 E-Dev Technologies	CMMI Level 2		
3 Prosol Technologies	CMMI Level 2		
4 Avanza Solutions	CMMI Level 2		
5 Shaukat Khanum Cancer Research Hospital (IT DIV) CMMI Level 2			
6 Geopaq Technologies	CMMI Level 2		
7 Advanced Computing and Engineering Solutions CMMI Level 2			
8 NADRA	CMMI Level 2		

CMMI Level 2

19 Technosoft Solutions (Pvt) Ltd

Top Pakistani Companies with ISO and CMM/CMMI Certification

- 1 NetSol Technologies (Pvt.) Ltd. CMMI Level 5, Located in Lahore
- 2 NCR Pakistan CMM Level 5, Located in Islamabad
- 3 Kalsoft (Pvt.) Ltd. CMMI Level 3, Located in Lahore
- 4 Systems (Pvt.) Ltd. CMMI Level 3, Located in Lahore
- 5 Digital Processing Systems CMMI Level 3, Located in Islamabad
- 6 ZTE Pakistan, Software R & D Centre CMMI Level 2, Located in Islamabad
- 7 Eworx Intl (Pvt.) Ltd. CMMI Level 2, Located in Lahore
- 8 Techlogix Pakistan (Pvt.) Ltd. CMMI Level 2, Located in Lahore
- 9 Si3 System Innovations (Pvt.) Ltd. CMMI Level 2, Located in Islamabad and Karachi
- 10 Abacus Consulting (Pvt.) Ltd. CMMI Level 2, Located in Lahore, Islamabad and Karachi
- 11 Descon Information Systems CMMI Level 2, Located in Lahore
- 12 E-Dev Technologies CMMI Level 2, Located in Islamabad
- 13 Prosol Technologies CMMI Level 2, Located in Islamabad
- 14 Avanza Solutions CMMI Level 2, Located in Karachi
- 15 Shaukat Khanum Cancer Research Hospital (IT DIV) CMMI Level 2, Located in Lahore
- 16 Geopaq Technologies CMMI Level 2, Located in Islamabad
- 17 Advanced Computing and Engineering Solutions CMMI Level 2, Located in Islamabad
- 18 NADRA CMMI Level 2, Located in Islamabad
- 19 Technosoft Solutions (Pvt) Ltd CMMI Level 2, Located in Lahore
- 20 Prislogix CMMI Level 2, Located in Karachi.

Key Issues in Software Development

- Consequences of software defects in certain systems can be deadly
 - Companies must take special precautions
- Ethical decisions involve a trade-off between quality and cost, ease of use, and time to market

Development of Safety-Critical Systems

- Safety-critical system
 - A system whose failure may cause injury or death
 - Examples
 - Nuclear power plant reactors
 - Airplane navigation
 - Roller coasters
 - Elevators
 - Medical devices

- Key assumption
 - Safety will not automatically result from following the organization's standard development methodology
- Requires a more rigorous and time-consuming development process than other kinds of software
- All tasks require:
 - Additional steps
 - More thorough documentation
 - Vigilant checking and rechecking

- Project safety engineer
 - Explicit responsibility for the system's safety
 - Uses a logging and monitoring system:
 - To track hazards from the project's start to finish
- Hazard log
 - Used at each stage of the software development process to assess how project team has accounted for detected hazards

- Safety reviews
 - Held throughout the development process
- Robust configuration management system
 - Tracks all safety-related documentation
- Formal documentation required
 - Including verification reviews and signatures
- Key issues
 - Ethical dilemmas re: increased time and expense
 - Deciding when QA staff has performed enough testing

Risk

- Probability of an undesirable event occurring times the magnitude of the event's consequences
- Consequences include:
 - Damage to property
 - Loss of money
 - Injury to people
 - Death

- Redundancy
 - Provision of multiple interchangeable components to perform a single function
 - Used to cope with failures and errors
 - During times of widespread disaster, lack of sufficient redundant can lead to major problems
 - Hurricane Katrina knocked out 2.5 million telephone lines, four TV stations, and 36 radio stations, there were inadequate backup communication systems to replace those failed systems.

- N-version programming
 - Form of redundancy
 - Involves the execution of a series of program instructions simultaneously by two different systems
 - Uses different algorithms to execute instructions that accomplish the same result
 - IBM employs N-version programming to reduce disk sector failures

- N-version programming (cont'd.)
 - Results from the two systems are compared
 - If a difference is found, another algorithm is executed to determine which system yielded the correct result
 - Instructions for the two systems can be:
 - Written by programmers from two different companies
 - Run on different hardware devices
 - Rationale
 - Both systems are highly unlikely to fail at the same time under the same conditions

- Decide what level of risk is acceptable
 - Difficult and controversial decision
 - Make system modifications if level of risk is judged to be too great
- Mitigate the consequences of failure
 - Devise emergency procedures and evacuation plans
- Decide whether to recall a product:
 - When data indicates a problem

Reliability

 Probability of a component or system performing without failure over its product life

Human interface

- Important and difficult area of safety-critical system design
- Should leave the operator little room for erroneous judgment
- Poor design of a system interface can greatly increase risk

• in July 1988, the guided missile cruiser USS Vincennes mistook an Iranian Air commercial flight for an enemy F-14 jet fighter and shot the airliner down over international waters in the Persian Gulf killing almost 300 people. Some investigators blamed the tragedy on the confusing interface of the \$500 million Aegis radar and weapons control system. The Aegis radar on the Vincennes locked onto an Airbus 300, but it was misidentified as a much smaller F-14 by its human operators. The Aegis operators also misinterpreted the system signals and thought that the target was descending, even though the airbus was actually climbing. A third human error was made in determining the target altitude— it was off by 4,000 feet. As a result of this combination of human errors, the Vincennes crew thought the ship was under attack and shot down the plane.

Quality Management Standards

- ISO 9001 family of standards
 - Guide to quality products, services, and management
 - Organization must submit to an examination by an external assessor
 - Requirements
 - Written procedures for everything it does
 - Follow those procedures
 - Prove to the auditor the organization fulfilled the first two requirements

Quality Management Standards (cont'd.)

- Failure mode and effects analysis (FMEA)
 - Technique used to evaluate reliability and determine the effect of system and equipment failures
 - Failures are classified by:
 - Impact on a project's success
 - Personnel safety
 - Equipment safety
 - Customer satisfaction and safety
 - Goal
 - Identify potential design and process failures early in a project

Quality Management Standards (cont'd.)

- Failure mode and effects analysis (FMEA)
 - LifeScan is part of Johnson & Johnson, and for over 20 years it has developed products for people with diabetes. Every day, more than 3 million people depend on its OneTouch Systems to capture accurate test results of their blood glucose levels... LifeScan uses FMEA methods to test the software for the automated test and assembly stations on the blood glucose meter manufacturing lines.

TABLE 7-4 Manager's checklist for improving software quality

Question	Yes	No
Has senior management made a commitment to develop quality software?		
Have you used CMMI to evaluate your organization's software development process?		
Has your company adopted a standard software development methodology?		
Does the methodology place a heavy emphasis on quality management and address how to define, measure, and refine the quality of the software development process and its products?		
Are software project managers and team members trained in the use of this methodology?		
Are software project managers and team members held accountable for following this methodology?		
Is a strong effort made to identify and remove errors as early as possible in the software development process?		
Are both static and dynamic software testing methods used?		
Are white-box testing and black-box testing methods used?		
Has an honest assessment been made to determine if the software being developed is safety critical?		
If the software is safety critical, are additional tools and methods employed, and do they include the following: a project safety engineer, hazard logs, safety reviews, formal configuration management systems, rigorous documentation, risk analysis processes, and the FMEA technique?		

Source Line: Course Technology/Cengage Learning.

Summary

- Demand for high-quality software is increasing
- Developers are under extreme pressure to reduce time to market of products
- Software product liability claims are frequently based on:
 - Strict liability
 - Negligence
 - Breach of warranty
 - Misrepresentation

Summary (cont'd.)

- Software development methodology
 - Defines activities in the development process
 - Defines individual and group responsibilities
 - Recommends specific techniques
 - Offers guidelines for managing product quality
- CMMI
 - Defines five levels of software development maturity
- Safety-critical system
 - Failure may cause injury or death

Summary (cont'd.)

- ISO 9001 standard is a guide to quality products, services, and management
- Failure mode and effects analysis (FMEA) is an important technique used to develop ISO 9001compliant quality systems