

COMP2000: Software engineering 2

Session 1: Introduction to software development

Outline


- Overview of software engineering
- Introduction to design process
- Prototyping
- Conceptual Design

What is Software Engineering?

- Software engineering is defined as a process of: analysing user requirements and then designing, building, and testing software application which will satisfy those requirements.
- Building a software (software development) has a process that involves few steps, which is called software development life cycle (SDLC).

SDLC

- SDLC: is the application of standard business practices to building software applications.
- It's typically divided into six to eight steps:
- 1: Planning and Requirement Analysis
- 2: Defining Requirements
- 3: Designing the Product Architecture
- 4: Building or Developing the Product
- 5: Testing the Product
- 6: Deployment in the Market and Maintenance



Design activities

- Design activities begin once some requirements have been established.
- The design emerges iteratively, through repeated design-evaluationre-design
- Cycles involving users.
- The process of the design involves four basic activities:
- 1. Establishing requirements
- 2. Designing alternatives
- 3. Prototyping
- 4. Evaluating

- There are two types of design: conceptual and concrete.
 - Conceptual design is concerned with developing a conceptual model that captures what the product will do and how.
 - Concrete design is concerned with details of the design such as menu structures, haptic feedback, physical widgets, and graphics.
- As design cycles become shorter, the distinction between these two becomes blurred, but they are worth distinguishing because each emphasizes a different set of design concerns.

- For users to evaluate the design of an interactive product effectively, designers must prototype their ideas.
- In the early stages of development, these prototypes may be made of paper and

cardboard, or ready-made components pulled together to allow evaluation, while as design progresses, they become more polished, compact, and robust so that they resemble the final product.

- The design process may start from two distinct situations: when starting from scratch or when modifying an existing product.
- Much of design comes from the latter (i.e. modifying an existing product), and it is tempting to think that additional features can be added, or existing ones tweaked, without extensive investigation, prototyping, or evaluation.

- Although prototyping and evaluation activities can be reduced if changes are not significant, they are still valuable and should not be skipped.
- In this lecture, we look at the activities involved in progressing a set of requirements through the cycles of prototyping to construction.

Prototyping

• It is often said that users can't tell you what they want, but when they see something and get to use it, they soon know what they don't want.

• Having established some requirements, the next step is to try out design ideas through prototyping and evaluation cycles.

What Is a Prototype?

- A prototype is one manifestation of a design that allows stakeholders to interact with it and to explore its suitability;
- it is limited in that a prototype will usually emphasize one set of product characteristics and de-emphasize others.
- When you hear the term prototype, you may imagine a scale model of a building or a bridge, or a piece of software that crashes every few minutes.
- A prototype can also be a paper-based outline of a display, a collection of wires and ready-made components, an electronic picture, a video simulation, a complex piece of software and hardware, or a three-dimensional mockup of a workstation.



Figure 1: (c) teddy bear 'printed' from a wireframe Design

Why Prototype?

- Prototypes are useful when discussing or evaluating ideas with stakeholders; they are a communication device among team members, and an effective way for designers to explore design ideas.
- The activity of building prototypes encourages reflection in design (Schön, 1983)
- Prototypes answer questions and support designers in choosing between alternatives.
- For example, to test out the technical feasibility of an idea, to clarify some vague requirements, to do some user testing and evaluation, or to check that a certain design direction is compatible with the rest of product development.

• The purpose of your prototype will influence the kind of prototype you build.


• This prototype shows the intended functions and buttons, their positioning and labelling, and the overall shape of the device, but none of the buttons actually work.

• This kind of prototype is sufficient to investigate scenarios of use and to decide, for example, whether the button images and labels are appropriate and the functions sufficient, but not to test whether the speech is loud enough or the response fast enough.

Low-Fidelity Prototyping

- A low-fidelity prototype does not look very much like the final product and does not provide the same functionality.
- For example, it may use very different materials, such as paper and cardboard rather than electronic screens and metal,
- it may perform only a limited set of functions, or
- it may only represent the functions and not perform any of them.
 - Low-fidelity prototypes are useful because they tend to be simple, cheap, and quick to produce. This also means that they are simple, cheap, and quick to modify so they support the exploration of alternative designs and ideas.


- This is particularly important in early stages of development, during conceptual design for example, because prototypes that are used for exploring ideas should be flexible and encourage exploration and modification.
- Low-fidelity prototypes are not meant to be kept and integrated into the final product. They are for exploration only.



• Storyboarding.

- Storyboarding is one example of low-fidelity prototyping that is often used in conjunction with scenarios.
- A storyboard consists of a series of sketches showing how a user might progress through a task using the product under development.
- It can be a series of screen sketches or a series of scenes showing how a user can perform a task using an interactive device.

- The example storyboard shown in Figure 3 depicts a person (Christina) using a new mobile device for exploring historical sites.
- This example shows the context of use for this device and how it might support Christina in her quest for information about the pottery trade at The Acropolis in Ancient Greece.




Christina walks up hill; the product gives her information about the site



Christina adjusts the preferences to find information about the pottery trade in Ancient Greece



Christina scrambles to the highest point



Christina stores information about the pottery trader's way of life in Ancient Greece



Christina takes a photograph of the location of the pottery market

Figure 3 An example storyboard for a mobile device to explore ancient sites such as The Acropolis

• Sketching.

• Low-fidelity prototyping often relies on hand-drawn sketches, and many people find it difficult to engage in this activity because they are inhibited

about the quality of their drawing, but as Greenberg et al (2012) put it, "Sketching is not about drawing. Rather, it is about design" (p. 7).

• You can get over any inhibition by devising your own symbols and icons and practicing them - referred to by Greenberg et al as a 'sketching vocabulary' (p. 85).

- They don't have to be anything more than simple boxes, stick figures, and stars.
- Elements you might require in a storyboard sketch, for example, include digital devices, people, emotions, tables, books, etc., and actions such as give, find, transfer, and write.
- If you are sketching an interface design, then you might need to draw various icons, dialog boxes, and so on.
- Some simple examples are shown in Figure 4.





Figure 4 Some simple sketches for low-fidelity prototyping

- Prototyping with index cards.
- Using index cards (small pieces of cardboard about 3×5 inches) is a successful and simple way to prototype an interaction, and is used often when developing websites.
- Each card represents a screen or one element of the interaction.
- In user evaluations, the user can step through the cards, pretending to perform the task while interacting with the cards.





• Wizard of Oz.

- Another low-fidelity prototyping method called Wizard of Oz assumes that you have a software-based prototype.
- In this technique, the user interacts with the software as though interacting with the product. In fact, however, a human operator simulates the software's response to the user.
- The method takes its name from the classic story of the little girl who is swept away in a storm and finds herself in the Land of Oz (Baum and Denslow, 1900).
- The Wizard of Oz is a small shy man who operates a large artificial image of himself from behind a screen where no one can see him.

An example of paper-based prototyping



https://www.youtube.com/watch?v=zOZkf70kUtc

High-Fidelity Prototyping

- A high-fidelity prototype looks like the final product and/or provides more functionality than a low-fidelity prototype.
- For example, a prototype of a software system developed in Visual Basic is higher fidelity than a paper-based mockup.
- High-fidelity prototyping is useful for selling ideas to people and for testing out technical issues.
- High-fidelity prototypes can be developed by modifying and integrating existing components both hardware and software.
- In robotics this approach has been called tinkering (Hendriks-Jansen, 1996) while in software development it has been referred to as Opportunistic System Development (Ncube et al, 2008).

Compromises in Prototyping

• By their very nature, prototypes involve compromises: the intention is to produce something quickly to test an aspect of the product.

• Lim et al (2008) suggest an anatomy of prototyping that structures the different aspects of a prototype and what it aims to achieve.

• The kind of questions that any one prototype can answer is limited, and the prototype must be built with the key issues in mind.

- In low-fidelity prototyping, it is fairly clear that compromises have been made.
- For example, with a paper-based prototype an obvious compromise is that the device doesn't actually work!
- For software-based prototyping, some of the compromises will still be fairly clear; for example, the response speed may be slow, or the look and feel may not be finalised, or only a limited amount of functionality may be available.

- Two common compromises that often must be traded against each other are breadth of functionality provided versus depth.
- These two kinds of prototyping are called horizontal prototyping (providing a wide range of functions but with little detail) and vertical prototyping (providing a lot of detail for only a few functions).
- Other compromises won't be obvious to a user of the system.

For example, the internal structure of the product may not have been carefully designed, and the prototype may contain spaghetti code or be badly partitioned.

One of the dangers of producing functional prototypes, i.e. ones that users can interact with automatically, is that the prototype can appear to be the final product.

• Another is that developers may consider fewer alternatives because the prototype works and users like it.



"THEN IN HERE WE DO A CLAY MOCK-UP OF THE COMPUTER MODEL"

Table 1 Advantages and disadvantages of low- and highfidelity prototypes

Туре	Advantages	Disadvantages
Low-fidelity prototype	Lower development cost Evaluates multiple design concepts Useful communication device Addresses screen layout issues Useful for identifying market requirements Proof of concept	Limited error checking Poor detailed specification to code to Facilitator-driven Limited utility after requirements established Limited usefulness for usability tests Navigational and flow limitations
High-fidelity prototype	Complete functionality Fully interactive User-driven Clearly defines navigational scheme Use for exploration and test Look and feel of final product Serves as a living specification Marketing and sales tool	More resource-intensive to develop Time-consuming to create Inefficient for proof-of- concept designs Not effective for requirements gathering



Figure 3 Prototype developed for cell phone user interface


- Although prototypes will have undergone extensive user evaluation, they will not necessarily have been subjected to rigorous quality testing for other characteristics such as robustness and error-free operation.
- Building a product to be used by thousands or millions of people running on various platforms and under a wide range of circumstances requires a different testing regime than producing a quick prototype to answer specific questions.

Conceptual Design

- Conceptual design is concerned with transforming requirements into a conceptual model.
- Designing the conceptual model is fundamental to interaction design
- A conceptual model is an outline of what people can do with a product and what concepts are needed to understand how to interact with it.
- The former will emerge from the current functional requirements; possibly it will be a subset of them, possibly all of them, and possibly an extended version of them.
- The concepts needed to understand how to interact with the product depend on a variety of issues related to who the user will be, what kind of interaction will be used, what kind of interface will be used, terminology, metaphors, application domain, and so on.

- The first step in getting a concrete view of the conceptual model is to steep yourself in the data you have gathered about your users and their goals and try to empathize with them.
- From this, a picture of what you want the users' experience to be when using the new product will emerge and become more concrete.
- This process is helped by considering the issues in this section, and by using scenarios and prototypes to capture and experiment with ideas.
- Mood boards (traditionally used in fashion and interior design) may be used to capture the desired feel of a new product.
- This is informed by results from the requirements activity and considered in the context of technological feasibility.

Example: Conceptual Modelling for Mobile Applications



Source: https://www.interaction-design.org/literature/topics/conceptual-models




Figure 4 An example mood board Source: Image courtesy of The Blog Studio www.theblogstudio.com.

- There are different ways to achieve empathy with users.
- For example, Beyer and Holtzblatt (1998), in their method Contextual Design, recommend holding review meetings within the team to get different peoples' perspectives on the data and what they observed.
- This helps to deepen understanding and to expose the whole team to different aspects.
- Ideas will emerge as this extended understanding of the requirements is established, and these can be tested against other data and scenarios, discussed with other design team members, and prototyped for testing with users.

Key guiding principles of conceptual design are:

- Keep an open mind but never forget the users and their context.
- Discuss ideas with other stakeholders as much as possible.
- Use prototyping to get rapid feedback.
- Iterate, iterate, and iterate.

Further reading

- 1. Sharp, Helen; Rogers, Yvonne and Preece, Jenny (2019). Interaction Design: Beyond Human-Computer Interaction.
- 2. Bierig, R., Brown, S., Galván, E., & Timoney, J. (2021). Essentials of Software Testing. Cambridge University Press.

Thank you

Developing an Initial Conceptual Model

- Some elements of a conceptual model will derive from the requirements for the product.
- For example, the requirements activity will have provided information about the concepts involved in a task and their relationships, e.g. through task descriptions and analysis.
- Immersion in the data and attempting to empathize with the users as described above will, together with the requirements, provide information about the product's user experience goals, and give you a good understanding of what the product should be like.

- Here we discuss approaches which help in pulling together an initial conceptual model. In particular, we consider:
 - Which interface metaphors would be suitable to help users understand the product?
 - Which interaction type(s) would best support the users' activities?
 - •Do different interface types suggest alternative design insights or options?
- It is not the case that one way of approaching a conceptual design is right for one situation and wrong for another; all of these approaches provide different ways of thinking about the product and help in generating potential conceptual models.

- Interface metaphors.
- Interaction types.
- Interface types.
- Interface metaphors combine familiar knowledge with new knowledge in a way that will help the user understand the product.
- Choosing suitable metaphors and combining new and familiar concepts requires a careful balance between utility and fun, and is based on a sound understanding of the users and their context.
- For example, consider an educational system to teach 6-year-olds mathematics.
- One possible metaphor is a classroom with a teacher standing at the blackboard. But if you consider the users of the system and what is likely to engage them, a metaphor that reminds the children of something they enjoy would be more suitable, such as a ball game, the circus, a playroom, and so on.

https://www.youtube.com/watch?v=PHBNzKMG7o0

https://www.youtube.com/watch?v=7wrlcIL59YI

