


Program 7 - Book Database

1. Retrieve details of all books in the library – id, title, name of publisher, authors, number of copies in each branch, etc.
2. Get the particulars of borrowers who have borrowed more than 3 books, but from Jan 2017 to Jun 2017
3. Delete a book in BOOK table. Update the contents of other tables to reflect this data manipulation operation.
4. Partition the BOOK table based on year of publication. Demonstrate its working with a simple query.
5. Create a view of all books and its number of copies that are currently available in the Library.

Schema Diagram

Book



```
create database librarydb;
```

```
use librarydb;
```

```
create table Book(
```

```
    book_id int not null,
```

```
    title varchar(10) not null,
```

```
    pub_year varchar(20) not null,
```

```
    publisher_name varchar(20) not null,
```

```
        primary key(book_id)
);
```

```
create table BookAuthors(
    book_id int not null,
    author_name varchar(20) not null,
    primary key(book_id,author_name),
    foreign key(book_id) references Book(book_id) on delete cascade
);
```

```
create table Publisher(
    p_name varchar(20) not null,
    phone_no varchar(10) not null,
    address varchar(20) not null,
    primary key(p_name)
);
```

```
create table LibraryBranch(
    branch_id int not null,
    address varchar(20) not null,
    branch_name varchar(20) not null,
    primary key(branch_id)
);
```

```
create table BookCopies(
    book_id int not null,
    branch_id int not null,
    no_of_copies int not null,
    primary key(book_id,branch_id),
    foreign key(book_id) references Book(book_id)on delete cascade,
    foreign key(branch_id) references LibraryBranch(branch_id) on delete cascade
);
```

```
create table Card(
    card_no int not null,
```

```
primary key(card_no)
);

create table BookLending(
    book_id int not null,
    branch_id int not null,
    card_no int not null,
    date_out date not null,
    due_date date not null,
    primary key(book_id,branch_id,card_no),
    foreign key(book_id) references Book(book_id) on delete cascade,
    foreign key(branch_id) references LibraryBranch(branch_id) on delete cascade,
    foreign key(card_no) references Card(card_no) on delete cascade
);
```

```
insert into Publisher(p_name,phone_no,address)
values ('McGraw Hill','9989076587','Bangalore'),
       ('Pearson','9889076565','New Delhi'),
       ('Random House','7455679345','Hyderabad'),
       ('Hachette Livre','8970862340','Chennai'),
       ('Grupo Planeta','7756120238','Bangalore');
```

```
insert into Book(book_id,title,pub_year,publisher_name)
values (1,'DBMS','2017-01','McGraw Hill'),
       (2,'ADBMS','2016-06','McGraw Hill'),
       (3,'CN','2016-09','Pearson'),
       (4,'CG','2015-09','Grupo Planeta'),
       (5,'OS','2016-05','Pearson');
```

```
insert into BookAuthors(author_name,book_id)
values ('Navathe',1),
       ('Navathe',2),
       ('Tanenbaum',3),
       ('Edward Angel',4),
       ('Galvin',5);
```

```
insert into LibraryBranch(branch_id,branch_name,address)
values (10,'RR Nagar','Bangalore'),
       (11,'RNSIT','Bangalore'),
       (12,'Rajajinagar','Bangalore'),
       (13,'Nitte','Mangalore'),
       (14,'Manipal','Udupi');
```

```
insert into BookCopies(book_id,branch_id,no_of_copies)
values (1,10,10),
       (1,11,5),
       (2,12,2),
       (2,13,5),
       (3,14,7),
       (5,10,1),
       (4,11,3);
```

```
insert into Card(card_no)
values (100),
       (101),
       (102),
       (103),
       (104);
```

```
insert into BookLending(date_out,due_date,book_id,branch_id,card_no)
values ('2017-01-01','2017-06-01',1,10,101),
       ('2017-01-11','2017-03-11',3,14,101),
       ('2017-02-21','2017-04-21',2,13,101),
       ('2017-03-15','2017-07-15',4,11,101),
       ('2017-04-12','2017-05-12',1,11,104);
```

-- Queries

-- Retrieve the details of all books in library - id,title,publisher
name,author,no_of_copies in each branch

select

b.book_id,b.title,ba.author_name,b.publisher_name,b.pub_year,bc.no_of_copies,lb.branch_name

from Book b,BookCopies bc,LibraryBranch lb,BookAuthors ba

where b.book_id = bc.book_id and lb.branch_id = bc.branch_id and b.book_id = ba.book_id;

	book_id	title	author_name	publisher_name	pub_year	no_of_copies	branch_name
▶	1	DBMS	Navathe	McGraw Hill	2017-01	10	RR Nagar
	1	DBMS	Navathe	McGraw Hill	2017-01	5	RNSIT
	2	ADBMS	Navathe	McGraw Hill	2016-06	2	Rajajinagar
	2	ADBMS	Navathe	McGraw Hill	2016-06	5	Nitte
	4	CG	Edward Angel	Grupo Planeta	2015-09	3	RNSIT
	5	OS	Galvin	Pearson	2016-05	1	RR Nagar

-- Get the particulars of borrowers who have borrowed more than 3 books between jan to jun 2017

select card_no from BookLending

where date_out between '2017-01-01' and '2017-06-30'

group by card_no having count(book_id) > 3;

card_no

-- delete a book from the table

delete from Book where title = 'CN';

select * from Book;

	book_id	title	pub_year	publisher_name
▶	1	DBMS	2017-01	McGraw Hill
	2	ADBMS	2016-06	McGraw Hill
	4	CG	2015-09	Grupo Planeta
	5	OS	2016-05	Pearson
▲	NULL	NULL	NULL	NULL

-- partition the book table based on the year of publication

create view book_dates as

select pub_year from Book;

```
select * from book_dates;
```

	pub_year
▶	2017-01
	2016-06
	2015-09
	2016-05

-- create a view of all books and its number of copies currently available in library

```
create view book_view as
```

```
select b.book_id,b.title,lb.branch_name,bc.no_of_copies
```

```
from Book b,BookCopies bc,Librarybranch lb
```

```
where b.book_id = bc.book_id and lb.branch_id = bc.branch_id;
```

```
select * from book_view;
```

	book_id	title	branch_name	no_of_copies
▶	1	DBMS	RR Nagar	10
	1	DBMS	RNSIT	5
	2	ADBMS	Rajajinagar	2
	2	ADBMS	Nitte	5
	4	CG	RNSIT	3
	5	OS	RR Nagar	1