


PYTHON MOODLE CODES: WEEK 3 [CS23231]



G. Meenakshi
231501097
AIML-B
First year

RAJALAKSHMI ENGINEERING COLLEGE

FINISH REVIEW

Question 1

Correct

Mark 1.00 out of 1.00

Flag question

The Chinese zodiac assigns animals to years in a 12 year cycle. One 12 year cycle is shown in the table below. The pattern repeats from there, with 2012 being another year of the dragon, and 1999 being another year of the hare.

Year	Animal
2000	Dragon
2001	Snake
2002	Horse
2003	Sheep
2004	Monkey
2005	Rooster
2006	Dog
2007	Pig
2008	Rat
2009	Ox
2010	Tiger
2011	Hare

Write a program that reads a year from the user and displays the animal associated with that year. Your program should work correctly for any year greater than or equal to zero, not just the ones listed in the table.

Sample Input 1

2010

Sample Output 1

2010 is the year of the Tiger.

Sample Input 2

2020

Sample Output 2

2020 is the year of the Rat.

30°C Mostly cloudy

Search

ENG IN 00:32 10-06-2024

RAJALAKSHMI ENGINEERING COLLEGE

MEENAKSHI G 2023-AIML-B M2

2020

Sample Output 2

2020 is the year of the Rat.

Answer: (penalty regime: 0 %)

```
1 x=int(input())
2 if x%12==8:
3     print(x,"is the year of the Dragon.")
4 elif x%12==9:
5     print(x,"is the year of the Snake.")
6 elif x%12==10:
7     print(x,"is the year of the Horse.")
8 elif x%12==11:
9     print(x,"is the year of the Sheep.")
10 elif x%12==0:
11     print(x,"is the year of the Monkey.")
12 elif x%12==1:
13     print(x,"is the year of the Rooster.")
14 elif x%12==2:
15     print(x,"is the year of the Dog.")
16 elif x%12==3:
17     print(x,"is the year of the Pig.")
18 elif x%12==4:
19     print(x,"is the year of the Rat.")
20 elif x%12==5:
21     print(x,"is the year of the Ox.")
22 elif x%12==6:
23     print(x,"is the year of the Tiger.")
24 elif x%12==7:
25     print(x,"is the year of the Hare.")
26
```

Input	Expected	Got
✓ 2010	2010 is the year of the Tiger.	2010 is the year of the Tiger. ✓

MEENAKSHI G 2023-AIML-B M2

```
11     print(x,"is the year of the monkey.")
12 elif x%12==1:
13     print(x,"is the year of the Rooster.")
14 elif x%12==2:
15     print(x,"is the year of the Dog.")
16 elif x%12==3:
17     print(x,"is the year of the Pig.")
18 elif x%12==4:
19     print(x,"is the year of the Rat.")
20 elif x%12==5:
21     print(x,"is the year of the Ox.")
22 elif x%12==6:
23     print(x,"is the year of the Tiger.")
24 elif x%12==7:
25     print(x,"is the year of the Hare.")
26
```

Input	Expected	Got
✓ 2010	2010 is the year of the Tiger.	2010 is the year of the Tiger. ✓
✓ 2020	2020 is the year of the Rat.	2020 is the year of the Rat. ✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

RAJALAKSHMI ENGINEERING COLLEGE

Question 2
Correct
Mark 1.00 out of 1.00
Flag question

A triangle can be classified based on the lengths of its sides as equilateral, isosceles or scalene. All three sides of an equilateral triangle have the same length. An isosceles triangle has two sides that are the same length, and a third side that is a different length. If all of the sides have different lengths then the triangle is scalene. Write a program that reads the lengths of the three sides of a triangle from the user. Then display a message that states the triangle's type.

Sample Input 1
60
60
60
Sample Output 1
That's a equilateral triangle

Sample Input 2
40
40
80
Sample Output 2
That's a isosceles triangle

Sample Input 3
50
60
70
Sample Output 3
That's a scalene triangle

For example:

Input	Result
60 60 60	That's a equilateral triangle
40 40 80	That's a isosceles triangle

30°C Mostly cloudy

Search

RAJALAKSHMI ENGINEERING COLLEGE

MEENAKSHI G 2023-AIIML-B

For example:

Input	Result
60 60 60	That's a equilateral triangle
40 40 80	That's a isosceles triangle

Answer: (penalty regime: 0 %)

```
1 x=int(input())
2 y=int(input())
3 z=int(input())
4 if(x==y and y==z and x==z):
5     print("That's a equilateral triangle")
6 elif(x==y or y==z or x==z):
7     print("That's a isosceles triangle")
8 else:
9     print("That's a scalene triangle")
```

Input	Expected	Got	
✓ 60 60 60	That's a equilateral triangle	That's a equilateral triangle	✓
✓ 40 40 80	That's a isosceles triangle	That's a isosceles triangle	✓
✓ 50 60 70	That's a scalene triangle	That's a scalene triangle	✓
✓ 50 50 80	That's a isosceles triangle	That's a isosceles triangle	✓
✓ 10 10 10	That's a equilateral triangle	That's a equilateral triangle	✓

Passed all tests! ✓

New TabWeek3_coding: Attempt reviewExceptions in try blocks

118.185.187.137/moodle/mod/quiz/review.php?attempt=84917&cmid=1061

MEENAKSHI G 2023-AIIML-B

Question 3

Correct

Mark 1.00 out of 1.00

Flag question

Correct

Marks for this submission: 1.00/1.00.

The length of a month varies from 28 to 31 days. In this exercise you will create a program that reads the name of a month from the user as a string. Then your program should display the number of days in that month. Display "28 or 29 days" for February so that leap years are addressed.

Sample Input 1
February
Sample Output 1
February has 28 or 29 days in it.

Sample input 2
March
Sample Output 2
March has 31 days in it.

Sample Input 3
April
Sample Output 3
April has 30 days in it.

For example:

Input	Result
February	February has 28 or 29 days in it.

Answer: (penalty regime: 0 %)

```
1 x=input()
```

30°C
Mostly cloudy

Search

ENG IN 00:32 10-06-2024

New TabWeek3_coding: Attempt reviewExceptions in try blocks

118.185.187.137/moodle/mod/quiz/review.php?attempt=84917&cmid=1061

MEENAKSHI G 2023-AIIML-B

Answer: (penalty regime: 0 %)

```
1 x=input()
2 if x in "January, March, May, July, August, October, December":
3     print(x,"has 31 days in it.")
4 elif x=="February":
5     print(x,"has 28 or 29 days in it.")
6 else:
7     print(x,"has 30 days in it.")
```

Input	Expected	Got	
✓ February	February has 28 or 29 days in it.	February has 28 or 29 days in it.	✓
✓ March	March has 31 days in it.	March has 31 days in it.	✓
✓ April	April has 30 days in it.	April has 30 days in it.	✓
✓ May	May has 31 days in it.	May has 31 days in it.	✓

Passed all tests! ✓

30°C
Mostly cloudy

Search

ENG IN 00:33 10-06-2024

Question 4
Correct
Mark 1.00 out of 1.00
Flag question

Write a program to calculate and print the Electricity bill where the unit consumed by the user is given from test case. It prints the total amount the customer has to pay. The charge are as follows:

Unit	Charge / Unit
Upto 199	@1.20
200 and above but less than 400	@1.50
400 and above but less than 600	@1.80
600 and above	@2.00

If bill exceeds Rs.400 then a surcharge of 15% will be charged and the minimum bill should be of Rs.100/-

Sample Test Cases

Test Case 1

Input

50

Output

100.00

Test Case 2

Input

300

Output

517.50

For example:

Input	Result
100.00	120.00

Answer: (penalty regime: 0 %)

```
1 x=float(input())
2 if x<100:
3     a=x*1.20
4 elif x>200 and x<400:
5     a=x*1.50
6 elif x>400 and x<600:
7     a=x*1.80
8 else:
9     a=x*2.00
10 if a<100:
11     print(f'%.2f'%100)
12 else:
13     if(a<400):
14         print(f'%.2f'%a)
15     else:
16         b=a*0.15
17         c=a+b
18         print(f'%.2f'%c)
```

	Input	Expected	Got	
✓	50	100.00	100.00	✓
✓	100.00	120.00	120.00	✓
✓	500	1035.00	1035.00	✓
✓	700	1610.00	1610.00	✓

Passed all tests! ✓

Correct

Mark 1.00 out of 1.00

Flag question

For example, 3, 5 and 4 form a Pythagorean triple, since $3^2 + 4^2 = 5^2$

You are given three integers, a, b, and c. They need not be given in increasing order. If they form a Pythagorean triple, then print "yes", otherwise, print "no". Please note that the output message is in small letters.

Sample Input

```
3
5
4
```

Sample Output

```
yes
```

Sample Test Cases

Test Case 1

Input

```
3
5
4
```

Output

```
yes
```

Test Case 2

Input

```
5
8
2
```

Output

```
no
```

Answer: (penalty regime: 0 %)

30°C Mostly cloudy

Search

ENG IN 00:33 10-06-2024

Correct

Answer: (penalty regime: 0 %)

```
1 a=int(input())
2 b=int(input())
3 c=int(input())
4 if a*a+b*b==c*c or a*a+c*c==b*b or c*c+b*b==a*a :
5     print("yes")
6 else:
7     print("no")
```

	Input	Expected	Got
✓	3 5 4	yes	yes ✓
✓	5 8 2	no	no ✓

Passed all tests! ✓

Correct

30°C Mostly cloudy

Search

ENG IN 00:33 10-06-2024

RAJALAKSHMI ENGINEERING COLLEGE

Marks for this submission: 1.00/1.00.

Question 6
Correct
Mark 1.00 out of 1.00
Flag question

In this exercise you will create a program that reads a letter of the alphabet from the user. If the user enters a, e, i, o or u then your program should display a message indicating that the entered letter is a vowel. If the user enters y then your program should display a message indicating that sometimes y is a vowel, and sometimes y is a consonant. Otherwise your program should display a message indicating that the letter is a consonant.

Sample Input 1
i
Sample Output 1
It's a vowel.
Sample Input 2
y
Sample Output 2
Sometimes it's a vowel... Sometimes it's a consonant.
Sample Input 3
c
Sample Output 3
It's a consonant.

For example:

Input	Result
y	Sometimes it's a vowel... Sometimes it's a consonant..
c	It's a consonant.

Answer: (penalty regime: 0 %)

30°C Mostly cloudy

RAJALAKSHMI ENGINEERING COLLEGE

Answer: (penalty regime: 0 %)

```
1 x=input()
2
3 if x in "aeiou":
4     print("It's a vowel..")
5 elif x=="y":
6     print("Sometimes it's a vowel... Sometimes it's a consonant.")
7 else:
8     print("It's a consonant.")
```

Input	Expected	Got
i	It's a vowel.	It's a vowel.
y	Sometimes it's a vowel... Sometimes it's a consonant.	Sometimes it's a vowel... Sometimes it's a consonant.
c	It's a consonant.	It's a consonant.
e	It's a vowel.	It's a vowel.
r	It's a consonant.	It's a consonant.

Passed all tests! ✓

RAJALAKSHMI ENGINEERING COLLEGE

Marks for this submission: 1.00/1.00.

Question 7
Correct
Mark 1.00 out of 1.00
Flag question

Write a program that returns the second last digit of the given number. Second last digit is being referred 10th digit in the tens place in the given number.

For example, if the given number is 197, the second last digit is 9.

Note1 - The second last digit should be returned as a positive number. i.e. if the given number is -197, the second last digit is 9.

Note2 - If the given number is a single digit number, then the second last digit does not exist. In such cases, the program should return -1. i.e. if the given number is 5, the second last digit should be returned as -1

For example:

Input	Result
197	9
5	-1

Answer: (penalty regime: 0 %)

```
1 x=int(input())
2 y=abs(x)
3 if int(x/10)==0:
4     print("-1")
5 else:
6     z=y%10
7     a=y-z
8     b=a/10
9     c=int(b%10)
10    print(c)
11
```

30°C Mostly cloudy

RAJALAKSHMI ENGINEERING COLLEGE

Marks for this submission: 1.00/1.00.

Correct

Input	Expected	Got
✓ 197	9	9 ✓
✓ -197	9	9 ✓
✓ 5	-1	-1 ✓
✓ 123456	5	5 ✓
✓ 8	-1	-1 ✓

Passed all tests! ✓

IN / OUT

Ms. Sita, the faculty handling programming lab for you is very strict. Your seniors have told you that she will not allow you to enter the week's lab if you have not completed atleast half the number of problems given last week. Many of you didn't understand this statement and so they requested the good programmers from your

New Tab x Week3_coding: Attempt review x Exceptions in try blocks x +

← → ↻ Not secure 118.185.187.137/moodle/mod/quiz/review.php?attempt=84917&cmid=1061

RAJALAKSHMI ENGINEERING COLLEGE

MEENAKSHI G 2023-AIML-B M2

Question Correct
Mark 1.00 out of 1.00
Flag question

IN / OUT

Ms. Sita, the faculty handling programming lab for you is very strict. Your seniors have told you that she will not allow you to enter the week's lab if you have not completed atleast half the number of problems given last week. Many of you didn't understand this statement and so they requested the good programmers from your batch to write a program to find whether a student will be allowed into a week's lab given the number of problems given last week and the number of problems solved by the student in that week.

Input Format:

Input consists of 2 integers.

The first integer corresponds to the number of problems given and the second integer corresponds to the number of problems solved.

Output Format:

Output consists of the string "IN" or "OUT".

Sample Input and Output:

Input

8
3

30°C Mostly cloudy

Search

New Tab x Week3_coding: Attempt review x Exceptions in try blocks x +

← → ↻ Not secure 118.185.187.137/moodle/mod/quiz/review.php?attempt=84917&cmid=1061

RAJALAKSHMI ENGINEERING COLLEGE

MEENAKSHI G 2023-AIML-B M2

Sample Input and Output

Input

8
3

Output

OUT

For example:

Input	Result
8 3	OUT

Answer: (penalty regime: 0 %)

```
1 x=int(input())
2 y=int(input())
3 if y>=x/2:
4     print("IN")
5 else:
6     print("OUT")
7
```

30°C Mostly cloudy

Search

RAJALAKSHMI ENGINEERING COLLEGE

MEENAKSHI G 2023-AIIML-B M2

	Input	Expected	Got	
✓	83	OUT	OUT	✓
✓	85	IN	IN	✓
✓	209	OUT	OUT	✓
✓	5031	IN	IN	✓

Passed all tests! ✓

Correct
Marks for this submission: 1.00/1.00.

Question 9
Correct
Mark 1.00 out of 1.00
Flag question

Write a program to find the eligibility of admission for a professional course based on the following criteria:
Marks in Maths >= 65
Marks in Physics >= 55
Marks in Chemistry >= 50

30°C Mostly cloudy

RAJALAKSHMI ENGINEERING COLLEGE

MEENAKSHI G 2023-AIIML-B M2

Question 9
Correct
Mark 1.00 out of 1.00
Flag question

Write a program to find the eligibility of admission for a professional course based on the following criteria:
Marks in Maths >= 65
Marks in Physics >= 55
Marks in Chemistry >= 50
Or
Total in all three subjects >= 180
Sample Test Cases
Test Case 1
Input
70
60
80
Output
The candidate is eligible
Test Case 2
Input
50
80
80
Output
The candidate is eligible
Test Case 3
Input
50

RAJALAKSHMI ENGINEERING COLLEGE

Input

50
60
40

Output

The candidate is not eligible

For example:

Input	Result
70 60 80	The candidate is eligible

Answer: (penalty regime: 0 %)

```
1 a=int(input())
2 b=int(input())
3 c=int(input())
4 z=a+b+c
5 if a>65 and b>55 and c>=50 or z>180:
6     print("The candidate is eligible")
7 else:
8     print("The candidate is not eligible")
```

30°C Mostly cloudy

RAJALAKSHMI ENGINEERING COLLEGE

Input	Expected	Got	
✓ 70 60 80	The candidate is eligible	The candidate is eligible	✓
✓ 50 80 80	The candidate is eligible	The candidate is eligible	✓
✓ 50 60 40	The candidate is not eligible	The candidate is not eligible	✓
✓ 20 10 25	The candidate is not eligible	The candidate is not eligible	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 10

Most years have 365 days. However, the time required for the Earth to orbit the Sun is actually slightly more than that. As a result, an extra day, February 29, is included in

RAJALAKSHMI
ENGINEERING COLLEGE
WILSON COLONY, RAJIV GANDHI
ROAD, CHENNAI - 600 092

Question 10
Correct
Mark 1.00 out of 1.00
Flag question

Most years have 365 days. However, the time required for the Earth to orbit the Sun is actually slightly more than that. As a result, an extra day, February 29, is included in some years to correct for this difference. Such years are referred to as leap years. The rules for determining whether or not a year is a leap year follow:

- Any year that is divisible by 400 is a leap year.
- Of the remaining years, any year that is divisible by 100 is not a leap year.
- Of the remaining years, any year that is divisible by 4 is a leap year.
- All other years are not leap years.

Write a program that reads a year from the user and displays a message indicating whether or not it is a leap year.

Sample Input 1
1900
Sample Output 1
1900 is not a leap year.

Sample Input 2
2000
Sample Output 2
2000 is a leap year.

Answer: (penalty regime: 0 %)

```
1 x=int(input())
2 if x%400==0:
3     print(x,"is a leap year.")
4 elif x%100==0:
5     print(x,"is not a leap year.")
6 elif x%4==0:
7     print(x,"is a leap year.")
8 else:
9     print(x,"is not a leap year.")
```

30°C
Mostly cloudy

Search

ENG
IN

00:34
10-06-2024

New Tab Week3_coding: Attempt review Exceptions in try blocks

118.185.187.137/moodle/mod/quiz/review.php?attempt=84917&cmid=1061

MEENAKSHI G 2023-AIML-B M2

RAJALAKSHMI
ENGINEERING COLLEGE
WILSON COLONY, RAJIV GANDHI
ROAD, CHENNAI - 600 092

```
8 else:
9     print(x,"is not a leap year.")
```

	Input	Expected	Got	
✓	1900	1900 is not a leap year.	1900 is not a leap year.	✓
✓	2000	2000 is a leap year.	2000 is a leap year.	✓
✓	2100	2100 is not a leap year.	2100 is not a leap year.	✓
✓	2400	2400 is a leap year.	2400 is a leap year.	✓

Passed all tests! ✓

Correct
Marks for this submission: 1.00/1.00.

Finish review

Week3_mcq

Jump to...

Week4_mcq

30°C
Mostly cloudy

Search

ENG
IN

00:34
10-06-2024