

$$\text{Let } \frac{a}{b} = \frac{c}{d} = \frac{e}{f} = k$$

$$\Rightarrow \frac{a}{b} = k \quad \text{and} \quad \frac{c}{d} = k \quad \text{and} \quad \frac{e}{f} = k$$

$$a = bk \quad c = dk \quad e = fk$$

$$\begin{aligned} \text{L.H.S.} &= \frac{ac}{bd} + \frac{ce}{df} + \frac{ea}{fb} \\ &= \frac{(bk)(dk)}{bd} + \frac{(dk)(fk)}{df} + \frac{(fk)(bk)}{bf} \\ &= \frac{bdk^2}{bk} + \frac{dfk^2}{df} + \frac{bfk^2}{fb} \\ &= k^2 + k^2 + k^2 \\ &= 3k^2 \quad \text{--- (i)} \end{aligned}$$

$$\begin{aligned} \text{L.H.S.} &= \frac{a^2}{b^2} + \frac{c^2}{d^2} + \frac{e^2}{f^2} \\ &= \frac{b^2k^2}{b^2} + \frac{d^2k^2}{d^2} + \frac{f^2k^2}{f^2} \\ &= k^2 + k^2 + k^2 \\ &= 3k^2 \quad \text{--- (ii)} \end{aligned}$$

From (i) and (ii), we have

$$\text{L.H.S} = \text{R.H.S}$$

$$\text{Hence } \frac{ac}{bd} + \frac{ce}{df} + \frac{ea}{fb} = \frac{a^2}{b^2} + \frac{c^2}{d^2} + \frac{e^2}{f^2}$$

SOLVED EXERCISE 3.7

1. The surface area A of a cube varies directly as the square of the length l of an edge and $A = 27$ square units when $l = 3$ units.

Find (i) A when $l = 4$ units (ii) l when $A = 12$ sq. units.

Solution:

$$\text{Given that } A \propto l^2$$

$$\Rightarrow A = kl^2 \quad \text{--- (i)}$$

Put $A = 27$ and $l = 3$ in eq. (i), we get

$$27 = k(3)^2$$

$$27 = 9k$$

$$\text{or } 9k = 27$$

$$k = \frac{27}{9} = 3$$

Put $k = 3$ in eq. (i), we get

$$A = 3l^2 \text{ _____ (ii)}$$

(i) Put $l = 4$ in eq. (ii), we get

$$\begin{aligned} A &= 3(4)^2 \\ &= 3(16) = \text{eq. units} \end{aligned}$$

(ii) Put $A = 12$ in eq. (ii), we get

$$\begin{aligned} 12 &= 3l^2 \\ \text{or } 3l^2 &= 12 \\ \Rightarrow l^2 &= 4 \\ l &= 2 \end{aligned}$$

2. The surface area S of the sphere varies directly as the square of radius r , and $S = 16\pi$ when $r = 2$. Find r when $S = 36\pi$.

Solution:

Given that $S \propto r^2$

$$\Rightarrow S = kr^2 \text{ _____ (i)}$$

Put $S = 16\pi$ and $r = 2$ in eq. (i), we get

$$16\pi = k(2)^2$$

Put $K = 4\pi$ in eq. (i), we get

$$S = 4\pi r^2 \text{ _____ (ii)}$$

Put $S = 36\pi$ in eq. (ii), we get

$$36\pi = 4\pi r^2$$

$$\text{or } 4\pi r^2 = 36\pi$$

$$r^2 = \frac{36\pi}{4\pi}$$

$$r^2 = 9$$

$$r = 3$$

3. In Hook's law the force F applied to stretch a spring varies directly as, the amount of elongation S and $F = 3276$ when $S = 1.6$ in. Find (i) S when $F = 50$ lb (ii) F when $S = 0.8$ in.

Solution:

Given that $F \propto S$

$$\Rightarrow F = KS \text{ _____ (i)}$$

Put $F = 32$ and $S = 1.6$ in eq. (i), we get

$$32 = k(1.6)$$

$$\text{or } 1.6k = 32$$

$$k = \frac{32}{1.6} = 20$$

Put $k = 20$ in eq. (i), we get

$$F = 20 S \text{ _____ (ii)}$$

(i) Put $F = 5$ in eq. (ii), we get

$$5 = 20 S$$

\Rightarrow

$$S = 2.5$$

(ii) Put $S = 0.8$ in eq. (ii), we get

$$F = 20 (0.8) = 16$$

4. The intensity I of light from a given source varies inversely as the square of the distance d from it. If the intensity is 20 candlepower at a distance of 12ft. from the source, find the intensity at a point 8ft. from the source.

Solution:

Given that $I \propto \frac{1}{d^2}$

$$\Rightarrow I = \frac{k}{d^2} \text{ _____ (i)}$$

Put $I = 20$ and $d = 12$ in eq. (i), we get

$$20 = \frac{k}{(12)^2}$$

$$20 = \frac{k}{144}$$

$$K = 20 \times 144 = 2880$$

Put $k = 2880$ in eq. (i), we get

$$I = \frac{2880}{d^2} \text{ _____ (ii)}$$

Put $d = 8$ in eq. (ii), we get

$$I = \frac{2880}{(8)^2} = 45$$

5. The pressure P in a body of fluid varies directly as the depth d . If the pressure exerted on the bottom of a tank by a column of fluid 5ft, high is 2.25 lb/sq. in, how deep must the fluid be to exert a pressure of 9 lb/sq. in?

Solution:

Given that $P \propto d$

$$\Rightarrow P = Kd \text{ _____ (i)}$$

Put $P = 5$ and $d = 2.25$ in eq. (i), we get

$$5 = K (2.25)$$

$$2.25K = 5$$

$$\Rightarrow K = \frac{5}{2.25} = \frac{20}{9}$$

Put $k = \frac{20}{9}$ in eq. (i), we get

$$P = \frac{20}{9} d \text{ _____ (ii)}$$

Put $d = 9$ in eq. (ii), we get

$$P = \frac{20}{9} (9)$$

$$P = 20 \text{ ft}$$

6. Labour costs c varies jointly as the number of workers n and the average number of days d , if the cost of 800 workers for 13 days is Rs. 286000, then find the labour cost of 600 workers for 18 days.

Solution:

Given that $C \propto nd$

$$\Rightarrow C = Knd \text{ _____ (i)}$$

Put $n = 800$ and $d = 13$ and $C = 286000$ in eq. (i), we get

$$286000 = K(800)(13)$$

$$10400K = 286000$$

$$K = \frac{286000}{10400} = \frac{55}{2}$$

Put $k = \frac{55}{2}$ in eq. (i), we get

$$C = \frac{55}{2} C \text{ _____ (ii)}$$

Put $n = 600$ and $d = 18$ in eq. (ii), we get

$$C = \frac{55}{2} \times 600 \times 18$$

$$C = \text{Rs. } 297000$$

7. The supporting load c of a pillar varies as the fourth power of its diameter d and inversely as the square of its length l , A pillar of diameter 6 inch and of height 30 feet will support a toad of 63 tons. How high a 4 inch pillar must be to support a load of 28 tons?

Solution:

Given that $C \propto \frac{d^4}{l^2}$

$$\Rightarrow C = k \frac{d^4}{l^2} \text{ _____ (i)}$$

Put $d = 6$ $l = 30$ and $C = 63$ in eq. (i), we get

$$63 = K \frac{(6)^4}{(30)^2}$$

$$63 = \frac{1296}{900} K$$

$$\text{or } K = 63 \times \frac{900}{1296}$$

$$K = \frac{175}{4}$$

Put $k = \frac{175}{4}$ in eq. (i), we get

$$C = \frac{175d^4}{4l^2} \text{ ----- (ii)}$$

Put $d = 4$ and $C = 28$ in eq. (ii), we get

$$28 = \frac{175(4)^4}{4 l^2}$$

$$l^2 = \frac{175 \times 256}{4 \times 28} = 400$$

$$\Rightarrow l = 20 \text{ ft}$$

8. The time T required for an elevator to lift a weight varies jointly as the weight w and the lifting depth ovaries inversely as the power p of the motor. If 25 sec. are required for a 4-hp motor to lift 500 Ib through 40 ft, what power is required to lift 800 Ib, through 12G ft in 40 sec.?

Solution:

Given that $T \propto Wd$

Also given that $T \propto \frac{1}{P}$

In joint variation, we can write

$$T \propto Wd$$

$$\Rightarrow T = k \frac{Wd}{P} \text{ ----- (i)}$$

Put $T = 25$, $P = 4$, $W = 500$ and $d = 40$ in eq. (i), we get

$$25 = \frac{k \times 500 \times 40}{4}$$

$$K = \frac{25 \times 4}{500 \times 40}$$

$$K = \frac{1}{20}$$

Put $k = \frac{1}{40}$ in eq. (i), we get

$$T = \frac{Wd}{200P} \text{ ----- (ii)}$$

Put $W = 800$, $d = 120$ and $T = 40$ in eq. (ii), we get

$$40 = \frac{800 \times 120}{200P}$$

$$P = \frac{800 \times 120}{200 \times 40}$$

$$P = 12 \text{ hp}$$

9. The kinetic energy (K.E.) of a body varies jointly as the mass "m" of the body and the square of its velocity "v". If the kinetic energy is 4320 ft/lb when the mass is 45 lb and the velocity is 24 ft/sec. Determine the kinetic energy of a 3000 lb automobile travelling 44 ft/sec.

Given that $K.E \propto MV^2$

$$\Rightarrow K.E = KmV^2 \text{ (i)}$$

Put $K.E = 4320$, $m = 45$ and $V = 24$ in eq. (i), we get

$$4320 = k(45)(24)^2$$

$$K = \frac{4320}{45 \times 576}$$

$$K = \frac{1}{6}$$

Put $K = \frac{1}{6}$ in eq. (i), we get

$$K.E = \frac{1}{6} mV^2 \text{ (ii)}$$

Put $m = 3000$ and $V = 44$ in eq. (ii), we get

$$\begin{aligned} K.E &= \frac{1}{6} (3000) (44)^2 \\ &= 968000 \end{aligned}$$

SOLVED MISCELLANEOUS EXERCISE - 3

1. Multiple Choice Questions

Four possible answers are given for the following questions. Tick (✓) the correct answer.

(i) In a ratio $a : b$, a is called

- (a) relation (b) antecedent (c) consequent (d) None of these

(ii) In a ratio $x : y$, y is called

- (a) relation (b) antecedent (c) consequent (d) None of these

(iii) In a proportion $a : b :: c : d$, a and d are called,

- (a) means (b) extremes
(c) third proportional (d) None of these