

SOLVED EXERCISE 9.1

1. Prove that, only the diameters of a circle are the intersecting chords which bisect each other.

Given: A circle having diameters \overline{AC} and \overline{BD} which passes through centre O.

To Prove: Diameters \overline{AC} and \overline{BD} bisect each other.



Proof:


Statements	Reasons
$\overline{OA} \cong \overline{OC}$ (i)	Common
Similarly $m\overline{OC} \cong \overline{OD}$ (ii)	
$m\overline{OA} = m\overline{OD}$ (iii)	radii of the same circle
From (i), (ii) and (iii), we have $m\overline{OA} = m\overline{OB} = m\overline{OC} = \overline{OD}$	

Hence AC and BD are intersecting chords which bisect each other.

2. Two chords of a circle do not pass through the centre. Prove that they cannot bisect each other,

Given:

A circle with centre O having two chords \overline{AB} and \overline{CD}



To Prove:

M is not the mid-point of chords \overline{AB} and \overline{CD}

Construction:


Join O to P and Q such that $\overline{OP} \perp \overline{AB}$ and $\overline{OQ} \perp \overline{CD}$

Proof:

Statements	Reasons
O is the centre of the circle with $\overline{OP} \perp \overline{AB}$ Thus $\overline{OP} \perp \overline{AB}$ Now point M lies between P and B. Therefore M is not the midpoint of AB. Hence \overline{AB} and \overline{CD} cannot bisect each other.	Construction

3. If the length of the chord $AB = 8\text{cm}$. Its distance from the centre is 3cm , then measure the diameter of such circle.

Given: $mAB = 8\text{cm}$, $mOE = 3\text{cm}$
Required: to find the length of diameter
i.e., $mCD = ?$
Construction: Join O to A and E.



Proof:

Statements	Reasons
In $\triangle AEO$ $(AO)^2 = \overline{AE}^2 + \overline{EO}^2$ $= \left[\frac{1}{2}(\overline{AB}) \right]^2 + (3)^2$ $= \left[\frac{1}{2} \times 8 \right]^2 + 9$ $= (4)^2 + 9$ $= 16 + 9 = 25\text{cm}$ $\Rightarrow \overline{AO} = \sqrt{25} = 5\text{cm}$	$m\overline{AO} = m\overline{OC} = m\overline{OD} = 5\text{cm}$ $\Rightarrow \overline{CD} = \overline{CO} + m\overline{OD}$ $= 5\text{cm} + 5\text{cm}$ $= 10\text{cm}$ Hence <div style="border: 1px solid black; padding: 2px; display: inline-block;">Diameter = 10cm</div>

4. Calculate the length of a chord which stands at a distance 5cm from the centre of a circle whose radius is 9cm .

Given:


$$m\overline{OA} = m\overline{OB} = 9\text{cm}.$$

$$m\overline{OD} = 5\text{cm}$$

Required:

$$m\overline{AB} = ?$$

Proof:



Statements	Reasons
<p>In $\triangle OAD$.</p> $m\overline{OA}^2 = m\overline{OD}^2 + m\overline{AD}^2$ $m\overline{OA}^2 - m\overline{OD}^2 = m\overline{AD}^2$ $9^2 - 5^2 = \left[\frac{1}{2} m(\overline{AB}) \right]^2$ $\left[\frac{1}{2} m(\overline{AB}) \right]^2 = 81 - 25$ $\frac{1}{4} m(\overline{AB})^2 = 56$ $\Rightarrow m\overline{AB}^2 = 56 \times 4 = 224$ $AB = \sqrt{224} \approx 14.97 \text{ cm}$	$\left[\because AD = \frac{1}{2} \overline{AB} \right]$

THEOREM 4

9.1 (iv) If two chords of a circle are congruent then they will be equidistant from the centre.

Given:

\overline{AB} and \overline{CD} are two equal chords of a circle with centre at O.

So that $\overline{OH} \perp \overline{AB}$ and $\overline{OK} \perp \overline{CD}$.


To prove:

$m\overline{OH} = m\overline{OK}$

Construction:

Join O with A and O with C So that we have \angle rt \triangle 's OAH and OCK.

Proof:



Statements	Reasons
\overline{OH} bisects chord \overline{AB}	$\overline{OH} \perp \overline{AB}$ (By Theorem 3)
i.e., $m\overline{AH} = \frac{1}{2} m\overline{AB}$ (i)	
Similarly \overline{OK} bisects chord \overline{CD}	$\overline{OK} \perp \overline{CD}$ (By Theorem 3)
i.e., $m\overline{CK} = \frac{1}{2} m\overline{CD}$ (ii)	
But $m\overline{AB} = m\overline{CD}$ (iii)	Given
Hence $m\overline{AH} = m\overline{CK}$ (iv)	Using (i), (ii)& (iii)
Now in \angle rt \triangle 's OAH \leftrightarrow OCK	Given $\overline{OH} \perp \overline{AB}$ and $\overline{OK} \perp \overline{CD}$
hyp $\overline{OA} = \text{hyp } \overline{OC}$	Radii of the same circle

$$\begin{aligned} m \overline{AH} &= m \overline{CK} \\ \triangle OAH &\cong \triangle OCK \\ \Rightarrow m \overline{OH} &= m \overline{OK} \end{aligned}$$

Already proved in (iv)
H. S postulate

THEOREM 5

9.1 (v) Two chords of a circle which are equidistant from the centre, are congruent.

Given:

\overline{AB} and \overline{CD} are two chords of a circle with centre at O.
 $\overline{OH} \perp \overline{AB}$ and $\overline{OK} \perp \overline{CD}$, so that $m \overline{OH} = m \overline{OK}$


To prove:

$$m \overline{AB} = m \overline{CD}$$

Construction:

Join A and C with O. So that we can form $\triangle OAH$ and $\triangle OCK$.

Proof:




Statements	Reasons
In $\triangle OAH \leftrightarrow \triangle OCK$.	
hyp $\overline{OA} = \text{hyp } \overline{OC}$	Radii of the same circle.
$m \overline{OH} = m \overline{OK}$	Given
$\triangle OAH \cong \triangle OCK$	H.S Postulate
So $m \overline{AH} = m \overline{CK}$ (i)	
But $m \overline{AH} = \frac{1}{2} m \overline{AB}$ (ii)	$OH \perp \text{chord } AB$ (Given)
Similarly $m \overline{CK} = \frac{1}{2} m \overline{CD}$ (iii)	$OK \perp \text{chord } CD$ (Given)
Since $m \overline{AH} = m \overline{CK}$	Already proved in (i)
$\frac{1}{2} m \overline{AB} = m \overline{CD}$	Using (ii) & (iii)
or $m \overline{AB} = m \overline{CD}$	

Example:

Prove that the largest chord in a circle is the diameter.

Given:

\overline{AB} is a chord and \overline{CD} is the diameter of a circle with centre point O.



To prove:

If \overline{AB} and \overline{CD} are distinct, then $m\overline{CD} > m\overline{AB}$.

Construction:

Join O with A and O with B then form a $\triangle OAB$.

Proof:

Sum of two sides of a triangle is greater than its third side.

In $\triangle OAB \Rightarrow m\overline{OA} + m\overline{OB} > m\overline{AB}$... (i)

But \overline{OA} and \overline{OB} are the radii of the same circle with centre O.

So that $m\overline{OA} + m\overline{OB} = m\overline{CD}$... (ii)

\Rightarrow Diameter $\overline{CD} >$ chord \overline{AB} using (i) & (ii).

Hence, diameter CD is greater than any other chord drawn in the circle.

SOLVED EXERCISE 9.2

- Two equal chords of a circle intersect, show that the segments of the one are equal corresponding to the segments of the other.

Given:

In a circle with radius O, we have


$$m\overline{AB} = m\overline{CD}$$

To Prove:

$$\overline{AP} = \overline{CP}$$

Construction:

Join O to A and D



Proof:

Because \overline{AB} and \overline{CD} intersect each other, so $m\overline{AB} = m\overline{AP} + m\overline{BP}$

and $m\overline{CD} = m\overline{CP} + m\overline{PD}$

$$\overline{AP} = m\overline{CP} \text{ and } m\overline{BP} = m\overline{PD}$$

So $m\overline{AB} = m\overline{CD}$

Hence proved