

PROJECT DOCUMENTATION

Interactive Learning with HISTOGLOBE

WINTER SEMESTER 2014/15

VIRTUAL REALITY GROUP

FACULTY OF MEDIA

BAUHAUS UNIVERSITY WEIMAR

Authors:

Marcus KOSSATZ
Chris HORNISCHER
Max WEBER
Sebastian KÖPSEL

Supervisor :

Dipl.-Med.sys.wiss. Patrick RIEHMANN
M.Sc. Henning GRÜNDL
Prof. Dr. Bernd FRÖHLICH



H I S T O G L O B E ®

 VR-Systems Group
Bauhaus-Universität Weimar

Contents

1	Introduction	2
2	User Centered Design	3
3	User Interface Elements	5
3.1	Map	5
3.2	Timeline	11
3.3	Search Bar	12
3.4	Hivent List	13
3.5	Hivent Boxes	13
3.6	Control Buttons	15
3.7	Hivents	15
4	Field Study	17
4.1	Usage as Teaching Material	17
4.2	Conduction	17
4.3	Results	18
4.4	Usage as Study Material	20
5	Conclusion	21
5.1	Discussion	21
5.2	Future Work	21
5.3	Work division	23

1 Introduction

HISTOGLOBE is a interactive website designed for people who want to get an overview of history. The appear of this events in function of time on the map helps you to get an impression of the behave of history.

With HISTOGLOBE there is much less need of unwieldy things like big maps of historical places or books and many piece of paper. Everyone should be able to learn our past in a nice, intuitive and simple way to be prepared for future.

This is HISTOGLOBE.

2 User Centered Design

HISTOGLOBE aims to be helpful and usable for two specific target groups: history teachers and students in schools. The root problem we defined is that history is considered as boring and not interesting by a large portion of the students. One of the reasons we identified is that there exist not a lot of interesting and modern teaching material for teachers. We want to tackle this problem and develop a solution to help teachers presenting content of the history lessons in an interesting, informative and interactive way and for students to understand events and their coherences in history better.

We found a school in Jena, 25 km east of Weimar, that served as a development partner for HISTOGLOBE@SCHOOL, an instance of HISTOGLOBE directly designed for the usage in class.



Lobdeburgschule in Jena-Lobeda is a public school for all students from grade 1 to 13. A history teacher in grade 12 invited us to conduct a field study in his class to test HISTOGLOBE directly in school by the end of the project in April 2015. In the time period from October 2014 until the test in April 2015 two members of the project group went every two or three weeks to the teacher in Jena. We presented new concepts, asked specific questions about the interface and the usage of the visualization in class and new problems and questions about the concept raised that had to be clarified until the next meeting.




Figure 2.1: User Centered Design

Design Iterations Through the project time a lot of different design concepts were developed. On the one hand we wanted to maximize the utility for the teacher to help him convey the necessary information in class but on the other hand design HISTOGLOBE in a way that we found suitable. We played around with the orientation and the functionality of the timeline, the information about historical events on the map or the colors of the interface.



Figure 2.2: Several concepts of the design throughout the semester

In the next chapter we want to introduce the final elements of the user interface that were the result of the design iterations with the teacher.

3 User Interface Elements

The interface consists of five main elements: The **Map** is the central element showing the current countries with their names and their borders and the position of historical events, called **Hivents** happening around the current date. This **NowDate** is set on the **Timeline** which allows to control the temporal dimension: Set a new date and see the status of this day in history on the map. Moving the timeline here and back will reveal the historical changes on the map. There are also **Topic Bars** on top of the timeline showing historical topics in a specific time period. The sidebar on the right contains a **Search Bar** for finding Hivents and a **Hivent List** of everything that happened in the selected topic. If an Hivent is selected, a **Hivent Box** pops up presenting the name, a short description and an image or video about the Hivent. Additionally there are **Control Buttons** for zooming the map or timeline, toggling the full screen or high contrast mode for better readability in problematic lighting conditions in the classroom.




Figure 3.1: The final User Interface of HISTOGLOBE

3.1 Map

The map shows the status of the countries on Earth at this certain moment in history set in the timeline. For this project we used a self-made dataset of historic countries of whole Europe from 1945 until today and from Western, Northern, Southern and Central Europe from 1871 until 1945. We organized the data in a way that we can visualize these historical changes of areas and names of countries. We also provided a functionality to style the country areas due to a current theme, for example all countries belonging to NATO get a blue background color.

3.1.1 Historic Countries

A country consists of an **area**, represented as a multipolygon geometry, and a **label** with the name of the country and its position on the map.

Areas Everything is based on a dataset of the current countries in Europe from *Natural Earth Data*¹. We extracted only the countries of Europe and loaded them into *QuantumGIS*, an open source GIS software for organizing, analyzing and visualizing areas on Earth. For each historic country we found an historic map online and created the area of the country using the *Vector Geoprocessing Tools* of QuantumGIS. Each area is stored in a single `area_id.geojson` file.




Figure 3.2: Geometry Manipulation of Historic Countries in QuantumGIS

3.2 shows the different areas of Germany from 1871 until today, from light green to dark green:

- 1871 - 1919 German Empire
- 1919 - 1945 Weimar Republic and Third German Reich (after WW I)
- 1945 - 1949 Occupied Germany (after WW II)
- 1949 - 1990 GDR without West Berlin and
- 1949 - 1956 Saarland

Because of the very problematic usability of QuantumGIS and the mass of data that would have needed to be processed we have not reached the goal to create a database of all historic countries in Europe from 1871 on, due to the time constraint.

Labels of a country are stored separately from the areas to account for independent changes of names and geometries: A country can be renamed and borders can change, but both events do not need to correlate. The labels are defined in a table `labels.csv` consisting of the id, the name, the position (lat, lng) and a priority.

¹1:10m Cultural Vectors | <http://www.naturalearthdata.com/downloads/10m-cultural-vectors/>

The visualization of the labels works with priorities. Each label has a bounding box. According to the label priority, the box increases inversely in size (low priority labels get large bounding boxes). Showing and hiding a label is based on the question if the labels collide, i.e. if their bounding boxes intersect. The algorithm works in the following way:

- If a new label L_n gets added to the map it checks for each shown label L_s^H with a higher priority if it collides with L_n
 - If so, L_n will be hidden
 - If it does not collide with any L_s^H , L_n will be shown. Now it checks for each shown label with the same or lower priority L_s^L if it collides with L_n
 - * If so, L_s^L gets hidden
- If a label L_r gets removed from the map, it checks for each hidden labels L_h^L of the same and lower priority if it collides with L_r
 - If so, L_h^L gets shown
- If the user zooms in, the algorithm checks for each hidden label L_h if it can be shown now: it checks for each shown label L_s^H of the same or higher priority if it collides with L_h
 - If L_h does not collide with any L_s^H , L_h will be shown
- If any hidden labels were toggled to be shown or if the user zooms out, the algorithm checks for each shown label L_s if L_s collides with any shown label of the same lower priority L_s^L
 - If so, L_s^L will be hidden

The problem with this approach is that the label position and priority can not be deducted from the area. Therefore, both have to be set by hand. We are aware that this manual approach is not optimal, but for the scope of that project it is suitable. For the future, a data model should be found in which areas and labels are connected but can still change separately from each other.

3.1.2 Historic Changes


Because of the way areas and labels are organized, an historic change can easily be modelled, like seen in 3.1. This event-based data model is maintained like this: if an historic change happens, it needs to have a date and a name of the change, a set of areas that stop exist and a set of areas that start to exist from this date in history on – the same for the labels. Afterwards, the new areas have to be created in *QuantumGIS*, which is most of the work, and new labels have to be defined in the table.

In order to visualize the data on the client side, the areas, labels and changes have to be preprocessed on the server. Especially the transition areas and borders have to be generated.

Table 3.1: Examples of Historic Changes

date	name of change	
domain	old	new
25.12.1991	Dissolution of Soviet Union	
area:	CCCP	EST, LVA, LTU, BLR, UKR, MDA, RUS
label:	CCCP	EST, LVA, LTU, BLR, UKR, MDA, RUS
03.10.1990	German reunification	
area:	BRD, DDR	DEU
label:	BRD, DDR	DEU
01.01.1990	End of Socialistic Republics	
area:	—	—
label:	PR-ROU, PR-BGR, PR-HUN, PR-POL	ROU, BGR, HUN, POL
01.01.1979	Separation of Greenland	
area:	DNK-with-GRL	DNK, GRL
label:	—	GRL
01.01.1881	Init state	
area:	—	DEU-REICH-1871, POL-1871, ...
label:	—	DEU-REICH-1871, POL-1871, ...

Transitions are the geometric changes in a change event. There is either a transition area, which is the area that changes the membership of a country (e.g. Alsace-Lorraine 1919 from the German Empire to France) or a transition border, that splits two countries (e.g. The border between Czech and Slovak Republic after the dissolution of Czechoslovakia in 1991). These transitions shall be emphasized with an animation in the moment of the historic change so that it is clearly visible to the user what is currently happening. The transitions are generated like this: For each historic change the set of old and new areas are compared to each other and pass the following decision tree:



Legend: old = set of all old areas, new = set of all new areas

\bigcup_{old} = union of all old areas, $\#old$ = number of old areas

Preprocessing happens with a *Python* script performing the following steps:

1. Loading the areas (from **.geojson*), the labels and the changes (from **.csv*)
2. Checking the set of areas and labels for completeness and the changes for consistency
3. Generating the transition areas
4. Writing the data to *json* files to be delivered to the client:
 - 4.1 *areas.geojson*
 - 4.2 *labels.geojson*
 - 4.3 *trans_areas.geojson*
 - 4.4 *changes.json*

The Workflow at runtime of the program can be seen in 3.3. The diagram is simplified focussing only on the areas, but the process is the same for the labels.




Figure 3.3: Architecture of historic countries on the map

The countries areas, labels and changes are created, preprocessed and loaded to the server. The client gets the four *json* files and reads the data out of them. If the NowDate changes, the timeline sends the old date and the new date to the Controller that finds out all the changes happened in that time period. For each change the transition areas and borders are faded in on the map and the related old and new areas and labels are enqueued as a change event in a **change queue**. Every 50 milliseconds the queue is processed: for the first change event it checks if the related transitions are fully faded in. If so, the new areas and labels will be added and the old areas and

labels deleted from the map. Finally, the transitions will be faded out again. This is repeated until the first change in the queue is not ready to be executed.

For moving the timeline backwards the mechanism is the same, it is just that old and new areas and labels are swapped, because the historic change happens the other way.

In order to prevent large amounts of changes on the map if the timeline is moved far, a rule-out mechanism is implemented: There is a list of old and new areas and labels for all historic changes in the period between the old and the new date from the timeline. Areas and labels that would be added in one change but deleted in another one are removed from both lists, because they would not contribute to the current state. With this mechanism it is possible to move the timeline at a high speed there and back and always get a fast and consistent update on the map.

3.1.3 Styling the Countries

Each area and each label can have a certain style in a certain **theme**. An example theme we have implemented is called *Bipolar World* (Figure 3.4) and assigns each country in Europe a membership to the NATO (blue) and the Warsaw Pact (red) based on their dates of joining and leaving the alliance. When moving the timeline the user can see how the alliances develop.




Figure 3.4: Countries colored due to their membership in NATO or Warsaw Pact

The style module was designed in a reusable way: for any new theme there have to be firstly **classes** and their styles defined (e.g. `class: nato, background-color: blue`). Secondly, areas and the membership to a class have to be stated in a table with `area_id, theme_class, start_date, end_date` (e.g. `ESP, NATO, 1982, 1986`). The same has to be done with labels.

3.2 Timeline

3.2.1 General

The Timeline is our interface to control the time in HISTOGLOBE. It is located at the bottom. In the center on certain moment of history is displayed. With the plus and minus on the left you can zoom in and out. This is done by stretching and compressing the timeline. It is possible to change the actual date by pulling the timeline to left or right.



Figure 3.5: Timeline

3.2.2 Structure

One requirement of the teacher is to present time in history not linear but in epochs. The advantage is that he can give focus to special subsets of history. In our implementation we have two different types of epoch bars: German history and world history.

So our actual implementation of the timeline consists of four layers. The top layer describes the German history from "Deutsches Kaiserreich" to "Geteiltes Deutschland". The next two layers belong together. They represent the world history from "Imperialismus" to "Bipolare Welt". The upper of these two layers is only shown if one category of the world history is selected. Like in picture 3.6. Here "Imperialismus" is active and on top of this layer is the subtopic layer with specific topics. The bottom line is used to show the classification of epoch in time and to show the certain moment of history in the DD.MM.JJJJ format as NowDate.



Figure 3.6: Timeline Elements

3.2.3 Behaviour

The following section describes the individual functionalities of the timeline and topic bars. All elements are linked together so if you change one element, all other elements are changed in the same way.

With the two control buttons on the left side you can **zoom** the time. We have limited the different displayed zoom levels to four steps and the displayed dates have a fixed distance (1, 2, 5, 10). The date change if they begin to overlap the thresholds of each other. So you can zoom in and out and the timeline is horizontal stretched or compressed.

To change the current date you can **pull** the timeline. You can also move the timeline by activate a Hivent. Then it is centered in the middle and the NowDate displays the date of the event.

One interesting task of the Epoch Bars was to **adapt** the labels **to diffent sizes**. In most cases the names of Epochs do not fit in their boxes. Therefore we tryed diffent ways to fix this problem:

- write epoch name in two lines (destroys layout)
- dynamic resize of Epoch Bars and no change of zoom level (historically incorrect because epochs overlap)
- dynamic resize of Epoch Bars and with adaption of zoom level (short historical epochs with long names destroys layout)
- leave out vowels (some epoch names are unreadable)
- leave out the middle of the word and replace it with ... (some epoch names are unreadable)

Finally, we have used a combination of two replacement rules:

1. replace the entire word with an abbreviation
2. replace the end of the word with ...

To improve readability of the epoch names we placed it in the middle of the epoch boxes. If they come close to the edge they stick there with a threshold till the box is too small.




Figure 3.7: Timeline Elements with all improvements

3.3 Search Bar

One way to retrieve information about historical events is our search bar, which is a single-line text box with the dedicated function of accepting user input to be searched for. The user is able to search for events, people, places and time.



Figure 3.8: Search Bar with some search results in drop-down list

Instant Search One or more possible matches are immediately displayed while the user is typing text. So the search is sent automatically to present the user with real-time results which are displayed as a drop-down list. This often allows the user to stop short of typing the entire word they were looking for.

3.4 Hivent List

3.4.1 General

The central modul to navigate HISTOGLOBE is the Hivent List. Here you can see Hivents with additional informations in one list ordered by date. Each Hivent has a name, a date and a location. She is located on the right edge of HISTOGLOBE under the search bar. They share the vertical ammount.




Figure 3.9: Hivent List

3.4.2 Structure

Aufbau: Titel, Options, List

3.4.3 Behaviour

Special Functionality: Knopp Clickbar, Hoverbar Slide into view on active On Search only Headline is shown dynamicly adapt to window heighth

3.5 Hivent Boxes

In HistoGlobe Hivent Boxes are the main method to display information beside the name, the location or the date of an historical event (Hivent). Every Hivent Box consists of a name, a short description about the Hivent, a link to the article on Wikipedia and multimedia content like an image or a video, if such a thing exists for the Hivent.



Figure 3.10: Hivent Box displaying information of an historical event with an image

Small Hivent Box The small version, as displayed in figure 3.10, is the default representation of our Hivent Boxes. This version is moveable on the map per drag and drop and consists of the same information like the the big Hivent Box, but with a smaller description length.

Big Hivent Box In figure 3.11 you can see the big Hivent Box. As mentioned above this version differs only in description length from the small Hivent Box and of course in its size.




Figure 3.11: Big Hivent Box

Resize Button - Extend This button downright is only available in the small version of the Hivent Box and allows the user to switch to the big Hivent Box.

Resize Button - Compress This button downright is only available in the big version of the Hivent Box and allows the user to switch back to the small Hivent Box.

Multimedia Button This button on the right is available in both versions of the Hivent Box, the small and the big one, but only if there is existing multimedia content. With this button the user can switch to the multimedia content.




Figure 3.12: Multimedia content in small and big Hivent Box

Image Button This button on the left is only available in the multimedia view of the Hivent Box and allows the user to switch back to normal view.

Close Button This button in the right upper corner is available in every view and version of the Hivent Box and allows the user to close the box.

3.6 Control Buttons

3.7 Hivents

3.7.1 General

Hivents mean "Historical Events", and are the way historical events are defined and presented. They are stored in a database, and have attributes such as name, location, start- and endyear, description and associated media. They are one of the most important concepts to visualize history in HistoGlobe.

3.7.2 Behavior

Hivents are represented on several locations in the UI, with the map, the Hivent list and the timeline being the most important ones. Since usually more than one Hivent is being shown, it's important to signify the representation between one Hivent in different UI-Elements. The main interface events to which the feedback occurs are mouse hovering and clicking, which leads to the Hivent being highlighted in all UI-elements.

todo: Bild

Upon being clicked on, it changes its status to active. An active Hivent gets focused in the map, its marker are highlighted, it gets tagged in the URL bar and the Hivent box opens.

3.7.3 Labels on Map

Hivents on the Map were only represented by a marker, which automatically clustered when they are close together. The teacher demanded more information, so we attached labels to the Hivent markers. We tried a Leaflet addon, but it didn't match our expectations of modifiability. To do labels our own, we used how the markers were implemented in the first space. They are Leaflet DivIcons so they are a div with a background image essentially. To accomplish easily modifiable labels we simply added another div element. In the first implementation the hivents name was shown, but we realized this isn't appropriate on a map, so we switched to show the hivents location. With this solution we got easily modifiable small weight labels. Overlapping labels are a known problem with some solutions todo:REFS. To adjust them to reasonable readability we needed fulfill special requirements. We needed an algorithm which was particularly lightweight, since we can't precompute the labels positioning and because we wanted to use HistoGlobe on schoolPCs and mobile devices. Our solution is done by checking for an overlap by comparing the divs Bounding Boxes and moving the left label to the left on overlap. On high zoom levels the amount of labels was so high the map wasn't readable anymore, so we remove them from a certain zoom level on.

3.7.4 Hivent Regions

A lot of historical events took place over a region, such as wars, so we wanted a region representation of hivents on the map. We implemented an additional type of map marker to do this. We added an additional optional attribute to the hivents, containing the polygon representing the region. The implementation was done using Leaflets Polygon drawing capabilities.




Figure 3.13: Hivent regions with highlights

As seen in 3.13.

todo: Bild

4 Field Study

The end of the project we tested the visualization directly in school in two different sessions to test the two different target groups and applications: In one class the teacher used HISTOGLOBE to explain the conferences at the end and after World War II and in another class one week later the students used HISTOGLOBE in the computer room to inform themselves about the Bipolar World 1945-1993 and prepare an overview. We are presenting the planning, conduction and results of the two studies.

4.1 Usage as Teaching Material

Our research question for the first test was if HISTOGLOBE is suitable as a teaching material in the classroom. The teacher wanted to use the software to explain the historical context (name, time and location), the content and the consequences of four major conferences at the end of World War II: Casablanca and Tehran 1943, Yalta and Potsdam 1945.

4.1.1 Planning

We had the following research hypotheses:

1. Effectiveness $H_{efs-1.1}$: HISTOGLOBE is well suited to impart the historical context (What?, When?, Where?, How?) of an historical event.
2. Effectiveness $H_{efs-1.2}$: HISTOGLOBE is not suited to impart the historical coherences (Why?) of historical events.
3. Satisfaction $H_{sat-1.1}$: The teacher will have no technical oder usability problem while presenting the topic with HISTOGLOBE.
4. Satisfaction $H_{sat-1.2}$: The students will appreciate the visualization of the topic with HISTOGLOBE.

Because there is just one test in one class with one teacher and the course of a history class is somewhat arbitrary, we did not use any quantitative measures to test our research hypotheses. We also could not measure any efficiency, which is usually important for usability testing. Our main focus is finding out whether the current concept of HISTOGLOBE is suited as a teaching material and if there are any usability flaws. We decided to use the following methods:

1. Video recording of the whole class to analyze the usage of the teacher afterwards.
2. Semi-structural interview with the teacher after the class to get more insight into his usage of the software.
3. Short Questionnaire (see: appendix 5.2.5) for the students after the class.

4.2 Conduction

On Thursday, 16.04.2015 from 11:35 until 13:05 the teacher held a lesson about the four major conferences after World War II. In 15 minutes during the lesson he actively used HISTOGLOBE planned to show the students the location, the date, the name and an image of the conference. He asked the students about the context and content of the conferences using the visualization. He swapped between his own prepared teaching slides and HISTOGLOBE . He once used the software spontaneously (see Figure 4.1): A student asked “What is a satellite state?”, the teacher zoomed out of the map, so that Eastern Europe is visible and explained the Soviet satellite states (GDR, Poland, Czechoslovakia, ...).




Figure 4.1: The usage of HISTOGLOBE as a teaching material in the classroom

4.3 Results

While the teacher used HISTOGLOBE we noticed the following:

- The visualization was only in the HighContrast. It seemed suitable for the very bright lighting condition.
- The teacher used only the mouse, not the Smartboard, as an input device.
- The Hivent List was the only element to select an Hivent, but not the Timeline or the Map.
- Sometimes there are labels of minor countries on the map, but the important ones are missing. The label display concept has to be thought through again.
- The current date of the visualization is barely visible and should be more prominent.

In the interview with the teacher after the lesson we revealed the following important results of the field study:


- The big advantage of HISTOGLOBE is the map, especially navigation and zooming.
- The teacher sees great potential in visualizing territorial development of countries and membership to alliances.
- HISTOGLOBE is suited for him to show the name, date and location of an Hivent, but not the coherences. In his opinion this shall also not be the focus of the development.
- He believes that the effect on the students are only minor, because they are used to work with a Smartboard and HISTOGLOBE does not give them extra information
⇒ He concludes that HISTOGLOBE is only partially useful as a teaching material but he believes it was much more helpful for students to learn.

The students gave us a good insight into the effect on their understanding from the questionnaire (Figure 4.2):

- The satisfaction with the subject history in general seems to be close to a normal distribution.
- Most students found HISTOGLOBE interesting, became curious about the software and are willing to work more with HISTOGLOBE

- The biggest advantages seem to be the summary and the overview that the visualization gives to them. Also the factor of time and the picturing of the Hivents because of the images seem well-made.
- Most students did not appreciate the black-and-white design of the HighContrast mode and were confused by the visualization. Some students complained that HISTOGLOBE was not used enough in class in order to understand and appreciate it more.

Satisfaction with HistoGlobe



What did you like most about HistoGlobe?

What didn't you like about HistoGlobe?




Figure 4.2: Results of the first field study with students

Finally, we see potential evidence for accepting our research hypotheses. It seems to be that HISTOGLOBE is well suited to impart the *What?*, *When?*, *Where?* and *How?* of an Hivent ($H_{efs-1.1}$) but not at all for the explanation of the *Why?*: historical coherences ($H_{efs-1.2}$). From our observation, hypothesis $H_{sat-1.1}$ seems to hold and also $H_{sat-1.1}$ is also likely due to the results from the questionnaire. It has to be mentioned that this analysis is neither exhaustive nor statistically accurate, because we have not conducted a classical user study.




Figure 4.3: The usage of HISTOGLOBE as a learning material for the students

4.4 Usage as Study Material

One week after the first field study we had a second one in a computer pool of Lobdeburgschule. The students had the task to research about events in the cold and the hot phases of the Bipolar World 1945-1993. The output was supposed to be a timeline with an overview about the development in the Bipolar World.

4.4.1 Planning

We had the following research hypotheses:

1. Effectiveness $H_{efs-2.1}$: HISTOGLOBE is well suited to understand the historical context (What?, When?, Where?, How?) of an historical event.
2. Effectiveness $H_{efs-2.2}$: HISTOGLOBE is not suited to understand the historical coherences (Why?) of historical events.
3. Satisfaction $H_{sat-2.1}$: The students will have no technical oder usability problems while doing research with HISTOGLOBE.

In the same way as in the first field study we used no quantitative but only qualitative methods to evaluate our hypotheses. We observed the students while working, asked specific questions and used the same questionnaire as the week before to measure a difference between the usage of HISTOGLOBE for teaching and for learning purposes.

4.4.2 Conduction

On Friday, 22.04.2015, from 11:35 until 13:05 the students performed the task stated above. We used the 75 minutes in which the students were supposed to fulfill the task to find out about the usage of HISTOGLOBE and the advantages, disadvantages and problems with the software.

4.4.3 Results

5 Conclusion

5.1 Discussion

5.2 Future Work

5.2.1 Dynamics and animated transitions

While testing HistoGlobe we found out that the pupils wanted a better visualization of historical connectivity, in the form of more dynamic display of the data with better respect to the context of historical events. We think one should try to show the flow of history with more detail and animation.

5.2.2 Content Generation Backend

For our studies we used a self generated, wikipedia.org based database, which was sufficient for our first study. Nevertheless it would be great if a teacher or students could compile lessons and homework with a tool. This tool should be able to create, modify and delete hivents easily, and to add them in arbitrary form to categories. Another helpful functionality would be the automatic generation of a Hivent from a given wikipedia article.

5.2.3 Country Generation Backend

For the future, an editor for storing, managing and analyzing historic changes would be desireable, because the data acquisition part took a large share of the projects time.

5.2.4 Mobile Version

HistoGlobe was designed, on the UI and software level, to be usable on tablets and phones. But at this point, optimization is sub-optimal. Further tuning to style and usability are necessary.

Appendix

5.2.5 Questionnaires

	<i>trifft nicht zu</i>	<i>trifft zu</i>
Ich mag das Fach Geschichte	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	
HistoGlobe macht mich neugierig	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	
HistoGlobe ist interessant	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	
Unterricht mit HistoGlobe macht mir Spaß	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	
Ich würde gerne weiter mit HistoGlobe arbeiten	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	
HistoGlobe weckt meine Neugier am Lerninhalt	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	
Ich würde gerne an weiteren Experimenten mit HistoGlobe teilnehmen	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	

An HistoGlobe hat mir besonders gut gefallen:

An HistoGlobe hat mir nicht gut gefallen:

Geschlecht: männlich weiblich

Figure 5.1: The questionnaire for the students

5.3 Work division

5.3.1 Marcus

- Organization
 - Administration of the Masterplan (Figure 5.2)
 - Responsibility for GIT branching and merging
 - Email communication with the team members, the teachers, and project supervisors
- Research Presentation
 - The Browser (history, sandbox, components, flow, JS memory management)
- User Centered Design:
 - Throughout the project – every two weeks
 - * Meeting the teacher in Jena
 - * Testing the current concept and implemented functionality
 - * Deriving new requirements
 - * Update the concept
 - End of the project: planning, designing, conducting and analyzing two field studies
- Implementation
 - Data Acquisition: Hivents
 - Data Acquisition: Historical Countries
 - Data Acquisition: Historical Changes
 - Data Acquisition: Historical Topics and Theme Alliances in Bipolar World
 - Preprocessing: areas, labels, transitions and changes
 - Time-dependent areas on the map (geometry, labels, animated transitions)
 - Theme- and time-dependent styling of the areas on the map
- Final Documentation
 - 2 User Centered Design
 - 3 User Interface Elements
 - 3.1 Map
 - 4 Field Study

5.3.2 Max Weber

-
-
-
-
-
-

5.3.3 Chris Hornischer

-
-
-
-
-
-

5.3.4 Sebastian Koepsel

-
-
-
-
-
-

5.3.5 Masterplan

Name	Description	Prio	Responsibility	Status			Comment
				Design	Implem.	Test	
Global							
search bar - hivent list - interaction	2 modi: searching and topic navigation => implement hivent list out, result list in if fast typing in search bar => modus "search" => result list down (out), hivent list down (in) if done with searching => modus "navigation" => result list up (in), hivent list up (out) > animated transitions	1	MW	:(:(
map information limit	limit number of information chunks on the map (hivent markers, country and city names) to X in[5, 10] + non-overlapping information on the map (both country labels and hivent marker)	3	SK	:)	:)		
active hivent	make possible to active hivent on all UI elements (map, timeline, hivent list and search bar) highlight active hivent on all UI elements	1	SK	:(:)	:(
highContrast Version	implement complete high contrast version of UI, including the map tiles	1	MK	:(:(
imprint	create link to imprint and fill with legal and source information	2	MK	:(:(
Hivents							
numHiventsOnTi	A: show all + all labels B: show only important hivents + labels, indicate rest	2	SK	:(:(:)	
hiventsGlobeLabels	gg*	4	MK	:)	:)	:)	labels finally removed from timeline
numHiventsOnMap	A: show all hivents from current topic B: show only X hivent (clusters) from current topic	2	SK	:(:(:)	activate future, only active hivent all hivents from topic are fine
hiventRegionsOnMap	A: show hivent region of hivents close, make opacity invariant B: show hivent region only for active hivent	2	SK	:(:(:)	teacher did not appreciate this mode -> too much on the map this version won the race! hivent regions are only shown if hivent is active
hiventClusterLabels	A: show all hivent labels B: show only two hivents + "show XY more", show labels only from zoom level 4 on	2	SK	:(:)	:)	teacher appreciated this mode -> reduces information on the map
label positioning on map	non-overlapping labels on the map	1	SK	:(:)	:)	

Figure 5.2: Extraction from the Masterplan of the project

5.3.6 GIT

Oct 20, 2014 – Apr 30, 2015

Contributions to develop, excluding merge commits

Contributions: **Commits** ▾




Figure 5.3: Collaborators of the git project HistoGlobeAtSchool

MenschMarcus: Marcus Kossatz, **ChrisHx**: Chris Hornischer,
MaxiCode: Max Weber, **henjiin**: Sebastian Koepsel