

Bauhaus-Universität Weimar
Faculty of Media
Degree Programme Computer Science and Media

Modelling Development of Countries in Historical Geographic Information Systems

Master's Thesis

Marcus Kossatz
b. 21.08.1989 in Spremberg, Germany

Matriculation Number 90487

1. First Referee: Univ.-Prof. Dr.-Ing. habil. Volker Rodehorst
2. Second Referee: Prof. Dr. rer. nat. Sven Bertel

Submission date: 6. June 2016

Contents

1	Introduction	8
1.1	Motivation	9
1.2	Research Questions	9
1.3	Overview	9
2	Basics	10
2.1	Historical Geographic Information Systems	10
2.1.1	History	11
2.1.2	Geography	12
2.1.3	Information	13
2.1.4	System	14
2.1.5	Definition and Motivation	15
2.2	Spatio-Temporal Data Models	16
2.2.1	Model of Geographical Space	17
2.2.2	Model of Historical Time	21
2.2.3	Snapshot Model	23
2.2.4	Simple Time-Stamping	24
2.2.5	Event-Based Spatio-Temporal Data Model	24
2.2.6	Three-Domain Model	25
2.2.7	History Graph Model	26
2.3	System Components	28
2.3.1	Input	28

3	Concept	31
3.1	Hivent	33
3.2	Area	33
3.3	Hivent-Based Spatio-Temporal Data Model	34
3.4	Spatio-Temporal Operations	34
3.5	Edit Mode	34
4	Development	36
4.1	System Architecture	36
4.2	Interface Design	36
4.2.1	Paper Prototype	36
4.2.2	Mockup Prototype	36
4.2.3	Final Version	37
4.3	Client-Side Application	37
4.4	Server-Side Application	37
5	Uncertainty	39
5.1	Definition of a Country	39
5.1.1	Special Cases	40
5.1.2	Declaratory vs. Constitutive Theory	42
5.2	Types of Uncertainty	44
5.3	Solution Approaches	48
5.3.1	Extension of the Edit Mode	49
5.3.2	Extension of the Data Model	55
6	Summary	57
6.1	Results	57
6.2	Problems	57
6.3	Future Work	57

List of Figures

2.1	signs, data, information and knowledge	14
2.2	The geoid model, differences are exaggerated, [Bol08, Fig. 3-6, p. 75]	17
2.3	geographic coordinates using latitude and longitude	18
2.4	Comparison of the raster and the vector model	19
2.5	The basic geometric primitives point, polyline and polygon	20
2.6	Different properties of polygons	20
2.7	An example of a topological vector model and an adjacency table	21
2.8	The Snapshot Model by [Lan88]	23
2.9	The Simple Time-Stamping method by [HW90]	24
2.10	The History Graph model	27
2.11	Types of changes in the History Graph model	27
5.1	The Declaratory Theory (left) and the Constitutive Theory (right) of Statehood	43
5.2	The difference between accuracy and precision	45
5.3	Newly designed and extended buttons for edit operations.	49
5.4	Three different methods to visualize uncertain courses of a border	50
5.5	Drawing historical borders instead of full areas and definining a level of certainty.	51

5.6	Getting suggestions for the name name from Wikipedia.	52
5.7	Defining a special status or relationship to a territory.	53
5.8	Creating a new Hivent and adding the newly created historical change. . . .	54
5.9	New edit operation: Recognition – sets up the recognition of one area to another.	54
5.10	Changing the language in the user interface.	55
5.11	The new data model to support the developed approaches regarding uncertainty	56

List of Tables

2.1	differences between history and geography [KH08, pp. 2-4]	13
2.2	Temporal relations of time spans, based on [all]	23

Selbstständigkeitserklärung

Hiermit versichere ich, dass ich die vorliegende Masterarbeit selbstständig und nur unter Zuhilfenahme der angegebenen Quellen erstellt habe.

Weimar, 6. June 2016

Marcus Kossatz

Acknowledgements

Helau

Chapter 1

Introduction

*La Géographie n'est autre chose que l'Histoire dans l'espace,
de même que l'Histoire est la Géographie dans le temps.*

*Geography is nothing but History in space,
the same way as History is Geography over time.*

– Élisée Reclus: “L'Homme et la Terre” (1908)

long and aspiring text about human life, the question of where, when, what and how?

time and space are everywhere, highly related to our lives and objects we perceive time
personal time points of major life events, ...-¿ events, can trigger other events periods of
studying, working, ... -¿ collection of events with similar characteristics world: every major
issue has a time scale climate change (decades) climate tipping points (years) climate tipping
points (years) economic meltdown (months) infectious diseases (weeks) disasters (days) -¿
time not easy to scale and to grasp space location of major life events (static) travel routes
(dynamic) not always easy to grasp (exact location of monument is simple, but exact location
of problematic area with fremdenfeindlichen hintergrund or historic countries are hard to set)
event locations are sometimes not related to their consequences (e.g. Conferences of Tehran
or Casablanca (1943) discussed how to deal with Germany after planned victory in WWII)
motivation for spatio-temporal queries exploration of German history using historical maps
of 1800, 1850, 1900 and 1950 each map has both temporal and spatial information in it
but how to tell a story with that? more realistically, maps from 1871, 1919, 1933, 1945

and 1949, because of major events (founding of German Reich, end of WWI, beginning of Nazi dictatorship, end of WWII, founding of two German nations -¿ for one country might be suitable exploration of European or history would need a world map for each year how to see what has changed? -¿ inefficient how to know what is important? is that a reasonable way of storing information if one information set is with a high probability almost the same as the time point before? -¿ redundancy key problem model of historic maps at time points (-¿ snapshot model) given information at time point t_1 and t_2 How to know the status at time point $t_1 \mid t_m \mid t_2$? -¿ It is impossible solution: away from snapshot based modeling of history to change-based modeling initial state t_i , changes at point t_1 and t_2 How to know the status at time point $t_1 \mid t_m \mid t_2$? -¿ it is $t_i + \text{changes at } t_1 =$ ¿ definition of each time point in history

research object of this thesis change over time of space of countries history of countries, their names and their borders and their relationships to each other visualize these changes and edit them (interface) Web-based historical geographic information system (WHGIS)

research questions of the thesis How to design and implement WHGIS? How to create an interface not just to explore historical changes? How to deal with uncertainty and fuzziness in history? Can researchers actually interact with such a system? How to design an interface that matches the mental model of a DH user of editing changes over time?

study of existing approaches, techniques and projects GIS: acquisition, management, analysis and presentation of spatial information handling of the spatial domain: extension to HGIS some systems allow presentations, but have very difficult interfaces no system that allows editing historical borders in time and space

1.1 Motivation

1.2 Research Questions

1.3 Overview

Chapter 2

Basics

This chapter will lay the theoretical foundation of this Master's Thesis and will embed it into the context of current research. The title of this work is:

Modelling Development of Countries in Historical Geographic Information Systems

It includes the domain (*history of countries*) and the system to acquire, model, manage and visualize data of the domain: *Historical Geographic Information Systems* (HGIS).

The first section of this chapter will define HGIS and related terms. Afterwards, concepts to model time and space in an information system are introduced. Data sources suitable for input into an HGIS are listed in the next section, followed by techniques to manage and analyse the data. A special focus lies on concepts to visualize spatial and temporal data, explained in the next section. The chapter closes with possible HGIS applications and introduces the tool that is used in this thesis: HistoGlobe.

2.1 Historical Geographic Information Systems

“All human actions takes and makes place. The past is the set of places made by human action. History is a map of these places. The past thus exists not in time but in space.”

– Philip J. Ethington in [Eth07, précis]

An Historical Geographic Information System helps to answer research questions about how geographical phenomena have developed over time. To understand how it works, it is important to understand the four parts of the word: The research fields *history* and *geography* and the concepts of *information* and *systems*.

2.1.1 History

History is “an ideal field for thinking long and hard about important questions” [AHA]. The Greek word *ἱστορία* / *historia*, meaning “finding out, learning through research, narration of what is learned”, is the origin¹ and it signifies the two main modern usage forms of the term: To research about and learning something and to tell a story. There are many different definitions of the word *history*². The main goal of history is to study processes in the past to understand the situation in the present and make reasonable decisions for the future. The American Historical Association has developed the “five C’s of historical thinking [that] together describe the shared foundations of [the] discipline” [AHA]:

Change over time The lives of people, their languages and their cultures are continuously changing. Describing these historical changes, triggered by historical events happened in the past, is a major goal of history. Snapshots in the form of historical maps or historical photography are used to tackle this task.

Context is an important element of historical thinking. The goal is to travel back in time to the moment of the event and recreate the world based on primary sources. The understanding of the historical context is crucial for the understanding of the event.

Causality The overall goal of each science is to answer the *why*-question concerning an event or a process. For historians that means to reasonably explain an historical event or process based on evidence. The problem is that history is not a science that can alter experimental conditions to extract new information, in a way that e.g. experiments in physics work. Historians have to focus on the interpretation of primary sources, which inherently yields multiple explanations for a single event.

¹ *History*, Dictionary.com, based on Random House Dictionary, 2015, URL: <http://dictionary.reference.com/browse/history>, last access: 23.10.2015

² *History*, Merriam Webster – an Encyclopædia Britannica Company, URL: <http://www.merriam-webster.com/dictionary/history>, last access: 23.10.2015

Contingency is a derived aspect from this problem. Each event has a whole network of prior conditions, because the world is highly interconnected. A slight change in one prior condition could have led to a completely different outcome of the event and a different state of the world.

Complexity The intrinsic human need for order conflicts with the complexity of history and their events and processes, because of its contingency. It is questionable if all details about events in the world are scientifically explainable.

Historical research is conducted by studying and interpreting primary sources, such as written documents, verbal texts, speeches, photographs, audio, video or historical maps. This signifies that most historical research is qualitative. The main organization principle in history is periodization: classifying events and processes to describe broader long-term changes and to explain complex phenomena [KH08, pp.4-7]. A special focus in this thesis is laid on historical maps as primary source to extract spatial information.

2.1.2 Geography

The term “geography” comes from Greek *γεωγραφία* / *geographia*, literally “describing the earth.”³ It is a science that studies the interplay between the landscapes and environments of the Earth (*physical geography*) on the one hand and the people, their cultures, societies and economies (*human geography*) on the other. That means geography is an interdisciplinary field between natural and social sciences [RGS].

Geographical research aims to understand where things are found, why they are there and how they developed over time. It focuses on the interconnectivity between elements of physical and human geography, which gets expressed in Tobler’s First Law of Geography: “Everything is related to everything else, but near things are more related than distant things.”⁴

Geographers use different technology and techniques to analyze geographic processes and to answer their research questions. The oldest and most important among those are maps. A map is a graphical expression of something that is not tangible: a part of the real world.

³ *Geography*, Dictionary.com, based on Random House Dictionary, 2015, URL: <http://dictionary.reference.com/browse/geography>, last access: 23.10.2015

⁴ “A computer movie simulating urban growth in the Detroit region”, Waldo Tobler, 1970 *Economic Geography*, 46(2): 234-240.

A map shows the physical, environmental, political, economical or social properties of the Earth in order for the user of the map to get the most relevant information for his task, may it be orientation, learning or teaching. The “art and science of making maps” is the field of *cartography*⁵. Since maps visualize a model, they have a natural constraint: “No map can perfectly replicate the real world, since it inevitably generalizes, abstracts and approximates the complexity of the reality” [KH08, p. 181].

Comparison between geography and history Both research fields utilize maps for their research questions, which is the main commonality for the work of this thesis. However, the nature of both fields are also very different, illustrated in table 2.1.

geography	difference	history
where	dimension	when
exact, statistical	character	complex, fuzzy
mainly quantitative	research	qualitative
spatial proximity of conditions	causal explanation	temporal sequence of events
spatial differentiation	explanation	temporal differentiation
clustering	ordering	periodization
mostly visual (maps)	expression	mostly verbal (texts)
high (GIS)	digitalization potential	low (digital humanities)

Table 2.1: differences between history and geography [KH08, pp. 2-4]

Whereas geography answers the questions *where?*, history focuses on *when?* – but the ultimate goal for both sciences is to answer the question *why?*

2.1.3 Information

The terms “signs”, “data”, “information” and “knowledge” are sometimes used interchangeably and there is no coherent definition for any of them. However, all describe different concepts. This explanation seen in figure 2.1 is based on the work of [Dra].

⁵ *History of maps and cartography*, James S. Aber, URL: http://academic.emporia.edu/aberjame/map/h_map/h_map.htm, last access: 24.10.2015




Figure 2.1: signs, data, information and knowledge

A *sign* is the physical representation of something in the real world. Since the real world is continuous, literally anything can be seen as a sign, so there are uncountably infinitely many different signs. *Data* is a subset of all possible signs and represents the syntactical level of what an information system deals with. Data itself does not have any meaning, but as soon as it is organized, it becomes *information*. However, information is sensitive to its cultural context. The string 14.07.1789 is useful and understandable for people in countries that use the date format DD.MM.YYYY. However, for people in Belize and the USA, that use the format MM.DD.YYYY, this might just be a random string of numbers without any meaning, and therefore no information – although it is the same data. If information is visualized to and understood by a human and it can be integrated into his or her larger subjective context, it is *knowledge* [Nak]. The goal of a visualization is to present as much information as possible in a way that it can be transformed into knowledge by the viewer.

2.1.4 System

A *system* is an organized structure containing *elements* or *components* that are directly or indirectly *related* to and *interconnected* with each other. The elements and their relations form the whole of the structure. The surrounding of the system is its *environment*. There is an *internal state* at any point of the system's existence. This state only changes when it gets influenced by stimuli of its environment. *Emergent properties* characterize a system. They are independent from properties of the element of the system, e.g. water is liquid at room temperature, but the elements it consists of, hydrogen and oxygen, are a gas. Each system is both part of a larger system and can be decomposed into subsystems. Therefore, systems form a hierarchy.

A system has defined spatial and temporal boundaries. There are two types: *open systems*

allow exchange of energy or information with their environment, whereas idealized *close systems* naturally do not interact with and are not influenced by its environment. Based on the black box principle the inner working of a closed system can not be seen from the outside [Bus].

2.1.5 Definition and Motivation

An *information system* (IS) is an application that is dealing with the acquisition, management, analysis and presentation of information. It is the unity of all its components and their interaction with each other [Zwa]. If the majority of the information in a system has a spatial relation to the Earth, its surface, its lithosphere, atmosphere or the social or economical structure of its habitation, it is a *geographic information system* (GIS). The data objects in the system are called *geo-objects* [Bol08]. If the information additionally has a temporal dimension, e.g. via time stamps or time spans, which enable to trace developments of geo-objects, it becomes an *temporal or historical geographic information system*. [GG14].

HGIS react on the spatial turn of history: the integration of geographic methods in historical research. It aims to discover the power of cartographic representation: “The spatial turn in the humanities must [...] understand the role of space in human events” [BCH10]. At the same time, they are the product of the temporal run in GIS: the coexistence of space (where things are) and time (what has changed over time) [Sol14, p. 45]. With HGIS it is possible to analyze how “spatial patterns change over time in order to better understand large-scale Earth processes” [Peu99]. Since “the world never stands still”, but “the retention of information relating to past events [is] an important element of human representation of the world”, the dimension of time has to be integrated into a GIS [Peu99].

Historical Geographic Information Systems consist of mainly four components: The acquisition part describes everything that is related to the input of *spatio-temporal data*. It is physically stored and logically managed in a *spatio-temporal database*. It will be analyzed regarding different aspects of the task in order to make sense of them: Transforming them into information that can be used to answer the question of the user. The resulting information will be presented on a display suited for space (e.g. a map) and time (e.g. a timeline). From the visualization the viewer can extract *spatio-temporal knowledge*. All components will be explained in more detail in this chapter.

HGIS are also called *Spatio-Temporal Information Systems* (STIS) [PTKT04].

2.2 Spatio-Temporal Data Models

*“Geography differs from geometry because
in geography, space is indivisibly coupled with time”*

– Don Parkes & Nigel Thrift (1980)

A model tries to replicate a part of the real world. A data model abstracts a part of the world, identifies the most essential elements and their relation to each other. Historical Geographic Information Systems can be used to explain spatial-temporal phenomena in the real world. Therefore, it needs to handle the development of geo-objects and their attributes over time. Developments are driven by *changes* to the state of an object.

Based on the theory of the *Triadic Framework*, there are three components involved: space (3 dimensions), time (1 dimension) and attribute (multiple dimensions). All of these dimensions can change independently from each other [OS01, p. 53]. However, in order to trace spatial and attribute changes over time, the dimensions have to be related to each other.

Throughout the lifetime of a geo-object, it appears at some point, might undergo several changes and might disappear at some other time point. The data model has to be able to effectively and efficiently manage those changes. There are mainly two kinds: *Discrete changes* are based on the idea of a *state machine*: At any point in the lifetime, an object is in a certain state. It stays there until an event occurs that suddenly changes the object into a new state at a discrete time point. As an example, if an armistice agreement between two former war parties *A* and *B* contains a deal to cede parts of the territory of *A* to become territory of *B*, this territorial change is sudden. On a contrary, an object can gradually change according to a *continuous process*, e.g. the change of the coastlines of landmasses [Peu99].

The spatio-temporal data models developed in the previous 30 years differ mostly in the organizing dimension: In *location-based* models time is an attribute of a geo-object. On a contrary, *time-based* approaches handle events and processes that change objects suddenly or gradually. *Entity-based* models represent geo-objects as own entities. Spatial changes over time are related to these entities, but they are not attributes and therefore independent.

The first part of the section will explain ways to separately represent time and space in an information system. The remaining part introduces different spatio-temporal data models to maintain relations between time and space of an entity.

2.2.1 Model of Geographical Space

HGIS need to unambiguously locate geo-objects on, underneath or close to the Earth's surface using *geographic coordinates*. They express an object directly in the coordinate system of the Earth. To understand that, a model of the Earth has to be developed, the *geodetic datum*, that needs to fit the real shape of the Earth as accurately as possible.

The shape of the Earth measured in the field of *geodesy* is very complicated. In the Babylonian Empire (≈ 2000 -539 BC) the theory of the Earth being a flat disc surrounded by an infinite body of water evolved. The Greek scientists Pythagoras and Aristotle (340 BC) rejected this theory and proved the earth to be a three-dimensional spherical object. It took almost 2000 years until Sir Isaac Newton (1687) reasoned that due to the centrifugal forces of the rotating Earth the shape has to be flattened at the poles and is therefore better described as an *ellipsoid* with two radii: the polar radius (r_p) and the slightly larger equatorial radius (r_e) [Bol08, pp. 69-77].

However, the model disregards that the surface of the Earth is not flat but consists of deep oceanic trenches and high mountains. Therefore the gravitational field of the Earth is not homogeneous either: the actual *mean sea level*, the reference surface for the height of objects varies from 106 meter below to 85 meter above the uniform sea level of the ellipsoid model. These discoveries in the 20th century led to the complex *geoid* model (see figure 2.2). The latest and most accurate measurements for the shape of the Earth are the result of the GOCE satellite launched in March 2009 [Uot, Fra].




Figure 2.2: The geoid model, differences are exaggerated, [Bol08, Fig. 3-6, p. 75]

Geographic coordinate system The basis for the geospatial data model is the reference ellipsoid. It is represented in a three-dimensional *spherical coordinate system*. The *North* and the *South Pole* are defined as the two surface points closest to the Earth's center opposite to each other. The *Equator* is the line equidistant to the two poles and dividing the world in a *Northern* and *Southern Hemisphere*. Additionally, the *Prime Meridian* is defined as the line perpendicular to the Equator, running from the North to the South Pole. Since there are infinitely many lines like this, its definition is arbitrary, but by convention, the line running through Greenwich (London, United Kingdom) is used. Based on these two lines, each point in the spherical coordinate system can be unambiguously defined by [Bol08, pp. 26-28]:

1. The rotation angle along the Equator, defining its longitude: $\gamma = [-180^\circ \dots +180^\circ]$
2. The rotation angle along the Prime Meridian, defining its latitude: $\phi = [-90^\circ \dots +90^\circ]$
3. The distance to the origin: $r \in \mathbb{N}_0$




Figure 2.3: geographic coordinates using latitude and longitude

Lines of constant latitude are running horizontally and are called *parallels*, lines of constant longitude are *meridians* appearing in vertical direction. All parallels are circles with their center on the axis between the poles. No two parallels intersect. The longest parallel is the Equator (0° latitude). All meridians have the same length. Geographic coordinates are usually recorded either in degree-minutes-second (DMS, e.g. $50^\circ 58' 22''$) or in decimal degree (DD, e.g. 50.973) notation [Bol08, pp. 30, 79].

The Geodetic Datum is the digital model of the analogue Earth. It consists of two parts: The approximation of the Earth's surface in a the Cartesian coordinate system with the origin in the Earth's center and a set of reference points used to accurately locate a point.

Geodetic datums can be very accurate in one region of the world, i.e. the model fits the real geoid very well, but inaccurate in another region. This is the main reason why there are a lot of different geodetic datums used in the world. The same coordinates in two different geodetic datums define two different points on Earth. In order to be accurate is essential to know the geodetic datum of the coordinates [Bol08, p. 80]. The *World Geodetic System 1984 (WGS84)* is a model that found worldwide acceptance and is used in all major Web-based mapping services like *OpenStreetMap* and in the GPS unit of major mobile devices.

Raster and Vector Model The real world is infinite in detail, but storage in a computer system is finite. In order to model continuous geographical phenomena in an information system, a relevant subset of them has be sampled to create discrete spatial data. It can be represented in a raster or in a vector model.




Figure 2.4: Comparison of the raster and the vector model

The *raster model* contains a regular grid with a fixed *cell dimension*. Each cell has a certain value, e.g. a color value. The model is simple and allows straightforward rendering: only affine transformations have to be applied in order to project two raster map layers on top of each other. The main disadvantage of the raster model is its fixed resolution: it can not be scaled up without losing quality [Bol08, pp.42-48]. Raster graphics are used for map tiles by most map engines, e.g. in *OpenStreetMap* or the satellite image by NASA in *Google Maps*.

In the two-dimensional *vector model*, each object is a mathematically described geometric primitive. All of them can be expressed by three basic primitives (figure 2.5):

- 0D A *point* is the fundamental object in vector geometry. It has no dimension, no size and is only defined by its position, specified in geographic coordinates. One point is independent from all others. Points can be used to represent the location of an event.
- 1D A *polyline* is constructed by an ordered set of points with at least one start and one end point. A border line can be expressed by a polyline.
- 2D A *polygon* is an ordered set of polylines creating a closed area. A polygon can be *simple*, *weakly simple* or *complex* (see figure 2.6). The territory of a country without islands can be described by a polygon. If a country does have islands or overseas territories, a *polypolygon* represents multiple separate polygons belonging to one logical entity.




Figure 2.5: The basic geometric primitives point, polyline and polygon




Figure 2.6: Different properties of polygons

Scale-independence is one of the biggest advantages of a vector model. The data model is more compact in comparison to the raster model. On the other hand, the model can become very complex. Since vector data has to be rasterized to be shown on the screen, the computational effort increases with complexity [Bol08, pp.33-42]. Vector models are suitable to represent phenomena that can easily be discretized, e.g. the boundaries of a country. Common file types for vector data with spatial reference are the open file format GeoJSON (.geojson) ⁶ or ESRI Shapefiles (.shp) ⁷.

⁶ GeoJSON, IETF GeoJSON Working Group, URL: <http://geojson.org/>, last access: 30.10.2015

⁷ ESRI Shapefile Technical Description, ESRI White Paper, July 1998, URL: <http://www.esri.com/library/whitepapers/pdfs/shapefile.pdf>, last access: 30.10.2015

Geospatial Topology *Topology* is the study of position, how objects are spatially arranged and relatively positioned to each other. It does not include measures like distances or angles. Two objects are said to be topologically equivalent, if they can be deformed into each other, e.g. an ellipse can be stretched into a circle. A *geospatial topological vector model* defines the relationship between geospatial objects, i.e. equals, disjoint, intersects, touches / neighbors, contains, covers, within, interior and boundary [CFO93].

The 2D vector model can be extended with a topology. The elements in this topological space are nodes (0D), edges (1D) and meshes (2D) and they correspond directly to the geometric primitives stated above. A topological vector model has strict connectivity (a “clean” geometry), if no two edges intersect without a node at their intersection point (planar), each interior edge has exactly two adjacent areas and each edge contains at least two nodes [Bol08, pp.37-39].




Figure 2.7: An example of a topological vector model and an adjacency table

The topological vector model has a great asset: if an edge between two adjacent areas changes, the connectivity and adjacency does not change and therefore also the topology stays constant. The lookup for neighboring areas is very fast if the topology ensures strict connectivity: The neighbors of an area can be found in the adjacency table. Potentially problematic is the creation of a clean geometry: it can be cumbersome and require a lot of manual adjustment, for example ensuring strict connectivity by manually connecting nodes.

2.2.2 Model of Historical Time

Time is an abstract concept that “can be perceived only by its effects” [Lan89, p. 27]. Many philosophers and scientists have been developing models to work with time. In this case, the model needs to be appropriate to both represent time in an historical sense in interplay with geographical space.

A popular model is *Cartographic Time*, where time is seen as the “fourth cartographic dimension”, is suitable for spatio-temporal information systems [Lan89, p. 28]. Whereas space is represented by geo-objects on a map, time may be seen as versions or states on a timeline, separated by events that change one state to another state. Unlike space, time knows only one dimension. The position of an event on the timeline is described by its date using a reasonable sampling unit like century, year, day, hour or millisecond [Lan89, p. 32].

Types of Time The simplest categorization is between a discrete *event* and a continuous *process*. Events can happen at a certain *time point* or like processes in a *time interval* or *time period*, defined by two time points. An information system that stores events with a significant outcome regarding the geo-objects in the system, is an *event-based historical geographic information system*. On the other hand, a *process-based historical geographic information system* models mainly processes as a series of events of one kind regarding a small set of geo-objects [Sol14, chapter 2, pp. 47-49].

When storing time related information in an information system, it is furthermore important to distinguish between the time that was true in reality (*valid time* or *world time*) and the time it was stored in the database (*transaction time* or *database time*) [OS01, p. 69].

The Taxonomic Model of Time by [Fra98] classifies time not only into discrete and continuous, but also by the *nature of time* or *time order*: a consecutive development on the time axis, defined by start and end, defines *linear time*. In a contrary, *cyclic time* has no predefined order and events reoccur on a regular cyclic basis. The other two types, *branching time* and *multi-dimensional time*, are more complex and not relevant for this thesis.

Temporal Topological Relations The topological relationship between two time points t_1 and t_2 is straightforward. Since they are discrete elements and therefore isomorphic to the number space of integers, there are three different order relations:

1. $t_1 < t_2$: the first event happens before the second event
2. $t_1 > t_2$: the first event happens after the second event
3. $t_1 = t_2$: the first and the second event happen at the same time

For time spans, there are six possible temporal topological relations (table 2.2). Except for equals, each of them has an inverse, yielding a total of 13 different relations.

relation	symbol	visualization
X before Y	$X < Y$	
X meets Y	$X \text{ m } Y$	
X overlaps Y	$X \text{ o } Y$	
X equals Y	$X = Y$	
X starts Y	$X \text{ s } Y$	
X during Y	$X \text{ d } Y$	
X ends Y	$X \text{ e } Y$	

Table 2.2: Temporal relations of time spans, based on [all]

2.2.3 Snapshot Model

The remaining part of this section will introduce data models that relate both time and space to trace developments of geo-objects over time. One of the simplest, oldest and most frequently used models is based on the idea of *snapshots*: At a certain time point t_i , a new layer gets created. It stores the full picture of the current state of all geo-objects [Lan88].




Figure 2.8: The Snapshot Model by [Lan88]

The model allows to retrieve the state of the system at a defined time point t_i . However, for all other time points $t \neq t_i$ that are not covered by a snapshot, it is impossible to retrieve the state of the system, because the data model does not record any changes. This is an integral problem of the model and can not be solved. The original model is also redundant, because objects that have not changed from one snapshot to the next one are duplicated. However, there have been improvements made, e.g. by [Arm92]. Historical maps are examples for snapshots: They show the state of the world at one point in history, e.g. Europe 1919 and Europe 1945. However, with no additional information, it is impossible to deduct how Europe looked like in 1939. Therefore, this model is not suitable for the domain of this thesis.

2.2.4 Simple Time-Stamping

This problem is solved by assigning a geo-object a period of existence by two additional attributes: at the *start date* t_{start} the object gets created and at the *end date* t_{end} it is ceased. If an object still exists its cessation date gets a special value, e.g. NOW [HW90].




Figure 2.9: The Simple Time-Stamping method by [HW90]

The *Simple Time-Stamping* method is also location-based and tracks discrete changes of objects. Given full and integer information, the state of the system at each time point t_i can be retrieved: All geo-objects for which $t_{start} \leq t_i < t_{end}$ are active, all others are inactive. However, this retrieval is cumbersome, because without efficient data structures every time the date changes, it has to be checked for each geo-object if its state has changed.

Another problem of the model is that it does not allow for tracing the development of objects in different states. As an example, at time point t_1 the geo-objects B and C cease and G starts. Visually, G is a successor of B and C , but this historical relationship can not be deducted directly from the model. This shortcoming can be resolved by adding a reference to the predecessor and the successor of the object.

This model alone is not suitable for the domain of this thesis, because it is impossible to say what exactly has happened at a certain time point. Given the example above, it is unclear if two objects unified to a new one ($B + C \rightarrow G$) or if two are successors ($B \rightarrow G$) and one just stops to exist ($C \rightarrow \emptyset$). The model is also redundant: if a geo-object replaces another one ($B \rightarrow G$), then the end date of B is the same as the start date of G .

2.2.5 Event-Based Spatio-Temporal Data Model

A time-based approach addresses exactly those shortcomings: They explicitly represent events or processes in the data model and associate all objects that change according to them. One example of this approach is the *Event-Based Spatio-Temporal Data Model* (ESTDM) for geospatial raster data by [PD95].

At one defined time point t_b , a snapshot gets stored. This *base map* contains the current state of the map, i.e. the current value of each raster cell (x,y) . From that moment on, the system stores events that change the values of certain cells. Such an event has a time stamp (t) and a list of components associated with it. A component represents a new value (v) and knows which raster cells (x, y) change their value to v .

The method uses the following data structures: a header file contains information about the thematic domain, a pointer to the base map and to the first and last element of the event list. This doubly-linked list stores all events chronologically. Therefore, each event knows its preceding and succeeding event via a *prev* respectively *next* pointer.

If the time point of an event is reached, all its components are executed, i.e. the relevant raster cells change their value. The system follows the *next* pointer to know which event is waiting to be executed next. Since a change is relative to the previous change, not to the base map, change tracking is efficient.

The concept of the ESTDM suits the problem domain really well: An historical event changes the geometry of certain objects suddenly. The model explicitly represents these discrete changes. However, it does not work for vector data. The authors have explicitly stated that “the design of such a [vector-based] model is not seen as a straightforward task”, because of the problem “how to maintain the integrity of spatial topology as it changes [...] The solution will require a more complex definition of components within individual events” [PD95, p. 21].

2.2.6 Three-Domain Model

An event-based STDM for vector geometry including lines and polygons has to answer the following questions: What uniquely identifies a geo-object? What kind of spatial, topological and attribute changes can happen to an object? Which of these maintain the identity and which create a new object? This problem is addressed in the *Three-Domain Model* by [Yua96a,Yua96b]. The model is based on abstract entities that represent a spatio-temporal object. It handles the three domains identity, space and time separately:

- The *semantic domain* holds an entity uniquely identifiable. An object in this domain corresponds to a human concept, e.g. a “country”.
- The *spatial domain* represents geospatial objects in vector format, e.g. a polygon describing the territory of a country.

- The *temporal domain* stores all temporal objects, e.g. time points of an historical events, or time intervals of a war.

The model is not specific, but more a general abstract framework to handle space, time and identity. This makes the model very flexible, e.g. it can handle discrete and continuous changes, relative and absolute time, world and database time. Since countries, their territories and attributes can change independently over time, the data model used in this thesis will be built on top of the Three Domain Model.

2.2.7 History Graph Model

Most of the data models introduced so far cover only static changes of geo-objects. [key] identified three different types of temporal behaviour of changing objects:

- Dynamic objects that change continuously.
- Static objects that change according to events with duration (processes).
- Static objects that change according to sudden events.

Based on this observation he developed a data model that can handle all three kinds of temporal behaviour: The *History Graph Model*. It manages objects and events separately from each other. An object can only be in three different states:

1. An object is *static*, if it currently does not change. This is called an *object version*. The version has an interval associated to it representing the duration of the object version, until it changes the next time. If the object is dynamic and changes continuously, the duration is zero.
2. If an object is currently *changing*, it is in an *object transition*. The transition has an associated interval as well, whose duration is zero if it is a sudden change. Additionally, a transition links the relevant objects to each other creating a historical predecessor-successor-relationship.
3. An object that is currently not active, is *ceased* and not visible on the map.

The history of a geo-object is a chronologically ordered set of versions and transitions, that can be visualized in a graph (see figure 2.10).




Figure 2.10: The History Graph model

The model defines six basic types of temporal changes that can happen (see figure 2.11):

- **Creation:** A new object is created.
- **Alteration:** A property of an object (e.g. geometry) changes.
- **Cessation:** An object is ceased.
- **Reincarnation:** An object that has previously been ceased is recreated.
- **Split/Deduction:** An object is divided into two or more new objects or one or more objects are deducted from an existing one.
- **Merge/Annexation:** Two or more objects are joined together to a new object or one or more objects are annexed to another object.




Figure 2.11: Types of changes in the History Graph model

The History Graph model can be seen as an extension to the ESTDM. It combines the advantages of event-based and entity-based spatio-temporal data models, supports discrete and continuous changes and relative and absolute time. The main improvement is that the historical development of a geo-object can directly be derived from the model, because objects are linked to their predecessors and successors — the History Graph Model can tell a story. This is the reason why this model is particularly suitable for the work of this thesis.

2.3 System Components

Information systems in general and HGIS in particular have different components with different tasks. One way to classify them is using the four-component model:

1. **Input:** Primary acquisition of spatio-temporal data, i.e. historical events, historical and current countries and their territories.
2. **Management:** Storage of the data in a spatio-temporal database, using a structure that fits the spatio-temporal data model.
3. **Analysis:** Gaining spatio-temporal information by cleaning, transforming or combining the data in database.
4. **Presentation:** Visualization of information on a map and a timeline, transforming information into spatio-temporal knowledge.

2.3.1 Input

The system needs both temporal data for the historical domain and spatial data for the historical domain.

Geographical Data can either be acquired from existing sources or retrieved manually. One of the most exhaustive collections of geographic data in public domain is hosted by Natural Earth⁸. There is physical data (e.g. coastlines, rivers, or glacier areas) and cultural data (e.g. political borders, cities, roads, airports or timezones). OpenStreetMap also opens its database to the public⁹. Additionally there is free geodata for special purposes, like regions or statistical data for the USA¹⁰ or terrain models and administrative regions of Germany¹¹.

⁸ *Natural Earth*, URL: <http://www.naturalearthdata.com/downloads/>, last access: 30.10.2015

⁹ *Planet OSM*, URL: <http://planet.openstreetmap.org/>, last access: 30.10.2015

¹⁰ *Free GIS Data - GIS Data Depot*, geocommunity, URL: <http://data.geocomm.com/catalog/index.html>, last access: 30.10.2015

¹¹ *Dienstleistungszentrum des Bundes für Geoinformation und Geodäsie*, Geodatenzentrum, URL: <http://www.geodatenzentrum.de/geodaten>, last access: 30.10.2015

Historical Data about historical events like treaties, agreements or declarations are not as straightforward because of the mostly qualitative nature of historical research (see section 2.1.1).

The most exhaustive free and open source for historical events is the *Wikipedia* and their article categories, e.g. armistices or treaties¹². All sorts of historical events can be found, even translated into different languages. Some information is structured in information boxes, e.g. some historical treaties have a name, an image, a location, a signature and an effect date, an overview about treaty conditions and signatories. Particularly interesting are articles about historical countries¹³, because they sometimes contain information about historical relations (successors and predecessors of countries). Building an open-source Historical Geographic Information System on the basis of Wikipedia would be a huge project with significant impact on the world of free and open education — however, it would also be a big challenge: Not all historical countries relevant events are structured, especially not to those who actually have an influence on a territorial change of a country, e.g. a border agreement. Retrieving, parsing and processing this information is a big challenge. Also the problem of accuracy and quality of information in the Wikipedia due to their open source nature has to be considered.

Correlates of War —————

Welcome to the Correlates of War (COW) project homepage. COW seeks to facilitate the collection, dissemination, and use of accurate and reliable quantitative data in international relations. Key principles of the project include a commitment to standard scientific principles of replication, data reliability, documentation, review, and the transparency of data collection procedures. More specifically, we are committed to the free public release of data sets to the research community, to release data in a timely manner after data collection is completed, to provide version numbers for data set and replication tracking, to provide appropriate dataset documentation, and to attempt to update, document, and distribute follow-on versions of datasets where possible. We intend to use our website as the center of our data distribution efforts, to serve as central site for collection of possible error information and questions, to provide a forum for interaction with users of Correlates of War data, and as a way for the international relations community to contribute to the continuing development of the

¹² *Category:Treaties*, Wikipedia, the free encyclopedia, URL: <https://en.wikipedia.org/wiki/Category:Treaties>, last access: 13.05.2016

¹³ *List of former sovereign states*, Wikipedia, the free encyclopedia, URL: https://en.wikipedia.org/wiki/List_of_former_sovereign_states, last access: 13.05.2016

project.

14

United States Geological Survey —————

The USGS is a governmental agency that collects biological, geographic, geological, hydrological, and geospatial information. Their website includes pages for geographic data in GIS, maps and geospatial data, water data for the nation, earth science data, Landsat satellite data, and USGS digital elevation models.

15

Lots of historical economic and financial data ¹⁶

Old Maps Online ————— data about territories: from historical maps

OldMapsOnline developed out of a love of history and heritage of old maps. The project began as a collaboration between Klokan Technologies GmbH, Switzerland and The Great Britain Historical GIS Project based at the University of Portsmouth, UK thanks to funding from JISC. Since January 2013 is the project improved and maintained by volunteers and the team of Klokan Technologies GmbH in their free time.

17

18

¹⁴ *Data Sets*, Correlates of War, URL: http://www.correlatesofwar.org/data-sets/folder_listing, last access: 13.05.2016

¹⁵ *Climate and Land Use Change – Data and Tools Topics*, United States Geological Survey, URL: <https://www.usgs.gov/products/data-and-tools/data-and-tools-topics/climate-and-land-use-change>, last access: 13.05.2016

¹⁶ *Historical Data Sources*, Quantpedia, URL: <http://quantpedia.com/Links/HistoricalData>, last access: 13.05.2016

¹⁷ *Old Maps Online*, URL: <http://www.oldmapsonline.org/>, last access: 13.05.2016

¹⁸ *Title*, Author, URL: <http://>, last access: 13.05.2016

Chapter 3

Concept

domain: development of countries in time and space

changed-based approach (historical event -> .. -> geometry changes) is there something ?!?

-> MY APPROACH! usable User Interface for both navigation and editing -> problem: all interfaces are très horrible!

no perfect data model possible, because a model is just an incomplete abstraction of the real world

map for spatial domain (x, y) timeline for temporal domain (t) -> 3D system

no transaction time, only valid / event time

space-time composite with lines

-> the whole earth is 100% covered by spatial objects (full topology) countries, debated territories, unknown land, water Newtons concept of absolute space?

ancestors successors layers of administrative units open to extension for additional attribute data (e.g. statistics)

geometries must be edited

requirements geographical knowledge contextualize / intersect historical sources accept imprecision prevent illusion of certainty

Application: HistoGlobe A distributed *Web Information System*, consists of a remote server side, on which the storage and management of the actual data happens, and the client side on which the user communicates with the system. It hosts the user interface that is rendered in a Web browser.

describe the components of the GIS explicitly hardware software data

collection management analysis output

research questions – \hookrightarrow HGIS \hookrightarrow development of system historians / ME geographers (+) open source, direct manipulation, easy sharing and collaboration

interior borders of countries, which are straight lines between manually defined border points.
 \Rightarrow vector model

countries with enclaves or islands are not topologically equivalent.

There are topological rules rules that can be applied, e.g. two neighboring countries (polygons) share one common border (polyline). That preserves the relationship between them if their common border changes.

\Rightarrow event-based HGIS

only world time is regarded, not database time.

identity: formal name of an entity

store Hivents in DoublyLinkedList

borders: complex model: different states of boundaries: draft \rightarrow proposal \rightarrow dispute \rightarrow

simplification: just active / inactive, normal / contested + level of certainty

Hivent-Based Three-Domain Spatio-Temporal History Graph Data Model for Vector Geometry ... or in short: HBTDSHTGDMVG

A main problem is to maintain the integrity of the spatial topology when a new change gets inserted not at the end of the list. A simple example shows that problem: Given geo-object X is part of the initial base configuration at change t_b . At a later change, e.g. t_y X gets replaced by object Y . If a new change that updates X to X' gets inserted before at time point $t_x < t_y$, then t_y is not integer anymore, because object X does not exist. That is why

on insertion of a change, all succeeding changes have to be tested for integrity and it might be necessary to update later changes.

history graph model without changing state: active, inactive

3.1 Hivent

event which is in itself or whose outcome is historically significant (subjective) or with

WHAT? significant happening WHO? different actors WHEN? one point in time WHERE? mostly also point in space, sometimes different from area that event affects WHY? because

models historically significant happenings with a focus on those who influence the geopolitical history of countries.

In modern history, geopolitical changes of countries are manifested mostly in historical treaties which are the result of a conference or any other gathering of representatives of stakeholders of that initiated change. Since each of those treaties is signed on one particular day, in one particular place and has one particular name, the `Hivent` model seems appropriate.

However, the first question arises regarding the relevance of the location: While the exact position of the battlefield of Verdun or the place where John F. Kennedy was assassinated might very relevant to the event itself, the location of a governmental bill, a declaration of independence or a border convention might not play an important role and usually happens in a representative place, e.g. the parliament or the office of a president. In a lot of cases, it is much more important which territories an event actually influences instead of where it happened.

significant happening in time and space influencing others central element in event based STDM

3.2 Area

model the main entity of the domain: historical or current countries. An `Area` represents one identical country, consisting at each time point of its existence of exactly one `AreaName` and

one AreaTerritory. The model seems appropriate since the name and the territory of an area are exactly the two properties that are part of the domain.

abstract: area

defined by borders hierarchical structure

country borders coastlines interior disputed territories situation: n fully recognized countries and m non or partially recognized entities claim sovereignty over 1 territory territory is surrounded by disputed border question: does this disputed area claim sovereignty?
¹<http://www.economist.com/blogs/economist-explains/2014/09/economist-explains-1> uncertain borders situation: n fully recognized countries commonly agree on a boundary between them, but the border is not clearly defined / fuzzy / uncertain states of borders planned agreed demarcated provisional valid vs. disputed

area territory -i geometry -i border -i representative point name -i short name -i formal name

enclaves exclaves

3.3 Hivent-Based Spatio-Temporal Data Model

3.4 Spatio-Temporal Operations

CRE UNI INC SEP SEC TCH BCH NCH ICH DES

inclusion of universe Ω : CRE = SEC from Ω DES = INC into Ω

MECE principle: Mutually Exclusive and Collectively Exhaustive

3.5 Edit Mode

user operations CRE UNI SEP TCH NCH DES — / / / / — HG operations CRE UNI INC SEP SEC TCH BCH NCH ICH DES

¹\unskip\penalty\@M\vrulewidth\z@height\z@depth\dpff

area changes ADD DEL* DEL* DEL TCH TCH TCH NCH ADD DEL ADD, TCH, NCH,
DES ADD TCH ADD* NCH? TCH DEL NCH? ADD*

Chapter 4

Development

distributed Web-based system classic approach: UI ↔ Client (main program) ↔ Server (middleware) ↔ DB

4.1 System Architecture

graphic of basic system: UI Client-side mechanism Server-side mechanism Database

programming languages / Frameworks Client HTML Less → CSS CoffeeScript → JavaScript
Server Django → Python PostgreSQL + PostGIS

4.2 Interface Design

4.2.1 Paper Prototype

description of process image of two prototypes

4.2.2 Mockup Prototype

description of process screenshot of two steps in between and of final version

4.2.3 Final Version

4.3 Client-Side Application

HistoGlobe

SpatialDisplay -¿ Map

TimeController j-¿ Timeline j-¿ NowMarker

HiventController AreaController j-¿ AreasOnMap HiventHandle AreaHandle Hivent HistoricalChange AreaChange Area AreaName AreaNameLayerOnMap AreaTerritory AreaTerritoryLayerOnMap

DatabaseInterface

EditMode -¿ EditOperation -¿ EditOperationStep NewTerritoryTool* NewNameTool NewHiventBox WorkflowWindow

HistoGraph

LabelManager*

important little utils Button, ButtonArea NumberInput, TextInput, TextInputArea Title Watermark DoublyLinkedList WithinTree Geometry -¿ Polypolygon -¿ Polygon -¿ Polyline -¿ Point

4.4 Server-Side Application

models

Hivent m HistoricalChange m ———AreaChange——— — — — — —Area——— — m m m m
AreaTerritory AreaName

view

get_all save_operation

-¿ Managing Vagueness, Uncertainty and Granularity in Spatial Information Systems (VUG)
-¿ Karl Grasser (Diss. Santa Barbara) -¿ Fuzzy, Imprecise, probabilities vs. possibilities

big problem: why? intention and motivation of author? hard to find out... voice and perspective
medieval maps: natural landmarks as border points =¿ inaccurate and imprecise
perspective: who is making the map? (illiterates?) different names: US Civil War (North) vs. WWI (West) vs. Germanic War (Russia) WWII (West) vs. Great Fatherland War (Russia)

accepted uncertainty: date != exact timepoint, only D.M.Y location != exact location, only name of place

[Sol14, chapter 2, p. 51]

different states of boundaries: draft -¿ proposal -¿ dispute -¿

Chapter 5

Uncertainty

Every aspect of the concept (chapter 3) and the development (chapter 4) of this work is based on the prerequisite of full certainty of the data. That means both the Historical-Geographic Operations and the Hivent-Based Spatio-Temporal Data Model assume that the dates of the historical events, the names and territories of the historical and current areas and the historical relations between events and areas are accurate and reasonably precise (definitions see 5.2).

However, this assumption is far from valid. In historical research, uncertainty is one of the major problems (see 2.1.1) a historian has to deal with on a daily basis: sources, even primary sources, can be biased towards the author of the source, information can be imprecise or even inaccurate and information can be conflicting with other sources. This chapter explains problems with uncertainty in the domain of development of countries in time and space and develops approaches to deal with these problems.

5.1 Definition of a Country

The problem begins with the definition of a term that almost everybody in the world is familiar with: a “country”. Since countries are the domain of this historical geographic information system, it must be possible to decide for each current and historic territorial entity in the world if it is or was a country or not. Therefore a clear and non-conflicting definition of a country is necessary. However, this is impossible to do.

The Oxford Dictionary definition of a country reads as follows:

“The *territory* of a *nation*; a *region* constituting an *independent state*, or a region, province, etc., which was once independent and is still distinct in institutions, language, etc.” ¹

This definition includes many different concepts and terms: the territory or region that the country is on, a nation or state, a population and a culture of the territory in terms of institutions or languages. While nation and state are commonly used as synonyms for countries, their meaning varies from case to case, as it will be examined in this section.

To understand what a country really is, the United Nations as an intergovernmental organisation are a valuable source. It was found after World War II (October 1945) and promotes international peace keeping, security, protection of human rights or humanitarian aid to all its member states which should coincide with all the countries in the world. The committee currently has 193 full member states and two permanent observers: The Holy See (Vatican City) and the State of Palestine [Unib]. But these 195 members in total do not cover all places in the world – and also a membership in the United Nations does not mean that the question of statehood can simply be answered.

5.1.1 Special Cases

Examining the list of the UN member states yields several interesting observations and special cases, which can be classified by their membership status in the United Nations and their degree of international recognition.

UN observer states The *Holy See* is the juridical and spiritual entity representing the territory of Vatican City. It is a fully recognized and sovereign state but is not a full member of the UN, because it has never applied for it. It is the by far smallest sovereign state in the world (0.44 m²), is an enclave inside the city of Rome with a population of only 800 people, including 30 women [Vat].

¹country, *n. and adj.*, Oxford English Dictionary, URL: <http://www.oed.com/view/Entry/43085?>, last access: 2016-04-25

The *State of Palestine* has a population of 4.8 million people [Pal, as of 2016] and is also an UN observer state. However, it is totally different in terms of sovereignty: While it consists of the territories of the West Bank, East Jerusalem and the Gaza Strip, their borders were drawn in the 1949 Green Line Armistice Agreement but were never intended to be used as international boundaries [Amn]. Since then, the ongoing and complex conflict with the State of Israel lead to a difficult situations regarding the sovereignty over the territories. Therefore, the state has no clearly defined territory. Moreover, while 114 states officially recognize the Palestinian state, almost all current main economic powers do not, including the Canada, France, Germany, Italy, the United Kingdom and the United States. None of them even voted in favor of Palestine receiving an observing status in the UN [Unia]. That means, unlike the Holy See, Palestine is not a fully sovereign and recognized state.

UN non-members with limited recognition *Kosovo* is a state Europe and declared independence from Serbia in 2008. It has a clearly defined territory and a permanent population and is recognized by 111 UN member states. In order for Kosovo to become a full member of the United Nations, all permanent members of the security council (United Kingdom, France, Russia, China and the United States) must agree. But since Russia and China strongly support the territorial integrity of Serbia, they would veto Kosovos membership in the United Nations. Therefore, Kosovo is not even an observer state of the United Nations, although having about the same degree of international recognition as Palestine [Peo].

The status of Taiwan is a very complicated issue. An overgeneralized description of the problem, which involves two territories and two political entities, is: There is the *People's Republic as China* (commonly known as China), with full control over mainland China, and the *Republic of China*, governing the island of Taiwan. However, both political entities claim each others land. That means, there are two states claiming the exact same territory. But, since 1971 the People's Republic of China is the representative of whole China in the United Nations, including the island of Taiwan. Because it is part of the Security Council, it successfully vetos membership requests of the Republic of China. Therefore, it can not be a member of the United Nations, although it operates like an independent country by international standards: They have an own jurisdiction, issue own passports and have unofficial diplomatic relations to most countries in the world. But officially, only 22 member states of the United Nations uphold diplomatic relations to Taiwan [Rep]. To all of these states the People's Republic of China does not have any diplomatic relations, which makes also them an only partially recognized state.

There are other non-member states of the United Nations which have not yet gained broad international recognition: the Sahrawi Arab Democratic Republic (recognized by 84 UN member states [Wes]), Abkhazia (6 [Glo]), South Ossetia (5 [BBCc]), the Turkish Republic of Northern Cyprus (1 [Leo15]), Nagorno-Karabakh Republic (0 [BBCa]), Transnistria (0 [Gut14]) and Somaliland (0 [BBCb]).

UN members with limited recognition In addition to the Republic of China, there are five other member states of the United Nations that are not fully recognized by all other UN members: Armenia (not recognized by Pakistan [Tod]), the Republic of Cyprus (not recognized by Turkey [Eur]), North and South Korea (officially Democratic People's Republic of Korea and Republic of Korea, mutual non-recognition [Dav]) and the State of Israel, which 32 UN member states do not recognize [Isr].

Special Territories Additionally to countries gaining for international recognition there are territories belonging to fully sovereign countries with a varying degree of sovereignty. For example Greenland is an autonomous country within the Kingdom of Denmark, but not a sovereign state and therefore not a member of the United Nations. The same applies to the Faroe Islands (part of Denmark) and numerous overseas territories of the United Kingdom, the French Republic and the Kingdom of the Netherlands in the Caribbean, the Indian Ocean or the Southern Pacific Ocean. Moreover, there are five quasi-independent countries in a so called *Free Association*: Niue and Cook Islands are associated to New Zealand and not part of the United Nations. The Marshall Islands, the Federated States of Micronesia and Palau are associated to United States, but in contrast are full UN members [Won].

This incomplete and simplified list of special cases manifests the big problem that is associated with the terms “country”, “state” or “nations”: There is neither a *de jure* consistent definition nor a *de facto* consistent usage of these terms. Everything breaks down to two different concepts:

5.1.2 Declaratory vs. Constitutive Theory

The declaratory theory, established in the Montevideo Convention 1933 [Yal], gives each entity the right to declare a state if it matches all of the four requirements:

1. a clearly defined territory

2. a permanent population
3. a political representation / government
4. the *capacity* to enter diplomatic relations

These four requirements make sure that a state can exist physically and politically. However, it is worth noticing that this definition does not include any actual diplomatic relations to other states, but only the capacity to enter them. Therefore the existence of a state is independent from its recognition by other states. In other words: "A country is a country when it thinks it is a country."

In contrast, the constitutive theory requires exactly that: A state can only be considered as such if it is recognized by other states. However, it is not defined anywhere by how many other states [Law]. In short: "A country is a country when other countries think that country is a country." [CGP]




Figure 5.1: The Declaratory Theory (left) and the Constitutive Theory (right) of Statehood

Both theories have advantages and disadvantages, but the two main problems are:

1. Following the declarative theory, countries are self-classifying and potentially conflicting entities. The application of this measure would grant Kosovo, the Republic of China, Abkhazia or the Sahrawi Arab Democratic Republic full statehood. However, since their territories are contested, this would lead to overlapping territories with Serbia, China, Georgia and Morocco, which is impossible.
2. There is no superior organization that can judge if a country is a country or not. Even the United Nations fail to do so, because their membership requirements prevent states like Kosovo or the Republic of China from becoming full members. They also have no power to rule out problems regarding the independence of Transnistria or Somaliland.

Therefore it is impossible to objectively classify an area as a country or not: nobody can say if Kosovo, the State of Palestine or Niue are countries or not. These theories have been introduced in the previous 80 years. For the time before that, a conflict-free decision of what is country is not just impossible, but also not justifiable because of a lack of jurisdiction.

That means, an historical geographic information system with the goal to visualize the development of the countries on Earth in time and space inevitably deals with uncertain information that certain parties see as wrong. Its data model can not perfectly fit self-classifying data and can not rely on an objective data source. The system has to contain approaches that deal with this problem.

5.2 Types of Uncertainty

In order to understand different types of uncertainty it is important to understand the concepts of *disagreement*, *precision* and *accuracy*.

The model in an information system tries to resemble the real world as good as possible and necessary – in this case the history of countries. If there is already a conflict in the real world, e.g. the Kasmir region which is claimed by both India and Pakistan as part of their territory, then this is a *disagreement* which also has to be properly modeled as such in the system.

The better a model simulates the reality, the more *accurate* or correct it is. That means, the closer it gets to the target, the higher is the accuracy. *Precision* or exactness describes how similar the results are compared to each other, independent from the distance to the target. That means a precise model gets the same results over and over again (see figure 5.2).

If the border between the Principalities of Transsylvania and Wallachia is deducted from an historical map of 1600, the course of the border is inaccurate to a certain degree, because the map does not show the real world correctly. However, it can be modelled in the system very precisely, because the coordinates of the border points are stored as floating point numbers in the data model. In contrast, there is currently no agreement upon territory of Palestine, although the different versions can be modelled very precisely. In order for the model to also be accurate in this case, it would need to support contested territories.

Hereafter the current data model introduced in section 4 is evaluated in terms of accuracy and precision.




Figure 5.2: The difference between accuracy and precision

Hivents The model for historically significant happenings contains only the following meta information: name, date and location of the event. This has several shortcomings in terms of precision:

The name of an historical event can have different versions: a long, official version and a short common version. The commonly known “Treaty of Versailles” (1919) is officially called the “Treaty of Peace between the Allied and Associated Powers and Germany”. Also the name is different in other languages affected by the treaty. Additionally, there can be different versions of the name from different perspectives, even within the same language, e.g. the “American Civil War” as it is known today was alternatively called “War Between the States”, “War for Southern Independence” or “War of Northern Aggression” depending on the perspective. The *Hivent* model does not account for different languages and versions and is therefore not very precise.

The *Hivent.date* is supposed to represent the temporal dimension of an historical event. While an historical change itself is discrete and happens at exactly one time point, the historical event yielding this change might not. The “Congress of Vienna” which reordered the empires on the European mainland was one of the main historical events in modern European history. While the changes of the congress came into effect on 9. June 1815, the congress itself took place in Vienna from September 1814 until June 1815 which is also a timespan of interest. Another phenomenon becomes apparent in the “Convention for the Extension of Hong Kong Territory” (1898) which had a predefined length of 99 years. The treaty therefore has two dates in which historical changes happened: the date the treaty came into effect (Hong Kong becomes part of the United Kingdom) and the date it stopped being in effect (Hong Kong is handed over to China). Other interesting aspects are different calendar

systems used in different parts of the world throughout history: the October Revolution in Russia (1917) happened in November in their Gregorian Calendar system, but in October in the Julian Calendar. Also timezones can play a crucial role: The German Instrument of Surrender ending World War II in Europe came into effect on 8. May 1945 at 23:01 Central European Time, so the 8. May is celebrated as the Victory Day in Western Europe. But in the Soviet Union and nowadays Russia that happened at 1:01 Moscow Time on 9. May 1945 which is why the celebration of the Victory Day there happens one day later. While the `Hivent.date` field in the data model works with timezones, it does not support different calendar systems or multiple dates associated with one `Hivent` which limits its precision.

The event location is represented by the `Hivent.location` name of a place, which can e.g. be a city, a battlefield or a region. The model is not very precise, because the actual geospatial location or region in which an historical event happened is not stored in the system. Additionally, it does not support names in different languages.

The even larger problem is an integral lack of accuracy: The whole nature of historical research is based on subjective interpretation of supposedly objective primary sources. But it is questionable if a source can actually be objective. Each bill, treaty or speech is written by somebody, each map was drawn by someone and has therefore a subjective note. Information in a primary source can be (un)intentionally incomplete, imprecise or inaccurate. The source can be biased towards the author, can contain secret passages not open to the public or its geographic information might be wrong. There are many problems involved in historical sources which makes the acquisition of objective historical data almost impossible. The further documents go back in time, the lower is the expected accuracy. Since all the information in the historical geographic information system is based on primary sources, the data in the system inherits these problems.

Areas Also the model of an abstract area, consisting of a territory and a name, is problematic in terms of accuracy and precision. As it has been discussed in subsection 5.1 in detail, it is impossible to objectively model all areas free of conflicts. But the current model does not support the status of a territory as being contested. Also, countries can be part of other autonomous (constituent) countries, like England is part of the United Kingdom of Great Britain and Northern Ireland or Greenland is part of Denmark. However, the data model does not support different levels of sovereignty, autonomy or international recognition.

The `AreaName` has the same problem than the `Hivent.name`: it differs among the languages or even among cultures using the same language. The model does not support

that. But in one aspect it is more precise than for historical events, because it contains both the formal and the short name of a country.

More problematic is the `AreaTerritory`: Areas bordering international water have a constant coastline assuming that it has never changed. This is inaccurate, because coastlines gradually change all the time, therefore also the boundaries of the countries. The data model does support neither that nor international sea borders which are parts of a countries territory. The primary source for territories of countries are historical maps. They show the status of a country at one point in history or sometimes a territorial change. The process of extracting a boundary from an historical map is error-prone and yields to a loss of accuracy in each step on the way: digitizing, georeferencing and contour tracing. The level of inaccuracy depends on the resolution, the map projection and the colors used in the map. In the data model it is not possible to provide information about the expected accuracy of a territory.

Another problem is that the territory is stored as a whole polypolygon. Different parts of the border can have a different status, e.g. one part is a sea border, one is a well-established and demarcated border to neighboring country X and another part is a contested border to neighbour Y. The `AreaTerritory` data model does not account for these differences.

Accurately modelling contested territories is also problematic. It is based on the principle that there can not be overlapping territories at the same time. That means, a contested territory, for example China or occupied territories in the State of Palestine by the State of Israel can only exist once at the same time and therefore have to be treated specially. But the data model does not support contested areas. To go even further, it is questionable which areas should be included in the data model and which not. While it seems obvious to have Spain, Saudi-Arabia and Azerbaijan in the system, the question of whether or not to include the State of Palestine, Abkhazia, Somaliland or micronations like the Conch Republic in the Florida Keys is hard to answer.

Overall, the current data model poorly accounts for different levels of uncertainty in historical geographic information: imprecise and inaccurate sources, different viewpoints and interpretations, contested territories, changing coastlines or different languages. The question of the upcoming subsection is: How can the data model be extended in order to be more accurate and more precise?

5.3 Solution Approaches

In summary, the shortcomings of the current concept are:

1. General

- (a) only one language (English)
- (b) constant coastlines

2. Hivent

- (a) only one historical perspective on the Hivent name
- (b) only one discrete Hivent date
- (c) only one calendar system (Julian Calendar)
- (d) only location name, no connection to the map

3. Area

- (a) only one historical perspective on the Area name
- (b) all Areas on the same level (no dependencies)
- (c) no support for non-sovereign autonomous regions
- (d) no credibility of Areas existence (via international recognition)
- (e) only clear territories, no support for neutral zones or contested territories
- (f) no support for uncertain parts of a territory
- (g) no support for international sea borders

A higher accuracy in the data model usually leads to a higher complexity. This trade-off has to be thoroughly taken into consideration when supporting a new feature to make a model more accurate. This is why the following problems will be ignored in the rest of the thesis:

- 1b) Coastlines change continuously, therefore the Hivent-Based Spatio-Temporal Data Model is not suitable. A support for coastline changes would require another data model applied to coastlines. This is out of the scope of this thesis. One approach is to model international waters just like any other area with a name and a territory and change the boundaries according to an underlying continuous function. This way, the countries sharing that coastline as their international border would change likewise.

- 2a) The support for different historical perspectives on the same event, e.g. different names and descriptions or even different historical changes would create a research tool with great potential. It would enable the possibility for different versions of history based on alternative scenarios (“What if X would have (not) happened?”). However, this would significantly increase the complexity of the system and would also be very subjective.
- 2c) The introduction of different calendar systems would not increase the accuracy of the model significantly. The dates in the system must all stick to the Julian calendar, which is a reasonable requirement to avoid unnecessary complexity.
- 3a) see 2a)
- 3g) Currently each countries territory extends in a range of 3 to 12 miles (5 to 20 kilometers) [Uni82] into international waters. While this is important to accurately model a territory, it is complex, because not every country has signed the convention and each signing party can choose their range into international water. This would not just increase the complexity of the model but also create unfamiliar country territories.

In order to tackle the remaining shortcomings of the current concept, both the user interface and the data model have to be extended.

5.3.1 Extension of the Edit Mode

Two new operations (see figure 5.3) are introduced: SCH changes the status of an area and REC declares a new recognition, i.e. one country internationally recognizes another one.



Figure 5.3: Newly designed and extended buttons for edit operations.

Set New Territory Also the edit operation workflow gets changed. The second step (SET_NEW_TERR) defines the territory of the new area(s). Instead of drawing the whole territory as a set of polygons, the user draws one borderline at a time, geometrically as a polyline. This has the main advantage that each part of the border is treated separately.

The borderline is assigned a degree of certainty, in the interface controlled by a horizontal slider, in the model as a certainty value ($\text{certainty} \in]0..1]$). Absolute certainty (1.0) creates a sharp and crisp line on the map. In case of uncertainty ($\text{certainty} \in]0..1[$) three different visualization methods are introduced:

1. Blurred Border: The higher the uncertainty, the wider and more blurry the border.
2. Border Corridor: With increasing uncertainty, the offset around the actual border line extends. That creates a corridor in which the actual border is probably in.
3. Blurred Border Corridor: The combination of the first two approaches.

A simple model for the calculation of the blur factor, line width and offset distance is:

$$f(c) = -1 \cdot S \cdot \ln(c) + I$$

where c is the certainty factor, $S > 0$ is a scaling factor and I is the initial value (for width: 1 px , for blur: 0, for offset: 0 px). In the example in figure 5.4 the scaling factor $S = 4$. In the Blurred Border Corridor method, the scaling factor for line width and the blur factor was halved. Further analysis and user testing are required in order to decide for one of the three approaches to be used in the system.




Figure 5.4: Three different methods to visualize uncertain courses of a border

Another advantage of the input of borderlines instead of territories is that once the model is further advanced, coastlines can be continuously changed according to an appropriate change model (see problem 1b). This can be applied solely to the coastlines without affecting the interior borders.

A new border point automatically snaps to an existing border point, if the mouse position is close enough to it (an appropriate threshold might be 5 *px*). This allows for a smooth workflow and is required to create closed polygons. In case the borderline is closed, it gets treated as a complete polygon and territory. When the user finished a territory by defining all surrounding polylines that create a closed ring, the polygon gets assembled. If a borderline meets another borderline at an interior node, the polyline gets split up into two parts so that each meeting point of borders is the start or end point of a polyline. This way integrity is maintained and each territory compounds of several polylines creating a set of closed polylines: a polypolygon.




Figure 5.5: Drawing historical borders instead of full areas and defining a level of certainty.

If the created territory overlaps with an existing territory, its intersection will create a separate territory. In the next step, this territory can then be defined as a contested area or defined as a part of another area. If the step yields an empty territory that was claimed before, it can later be defined as a neutral zone or unclaimed land.

Set New Name When defining the name of an area, the user will get actual name suggestion. These result from a collection of current and historical countries from Wikipedia. That

saves time for researching short and formal names of areas. In the long run, the system can be synchronized with Wikipedia or even be designed as an extension for Wikipedia articles about current or historical countries.




Figure 5.6: Getting suggestions for the name name from Wikipedia.

Set New Status To treat special areas differently, a new step in the edit operation workflow gets defined. After the territory and the name of a new area are defined, a special status can be assigned to it:

1. A *fully sovereign country* is a political entity with full sovereignty over its territory and people and significant international recognition, e.g. Estonia.
2. An *unclaimed land* is a territory that is not claimed by any political entity, e.g. currently Antarctica.
3. A *neutral zone* is often a buffer zone between two conflicting countries, e.g. the UN Buffer Zone in Cyprus.
4. A *contested territory* is claimed by at least two different political entities of the same hierarchical level, e.g. the Kashmir region between India and Pakistan. It is also suitable for areas that have claimed independence from a sovereign country but are not yet regonized as such, making their whole territory contested, e.g. Nagorno-Karabakh (see figure 5.7).

5. A territory can be a subordinate part of another country with a certain degree of autonomy ($\in [0..1]$). Fully subordinate parts of a country, like a US State or a German Bundesland have no autonomy (0). Autonomous countries within another country, like England to the United Kingdom or Greenland to Denmark, receive have certain a degree of autonomy ($\in]0..1[$). Full autonomy (1) would mean the territory is a fully sovereign country and the value can therefore not be set in the options.




Figure 5.7: Defining a special status or relationship to a territory.

Add Historical Change The visualization of an Hivent gets split up into three parts:

1. An information section storing important meta data of the event location, the dates (timespan in which the event happened), a description and the link to the wikipedia article (if given).
2. A section storing all historical changes associated with that historical event. Each historical change is visualized and is assigned a date at which this event came into effect.
3. A multimedia section stores images, videos, audio files and documents and their sources associated to the historical event.

Similar to the extension of the area name step, also Hivent names can be chosen among a collection of Wikipedia articles describing historical events. Selecting a name from a wikipedia article automatically fills the information section and adds multimedia files from the wikipedia article. The historical change will automatically be entered in the section (see figure 5.8). With this separation, different historical changes at different dates can be associated with one historical events, largely increasing the Hivent data model.




Figure 5.8: Creating a new Hivent and adding the newly created historical change.

New Area Recognition One new operation is to add the recognition of one country by another country. That is simply performed by selecting two areas on the map, whereas the first area recognized the second area. This is an historical change that can afterwards be attached to an Hivent.




Figure 5.9: New edit operation: Recognition – sets up the recognition of one area to another.

Multi-language support In order to support different languages, a language selection is placed on the bottom right corner of the interface, on the timeline (see figure 5.10). This changes the language of the whole interface and loads the translations of the area names and the Hivent names, locations and descriptions in the newly created language. If a term is not defined in the language, the fallback language (English) is used instead.



Figure 5.10: Changing the language in the user interface.

5.3.2 Extension of the Data Model

To account for the changes in the interface, also the data model has to be adapted. The main changes to the original data model developed in section 4 are:

1. Creation of a `Multilang` entity to store a name of an Hivent, its location or an Area name in different languages.
2. Outsourcing of the `HiventLocation` into an own entity to identify a location with a name and a geospatial reference.
3. Creation of a `Multimedia` entity to manage multimedia files associated to an Hivent.
4. Attachment of a date to an `HistoricalChange`.
5. Inclusion of the `formal_name` into the Area model to emphasize it as the identifier of an area.
6. Creation of an `AreaBorder` with a `borderline`. A set of `AreaBorders` create one `AreaTerritory` which is associated to the Area. Each change of an `AreaBorder` creates one or two new `AreaTerritory`/ies.

7. Creation of an AreaStatus and an AreaRelation to account for special status of an area alone or in relation to another area with a certain level of autonomy.
8. Creation of an AreaRecognition to account for international recognition of one area to another one.
9. Adaption of the AreaChange entity to model a change of each possible property of an area.




Figure 5.11: The new data model to support the developed approaches regarding uncertainty

Chapter 6

Summary

6.1 Results

Research Questions

6.2 Problems

6.3 Future Work

step further: temporal GIS to narrative GIS

idea: explain history with spatial narratives geographically contextualize events and interactions organizing principle: time

Bibliography

- [AHA] AHA - American Historical Association (Andrews, Thomas and Burke, Flannery). *What Does It Mean to Think Historically?* URL: <http://historians.org/publications-and-directories/perspectives-on-history/january-2007/what-does-it-mean-to-think-historically> [cited 23 10 2015].
- [all]
- [Amn] Amnon Sella. *Custodians and Redeemers: Israeli Leaders' Perceptions of Peace, 1967-79*. URL: http://www.jstor.org/stable/4283114?seq=1#page_scan_tab_contents [cited 26 04 2016].
- [Arm92] C. Armenakis. Estimation and organization of spatio-temporal data. *Proceedings of the Canadian Conference on GIS92*, 1992.
- [BBCa] BBC News. *Nagorno-Karabakh profile*. URL: <http://www.bbc.com/news/world-europe-18270325> [cited 26 04 2016].
- [BBCb] BBC News. *Somaliland profile*. URL: <http://www.bbc.com/news/world-africa-14115069> [cited 26 04 2016].
- [BBCc] BBC World News. *Russia recognises Georgian rebels*. URL: <http://news.bbc.co.uk/2/hi/7582181.stm> [cited 26 04 2016].
- [BCH10] D.J. Bodenhamer, J. Corrigan, and T.M. Harris. *The Spatial Humanities: GIS and the Future of Humanities Scholarship*. Spatial humanities. Indiana University Press, 2010. URL: <https://books.google.de/books?id=8VkhPkIRM4EC>.
- [Bol08] P. Bolstad. *GIS Fundamentals: A First Text on Geographic Information Systems*. Eider Press, 2008. URL: <https://books.google.com/books?id=2rjYPQAACAAJ>.
- [Bus] BusinessDictionary. *What is a system? definition and meaning*. URL: <http://www.businessdictionary.com/definition/system.html> [cited 04 11 2015].
- [CFO93] Eliseo Clementini, Paolino Di Felice, and Peter van Oosterom. A small set of formal topological relationships suitable for end-user interaction. In *Proceedings of the Third International Symposium on Advances in Spatial Databases*, SSD '93, pages 277–295, London, UK, UK, 1993. Springer-Verlag. URL: <http://dl.acm.org/citation.cfm?id=647223.718898>.
- [CGP] CGP Grey on YouTube. *How Many Countries Are There?* URL: <https://www.youtube.com/watch?v=4AivEQmfPpk> [cited 26 04 2016].
- [Dav] David Scofield, AsiaTimes. *Seoul's double-talk on reunification*. URL: <http://www.atimes.com/atimes/Korea/GA04Dg01.html> [cited 26 04 2016].

- [Dra] Nicolae Dragulanescu. Knowledge Map of Information Science: Data, Information, Knowledge. URL: <http://www.success.co.il/is/dik.html> [cited 05 11 2015].
- [Eth07] Philip J. Ethington. Placing the Past: 'Groundwork' for a Spatial Theory of History. *Rethinking History*, 11:465–493, Dec 2007.
- [Eur] European Parliament. *Turkey and the problem of the recognition of Cyprus*. URL: http://www.europarl.europa.eu/meetdocs/2004_2009/documents/nt/553/553930/553930en.pdf [cited 26 04 2016].
- [Fra] Fraczek, Witold (ESRI). *Mean Sea Level, GPS, and the Geoid*. URL: <http://www.esri.com/news/arcuser/0703/geoid1of3.html> [cited 27 10 2015].
- [Fra98] Andrew U. Frank. Different Types of Times in GIS. *Spatial and Temporal Reasoning in Geographic Information Systems*, pages 40–62, 1998.
- [GG14] I.N. Gregory and A. Geddes. *Toward Spatial Humanities: Historical GIS and Spatial History*. The Spatial Humanities. Indiana University Press, 2014. URL: <https://books.google.com/books?id=JYQxAWAAQBAJ>.
- [Glo] Global Security. *Georgia mocks Nauru's recognition of Abkhazia*. URL: <http://www.globalsecurity.org/military/library/news/2009/12/mil-091215-rianovosti11.htm> [cited 26 04 2016].
- [Gut14] Perparim Gutaj. The foreign policy of counter secession: Preventing the recognition of contested states by james ker-lindsay. oxford: Oxford university press, 2012. 224pp., £50.00, isbn 978 0 199 69839 4. *Political Studies Review*, 12(2):278–278, 2014. URL: <http://EconPapers.repec.org/RePEc:bla:pstrev:v:12:y:2014:i:2:p:278-278>.
- [HW90] Gary J. Hunter and Ian P. Williamson. The development of a historical digital cadastral database. *International journal of geographical information systems*, 4(2):169–179, 1990. doi:10.1080/02693799008941538.
- [Isr] Israel Ministry of Foreign Affairs. *Israel's Diplomatic Missions Abroad*. URL: <http://www.mfa.gov.il/mfa/abouttheministry/pages/israel-s%20diplomatic%20missions%20abroad.aspx#note> [cited 26 04 2016].
- [key] *name*.
- [KH08] A.K. Knowles and A. Hillier. *Placing History: How Maps, Spatial Data, and GIS are Changing Historical Scholarship*. ESRI Press, 2008. URL: <https://books.google.com/books?id=VN1v7rzhsQEC>.
- [Lan88] G. E. Langran. A framework for temporal geographic information systems. *Cartographica*, 25, 1988.
- [Lan89] G. E. Langran. Time in geographic information systems. 1989. UMI Order No: GAX90-00269.
- [Law] Law Teacher. *Declaratory And Constitutive Theories Of State*. URL: <http://www.lawteacher.net/free-law-essays/constitutional-law/declaratory-and-constitutive-theories-of-state.php> [cited 26 04 2016].
- [Leo15] Leon Hadar, AntiWar.com. *In Praise of 'Virtual States'*, 2015. URL: <http://antiwar.com/hadar/?articleid=8042> [cited 26 04 2016].
- [Nak] Frieder Nake. Data, Information and Knowledge. URL: <http://viola.informatik.uni-bremen.de/typo/fileadmin/media/DataInformKnowledge.pdf> [cited 05 11 2015].

- [OS01] T. Ott and F. Swiaczny. *Time-Integrative Geographic Information Systems: Management and Analysis of Spatio-Temporal Data*. Number v. 1 in Time-integrative Geographic Information Systems: Management and Analysis of Spatio-temporal Data. Springer Berlin Heidelberg, 2001. URL: https://books.google.com/books?id=0Yvg_PErYRkC.
- [Pal] Palestinian Central Bureau of Statistics. *Estimated Population in the Palestinian Territory*. URL: http://www.pcbs.gov.ps/Portals/_Rainbow/Documents/gover_e.htm [cited 26 04 2016].
- [PD95] Donna Peuquet and Niu Duan. An event-based spatiotemporal data model (estdm) for temporal analysis of geographical data. *International Journal of Geographical Information Systems*, 9(1):7–24, 1995. URL: <http://dblp.uni-trier.de/db/journals/gis/gis9.html#PeuquetD95>.
- [Peo] People of Kosova. *Who Recognizes Kosova?* URL: <http://www.kosovothanksyou.com> [cited 26 04 2016].
- [Peu99] D. J. Peuquet. Time in GIS and geographical databases. *Geographical information systems*, pages 91–102, 1999.
- [PTKT04] Nikos Pelekis, Babis Theodoulidis, Ioannis Kopanakis, and Yannis Theodoridis. Literature review of spatio-temporal database models. *Knowl. Eng. Rev.*, 19(3):235–274, September 2004. URL: <http://dx.doi.org/10.1017/S026988890400013X>, doi:10.1017/S026988890400013X.
- [Rep] Republic of China. *Ministry of Foreign Affairs*. URL: <http://www.mofa.gov.tw/en/default.html> [cited 26 04 2016].
- [RGS] RGS - Royal Geographical Society. *What is geography?* URL: <http://www.rgs.org/geographytoday/what+is+geography.htm> [cited 23 10 2015].
- [Sol14] A.C. Solana. *Spatio-Temporal Narratives: Historical GIS and the Study of Global Trading Networks (1500-1800)*. Cambridge Scholars Publisher, 2014. URL: <https://books.google.com/books?id=oqIxBwAAQBAJ>.
- [Tod] Today.az. *For Azerbaijan Pakistan does not recognize Armenia as a country*. URL: <http://www.today.az/news/politics/30102.html> [cited 26 04 2016].
- [Unia] United Nations. *General Assembly Votes Overwhelmingly to Accord Palestine ‘Non-Member Observer State’ Status in United Nations*. URL: <http://www.un.org/press/en/2012/ga11317.doc.htm> [cited 26 04 2016].
- [Unib] United Nations. *Member States*. URL: <http://www.un.org/en/member-states/index.html> [cited 26 04 2016].
- [Uni82] United Nations. *United Nations Convention on the Law of the Sea, 1982*. URL: http://www.un.org/depts/los/convention_agreements/texts/unclos/unclos_e.pdf [cited 28 04 2016].
- [Uot] Uotila, Urho A. (Britannica.com). *geoid — geology*. URL: <http://www.britannica.com/science/geoid> [cited 27 10 2015].
- [Vat] Vatican City State. *Population*. URL: <http://www.vaticanstate.va/content/vaticanstate/en/stato-e-governo/note-general/popolazione.html> [cited 26 04 2016].
- [Wes] Western Sahara Online. *Proclamation Of The Saharawi Arab Democratic Republic*. URL: <https://wayback.archive.org/web/20080502035045/http://www.wsahara.net/sadr.html> [cited 26 04 2016].
- [Won] WonderWhy on YouTube. *How many countries are there in the world?* URL: https://www.youtube.com/watch?v=4vsPB_1bo94 [cited 26 04 2016].

- [Yal] Yale Law School. *Convention on Rights and Duties of States*. URL: http://avalon.law.yale.edu/20th_century/intam03.asp [cited 26 04 2016].
- [Yua96a] May Yuan. Modeling Semantical, Temporal, and Spatial Information in Geographic information Systems. *Geographic Information Research: Bridging the Atlantic*, pages 334–347, 1996.
- [Yua96b] May Yuan. Temporal gis and spatio-temporal modeling. In *Proceedings of Third International Conference Workshop on Integrating GIS and Environment Modeling, Santa Fe, NM*, 1996.
- [Zwa] Vladimir Zwass. information system. URL: <http://www.britannica.com/topic/information-system> [cited 05 11 2015].

Stuff