

Computationele logica

Kamans, Jim
10302905

Roosingh, Sander
11983957

Schenk, Stefan
11881798

November 2017

Exercise 1

1. The sentence θ encoding all information:

The Queen knows the following:

Alice knows Bob has a red hat. Alice knows Bob doesn't know it, and she knows the Queen knows this. Alice doesn't know her own hat.


Bob knows Alice has a red hat. Bob knows Alice doesn't know it, and he knows the Queen knows this. Bob doesn't know his own hat.

$$\theta = K_q(K_a(r_b \wedge \neg K_b(r_b \vee w_b)) \wedge K_q((r_a \vee r_w) \wedge (r_b \vee r_w))) \wedge \neg K_a(r_a \vee w_a) \wedge K_b(r_a \wedge \neg K_a(r_a \vee w_a) \wedge K_q((r_a \vee r_w) \wedge (r_b \vee r_w))) \wedge \neg K_b(r_b \vee w_b))$$

2. A representation of the situation model **M**:


$\mathcal{A} = \{a, b, q\}$ the agents Alice, Bob, and the Queen

$\Phi = \{r_a, w_a, r_b, w_b\}$ written as WR for: a is white and b is red



This is an epistemic model: YES


3. Separately a and b look in their mirrors and see their red hats, the queen sees everything, represented in the event model Σ with four actions:



This is an epistemic model: NO

This is a doxastic model: YES

4. The update product of the two models $\mathbf{M} \otimes \Sigma$:




This is an epistemic model: NO


This is a doxastic model: YES

Exercise 2


1. Representation of the bits world as an epistemic model \mathbf{M} :




2. Representation of event model Σ :




3. Representation of model \mathbf{M}' :



4. Representation of event model Σ' :



5. The update product of the two models $\mathbf{M}'' = \mathbf{M} \otimes \Sigma'$:



Exercise 3


Each of two children, Alice and Bob, has a natural number written in the *back of his/her head*. Let $n_a \in \{0, 1, 2, \dots\}$ be Alice's number and $n_b \in \{0, 1, 2, \dots\}$ be Bob's number. It is common knowledge that: (i) *no child can see his/her own number*, (ii) Alice stands in the back of Bob, so *she can see Bob's number n_b , but Bob cannot see any of the numbers*, and (iii) one of the numbers is the immediate successor of the other (in any order): i.e. either $n_a = n_b + 1$ or $n_b = n_a + 1$. In the following, each of the children will be asked a number of questions, which they are required to answer publicly and truthfully.

1. *How many possible worlds* are there (that are consistent with the story above)?

There are infinite possible worlds.

2. **Represent (draw) the above situation as an epistemic model M_1** , with two agents (a for Alice, b for Bob), using pairs of numbers (n_a, n_b) as “names” for the possible worlds. **Draw the epistemic accessibility relations** for each agent, but do *not* worry about the valuation (yet), since no atomic sentences are given yet.

For simplicity we skipped the loops (every world has an a - and b -arrow to itself) and we skipped a lot of b -arrows (every world has a b -arrow to every other world).



3. For your model, consider now the following *four atomic sentences* $0_a, 0_b, 1_a, 1_b$. Here, 0_a means “Alice’s number is equal to 0” (i.e. $n_a = 0$), and 0_b means “Bob’s number is equal to 0” (i.e. $n_b = 0$); 1_a means “Alice’s number is equal to 1” (i.e. $n_a = 1$), and 1_b means “Bob’s number is equal to 1” (i.e. $n_b = 1$). **Specify the valuation for these atomic sentences** in the above model.

We only learned how to valuate worlds, and the valuation of a world is the set of basic facts that are true in that world. So when we only consider the four atomic sentences above, we have as valuations:

$$\nu((0, 1)) = \{0_a, 1_b\}$$

$$\nu((1, 0)) = \{1_a, 0_b\}$$

$$\nu((2, 1)) = \{1_b\}$$

$$\nu((1, 2)) = \{1_a\}$$

$$\text{in all other worlds } v: \nu(v) = \emptyset$$

If we assume “valuation of an atomic sentence” means “specify the set of worlds in which the atomic sentence is true”, then the valuations are:

$$\nu(0_a) = \{(0, 1)\}$$

$$\nu(0_b) = \{(1, 0)\}$$

$$\nu(1_a) = \{(1, 0), (1, 2)\}$$

$$\nu(1_b) = \{(0, 1), (2, 1)\}$$

4. Alice is asked the following question: “Do you know whether your own number is equal to 0 or not, and if so then which of the two?” So her answers can be: (a) *I don’t know*, (b) *I know that my number is equal to 0*, or (c) *I know that my number is NOT equal to 0*.


Let us suppose that in fact Alice answers (c) “I know that my number is NOT equal to 0”.

Write down a sentence φ in epistemic logic that expresses her answer.

$$\varphi = K_a \neg 0_a$$

5. Interpreting the above answer as a truthful public announcement $!\varphi$ of the sentence written in the previous part, **represent (draw) the updated model $M_2 = M_1^{! \varphi}$ after this public announcement.**

For simplicity we skipped the loops (every world has an a - and b -arrow to itself) and we skipped a lot of b -arrows (every world has a b -arrow to every other world).



6. Suppose now that, *after* Alice answered as above, Bob is asked the “same”

question: “Do you (Bob) know whether your own number is equal to 0 or not, and if so then which of the two?”

What will Bob answer? Also, what will be updated model M_3 representing the situation after he answers? Justify your answers!

Bob will answer (a) *I don't know*, because in all worlds of M_2 Bob thinks every other world is possible (there are *b*-arrows going from each world to each other world). $M_3 = M_2$ (we cannot remove worlds), because there is no world in which Bob's answer (“I don't know”) is false.

7. After the previous round of questions, Alice is now asked the following question: “Do you know whether your own number is equal to 1 or not, and if so then which of the two?” The answers can be: (a) *I don't know*, (b) *I know that my number is equal to 1*, or (c) *I know that my number is NOT equal to 1*.

Let us suppose that in fact *Alice answers (a) “I don't know”*.

Write down a sentence ψ in epistemic logic that expresses her answer.

BlaBlaBla

8. Interpreting the above answer as a truthful public announcement $!\psi$ of the sentence written in the previous part, **represent (draw) the updated model $M_4 = M_3^{!\psi}$ after this public announcement.**

BlaBlaBla

9. Suppose now that, *after* Alice answered as above, Bob is asked the “same” question: “Do you (Bob) know whether your own number is equal to 1 or not, and if so then which of the two?”

What will Bob answer? Also, what is his number? Justify your answers!

BlaBlaBla