## Computationele logica

Kamans, Jim 10302905

Roosingh, Sander 11983957 Schenk, Stefan 11881798

November 2017

## Exercise 1

1. The sentence  $\theta$  encoding all information:

The Queen knows the following:


Alice knows Bob has a red hat. Alice knows Bob doesn't know it, and she knows the Queen knows this. Alice doesn't know her own hat.

Bob knows Alice has a red hat. Bob knows Alice doesn't know it, and he knows the Queen knows this. Bob doesn't know his own hat.

$$\theta = K_q(K_a(r_b \wedge \neg K_b(r_b \vee w_b) \wedge K_q((r_a \vee r_w) \wedge (r_b \vee r_w))) \wedge \neg K_a(r_a \vee w_a) \wedge K_b(r_a \wedge \neg K_a(r_a \vee w_a) \wedge K_q((r_a \vee r_w) \wedge (r_b \vee r_w))) \wedge \neg K_b(r_b \vee w_b))$$


2. A representation of the situation model M:

 $\mathcal{A} = \{a, b, q\}$  the agents Alice, Bob, and the Queen  $\Phi = \{r_a, w_a, r_b, w_b\}$  written as WR for: a is white and b is red




This is an epistemic model: YES

3. Seperately a and b look in their mirrors and see their red hats, the queen sees everything, represented in the event model  $\Sigma$  with four actions:



This is an epistemic model: NO This is a doxasic model: YES


4. The update product of the two models  $\mathbf{M} \ \bigotimes \ \Sigma$  :




This is an epistemic model: NO This is a doxasic model: YES

## Exercise 2


1. Representation of the bits world as an epistemic model  $\mathbf{M}$ :



2. Representation of event model  $\Sigma$ :



3. Representation of model  $\mathbf{M}$ ':



- 4. Representation of event model  $\Sigma$ ':
- 5. The update product of the two models  $\mathbf{M"}=\mathbf{M}\ \bigotimes\ \Sigma":$

## Exercise 3

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

9.