

# SDM4 in R: Displaying and Describing Categorical Data (Chapter 2)

*Nicholas Horton (nhorton@amherst.edu)*

*July 17, 2017*

## Introduction and background

This document is intended to help describe how to undertake analyses introduced as examples in the Fourth Edition of *Stats: Data and Models* (2014) by De Veaux, Velleman, and Bock. More information about the book can be found at [http://wps.aw.com/aw\\_deveaux\\_stats\\_series](http://wps.aw.com/aw_deveaux_stats_series). This file as well as the associated R Markdown reproducible analysis source file used to create it can be found at <http://nhorton.people.amherst.edu/sdm4>.

This work leverages initiatives undertaken by Project MOSAIC (<http://www.mosaic-web.org>), an NSF-funded effort to improve the teaching of statistics, calculus, science and computing in the undergraduate curriculum. In particular, we utilize the `mosaic` package, which was written to simplify the use of R for introductory statistics courses. A short summary of the R needed to teach introductory statistics can be found in the `mosaic` package vignettes (<http://cran.r-project.org/web/packages/mosaic>). A paper describing the `mosaic` approach was published in the *R Journal*: <https://journal.r-project.org/archive/2017/RJ-2017-024>.

## Chapter 2: Displaying and describing categorical data

### Section 2.1: Summarizing and displaying a single categorical variable

See displays on page 19-20.


```
library(mosaic); library(readr)
options(digits=3)
Titanic <- read_delim("http://nhorton.people.amherst.edu/sdm4/data/Titanic.txt", delim="\t")
tally(~ Class, data=Titanic)
```

```
## Class
##   Crew First Second  Third
##   885   325   285   706
```

```
tally(~ Class, format="percent", data=Titanic)
```

```
## Class
##   Crew First Second  Third
##   40.2  14.8  12.9  32.1
```

```
barchart(tally(~ Class, data=Titanic))
```



## Section 2.2: Exploring the relationship between two categorical variables

See display on page 21.

```
tally(~ Survived + Class, margin=TRUE, data=Titanic)
```


```
##           Class
## Survived Crew First Second Third Total
##   Alive  212   203   118   178   711
##   Dead   673   122   167   528  1490
##   Total   885   325   285   706  2201
```

```
tally(~ Survived | Class, format="percent", data=Titanic)
```

```
##           Class
## Survived Crew First Second Third
##   Alive 24.0  62.5  41.4  25.2
##   Dead  76.0  37.5  58.6  74.8
```

See display on page 24.

```
barplot(tally(~ Survived + Class, data=Titanic), beside=TRUE)
```



```
mosaicplot(tally(~ Survived + Class, data=Titanic),
  main="Mosaic plot of Class by Survival",
  color=TRUE)
```

**Mosaic plot of Class by Survival**

