

Avian Influenza Exposure REDCap management: Set up work instructions

Document authors: Dr Merryn Roe (merryn.roe@gvhealth.org.au), Brandon Henley-Smith

REDCap developed by: GVPHU Epidemiology, Data and Analytics team (Jade Sorenson, Brandon Henley-Smith, Merryn Roe) with support from the GVPHU Clinical and HP teams

Date: 16/7/2026

Pre-Requisites	
Access to a REDCap server with survey capacity	Necessary
REDCap access available to the main operational team	Necessary
REDCap server with API functionality	Recommended
GitHub account	Recommended
High resolution logo for your LPHU/Department	Recommended

Table of contents

Part 1: Setup.....	3
1. Introduction and Aim	3
2. REDCap Project setup.....	8
3. Reviewing surveys	10
4. Data Dictionary (bulk survey template)	13
5. Review set up of surveys	16
6. User permissions	16
7. Operational Reports	18
8. Alerts	23
9. APIs and R code	27
10. Testing and moving to production mode	28
Part 2: Use & testing	31
11. Importing contact lists -> Triage SMS.....	31
12. Symptom Follow-up SMSs.....	33
13. Preparing data for bulk uploads/reporting	34
14. Exporting data for bulk uploads	35
15. Bulk Importing PHESS IDs into REDCap	35
16. Live refresh Situation Reports	37

Part 1: Setup

Part 1 of the work instructions covers the initial setup of the REDCap template and data pipelines

1. Introduction and Aim


Highly Pathogenic Avian Influenza (HPAI) can cause severe disease in birds and other wild and agricultural animals, with risk of spillover into humans who have been in close contact with infected animals.

When poultry farms, or other large animal agriculture facilities, have incursions of HPAI, a large number of people can be exposed depending on the size of the operation. Like any mass exposure event, this can pose significant operational pressure for the responding Public Health Unit/s. This workflow aims to support the operational public health management of these exposed individuals through SMS assisted triaging of contacts to see who was exposed, streamlining data entry for interviews, using automated SMS symptom follow up and bulk data import and cleaning processes. These resources have been designed to be scalable and efficient, as during an incident many infected premises (IP) sites may need to be managed concurrently. This template includes two IP sites with instructions on how to scale for more as needed.

The workflow is setup in 4 parts as demonstrated by the below flowcharts and the relevant REDCap instruments (highlighted):

1. SMS triaging of contact lists provided by premises

		Page 3 of 37
Version: 1.1	Last Reviewed: August 2026	Due for Review: TBD
This document was last updated on 13/8/2026 - for most upto date versions please see hpa_i_redcap_template on GitHub		



Instrument name	Fields
Contact Upload Variables	5
Avian Influenza Triage IP1	5
Avian Influenza Triage IP2	5
Avian Influenza Contact Demographics	20
Avian Influenza Contact Facility IP1 Risk	44
Avian Influenza Contact Facility IP2 Risk	44
Avian Influenza Contact Symptoms Treatment	37
PHU Data Entry	10
Avian Influenza Follow-Up	20

2. PHO conducted phone interview (data collected in REDCap)

Please note, this template is assuming the PHOs will be conducting the main case interview. By entering data into the REDCap system PHOs time will be saved through automated triaging, automated symptom follow up and by using the REDCap form as a single point of data entry.


If your IMT decides that this interview should instead be **an automated survey that the contact fills out independently** you can edit this template by enabling the required forms as surveys and reviewing/editing some of the question wording to be more

		Page 4 of 37
Version: 1.1	Last Reviewed: August 2026	Due for Review: TBD
This document was last updated on 13/8/2026 - for most upto date versions please see hpa_i_redcap_template on GitHub		

appropriate for target audience.

Instrument name	Fields
Contact Upload Variables	5
Avian Influenza Triage IP1	5
Avian Influenza Triage IP2	5
Avian Influenza Contact Demographics	20
Avian Influenza Contact Facility IP1 Risk	44
Avian Influenza Contact Facility IP2 Risk	44
Avian Influenza Contact Symptoms Treatment 	37
PHU Data Entry	10
Avian Influenza Follow-Up 	20

3. SMS symptom follow up for high-level exposure contacts



Instrument name	Fields
Contact Upload Variables	5
Avian Influenza Triage IP1	5
Avian Influenza Triage IP2	5
Avian Influenza Contact Demographics	20
Avian Influenza Contact Facility IP1 Risk	44
Avian Influenza Contact Facility IP2 Risk	44
Avian Influenza Contact Symptoms Treatment	37
PHU Data Entry	10
Avian Influenza Follow-Up	20

*Logic used reflects current protocol. Protocol may be subject to change (IMT)

4. Bulk upload of data to PHESS and real time data pipelines for SitReps

The aim of this document is to provide work instructions which allow others to set up the tooling rapidly. This work instruction is aimed at an Epidemiologist or Data Analyst with some REDCap and R experience and access to a REDCap server.

Sections 2-10 focus on setting up the REDCap and associated R code, sections 11-15 walk through each step of the contact management process from the perspective of the Epidemiologist managing the workflow.


To get started:

1. Once you have downloaded the [Git Template](#) ensure you have the following folders:
 - hpa_redcap_template/**: Parent project folder
 - raw_data/**: Folder for raw datasets. Only _template. files are tracked in Git.
 - outputs/**: Folder stores generated results (plots, tables).
 - code/**: Code folder.
 - redcap_templates/**: Folder for REDCap templates.
 - docs/**: Folder containing work instructions for REDCap use and setup.
 - .gitignore**: Gitignore file, dictates what is and is not tracked on Git.
 - hpa_redcap_template.Rproj**: R Project file.
2. In the 'hpa_redcap_template/docs' folder you will find:
 - a. This work instruction document for REDCap and code setup
 - b. Operational work instructions explaining how to use the REDCap for PHOs and other non-developer users
 - c. A 'Missing Ingredients' document to run through with the incident team.
 - d. 'Avian Influenza Risk Flow Chart.png' summary of risk logic used for the REDCap development and the R code calculated risk assessment.
3. In the 'hpa_redcap_template/redcap_templates' folder you will find some of the templates for setting up the REDCap, the main one required is the .XML file titled 'HPAExposureManagement_Template_2026-07-06.REDCap' this contains the full REDCap template, the others are backups for separate functions (alerts, data dictionary etc).

		Page 7 of 37
Version: 1.1	Last Reviewed: August 2026	Due for Review: TBD
This document was last updated on 13/8/2026 - for most upto date versions please see hpa_redcap_template on GitHub		

2. REDCap Project setup

1. Login to your REDCap account and create a new project:



2. Give project a title and select 'Upload a REDCap project XML file' - select the 'HPAIExposureManagement_Template_2026-07-06.REDCap' file from the template folder, this will import all of the surveys, user roles, reports and alerts.

This step may require admin authorisation (which can take some time); it may be prudent to have one on hand in case.

+ Create a new REDCap Project

You may begin the creation of a new REDCap project on your own by completing the form below and clicking the Create Project button at the bottom.

Project title: → HPAI Exposure Management

Project's purpose: → Operational Support
How will it be used?

Project notes (optional): → For management of exposed individuals to the HPAI event - test with XML file
Description of the project's use or purpose (displayed on the My Projects page)

Project creation option: →

☐ Empty project (blank slate)

☒ Upload a REDCap project XML file (CDISC ODM format) ?

Select XML file: Choose File HPAI survey_....REDCap.xml

Source REDCap version: 17.0.7
File creation date: 14/05/2026, 5:07:06 pm

☐ Use a template (choose one below)

★ Choose a project template

select template	Template title (sorted by title)	Template description
☐	Basic Demography	Contains a single data collection instrument to capture basic demographic information.
☐	Classic Database	Contains six data entry forms, including forms for demography and baseline data, three monthly data forms, and concludes with a completion data form.
☐	Field Embedding Example Project	Contains a single data collection instrument to demonstrate the Field Embedding feature.
☐	Human Cancer Tissue Biobank	Contains five data entry forms for collecting and tracking information for cancer tissue.
☐	Longitudinal Database (1 arm)	Contains nine data entry forms (beginning with a demography form) for collecting data longitudinally over eight different events.
☐	Longitudinal Database (2 arms)	Contains nine data entry forms (beginning with a demography form) for collecting data on two different arms (Drug A and Drug B) with each arm containing eight different events.

Create Project Cancel

3. Reviewing surveys

1. To review/edit surveys navigate to the 'Designer' in the navigation page and select the 'Instrument name' you would like to review/edit

REDCap HPAI Exposure Management PID 255

Project Home Project Setup Online Designer Data Dictionary Codebook

VIDEO: How to use this page Create snapshot of instruments Last snapshot: never

The Online Designer will allow you to make project modifications to fields and data collection instruments very easily using only your web browser.
NOTE: While in development status, all field changes will take effect immediately in real time.

Data Collection Instruments

Instrument name	Fields	PDF	Enabled as survey	Instrument actions	Survey related options
Contact Upload Variables	5		Enable	Choose action	
Avian influenza Triage IP1	2		Enable	Choose action	Survey settings + Automated invitations
Avian influenza Triage IP2	2		Enable	Choose action	Survey settings + Automated invitations
Avian influenza Contact Demographics	20		Enable	Choose action	
Avian influenza Contact Facility IP1 Risk	39		Enable	Choose action	
Avian influenza Contact Facility IP2 Risk	39		Enable	Choose action	
Avian influenza Contact Symptoms Treatment	34		Enable	Choose action	
Avian influenza Follow-Up	20		Enable	Choose action	Survey settings + Automated invitations
PHU Data Entry	10		Enable	Choose action	

2. To add in test data you can also navigate to the 'Add / Edit Records' to familiarise yourself with the survey layout from the 'user / front end'

REDCap HPAI Exposure Management PID 255

Add / Edit Records

You may view an existing record/response by selecting it from the drop-down lists below. To create a new record/response, click the button below.

NOTICE: This project is currently in Development status. Real data should NOT be entered until the project has been moved to Production status.

Total records: 29

Choose an existing Record ID

+ Add new record

Data Search

Choose a field to search (excludes multiple choice fields)

☐ Remember this selection

Search query

Begin typing to search the project data, then click an item in the list to navigate to that record.

Open on: ☒ Data Entry Form ☐ Record Home Page

3. There are some places in the survey text that will require updating for your specific LPHU/incident.

- In the Triage and Risk surveys we have embedded autofill options for the site name and dates of interest. You need to update them in **each form** for them to work correctly

Data Collection Instruments		Form options:		Survey options:	
+ Create	a new instrument from scratch	PDF Snapshots	e-Consent	Survey Queue	Auto invitation options
Import	a new instrument from the official REDCap Instrument Library	Form Display Logic	Survey Login	Survey Notifications	Survey Settings
Upload	Instrument ZIP file from another project/user or external libraries	PDF (all instruments)			
		Descriptive Popups			
Instrument name	Fields	PDF	Enabled as survey	Instrument actions	Survey related options
Contact Upload Variables	5		Enable	Choose action	
Avian Influenza Triage IP1	5		Enable	Choose action	Survey settings + Automated Invitations
Avian Influenza Triage IP2	5		Enable	Choose action	Survey settings + Automated Invitations
Avian Influenza Contact Demographics	20		Enable	Choose action	
Avian Influenza Contact Facility IP1 Risk	43		Enable	Choose action	
Avian Influenza Contact Facility IP2 Risk	43		Enable	Choose action	
Avian Influenza Contact Symptoms Treatment	37		Enable	Choose action	
PHU Data Entry	10		Enable	Choose action	
Avian Influenza Follow-Up	20		Enable	Choose action	Survey settings + Automated Invitations

To update, select 'Edit' for each question and follow the instructions for what to update in the embedded section

Current instrument: **Avian Influenza Triage IP1**
Form name: avian_influenza_triage_ip1

[Add custom CSS styling](#)

[Add Field](#) [Add Matrix of Fields](#) [Add Standardized Field \(CDE\)](#)

[Edit](#) [Delete](#) [Duplicate](#) [Copy](#) [Paste](#) [Field Name: triage_sitename_ip1](#)

Farm name IP1

Change @SETVALUE="IP1" in Action Tags to be IP1 name

Validation type: None
@HIDDEN @READONLY @SETVALUE

[Add Field](#) [Add Matrix of Fields](#) [Add Standardized Field \(CDE\)](#)

[Edit](#) [Delete](#) [Duplicate](#) [Copy](#) [Paste](#) [Field Name: triage_startdate_ip1](#)

Start date IP1

** Change @SETVALUE="2026-01-01" in Action Tags to be IP1 outbreak start date*

Validation type: Date (D-M-Y)
@HIDDEN @READONLY @SETVALUE

[Add Field](#) [Add Matrix of Fields](#) [Add Standardized Field \(CDE\)](#)

[Edit](#) [Delete](#) [Duplicate](#) [Copy](#) [Paste](#) [Field Name: triage_enddate_ip1](#)

End date IP1

** Automatically set to current date, unless outbreak end date confirmed. Change @SETVALUE=@TODAY in Action Tags to be IP1 outbreak end date*

Validation type: Date (D-M-Y)
@HIDDEN @READONLY @SETVALUE @TODAY

[Add Field](#) [Add Matrix of Fields](#) [Add Standardized Field \(CDE\)](#)

[Edit](#) [Delete](#) [Duplicate](#) [Copy](#) [Paste](#) [Field Name: exposure_ip1_yn](#)

Were you on site at [triage_sitename_ip1] between [triage_startdate_ip1] and [triage_enddate_ip1]? ☐ Yes ☐ No

[reset](#)

For example:

This then means each instance of the site name and dates in that form will auto update and allows the data/epi to update efficiently and the cases record will retain the values of the day it was filled or last edited.

PHOs/other front end users cannot see these embedded fields, they will only see the questions that the embedded values autofill.

Here is an example of what a corresponding auto filled field will look like in the back end of REDCap:

Once set up this is what it would look like for the PHO/contact/front end user:

Invitation Status: Survey Options

Editing existing Record ID 40.

Record ID	40
Were you on site at Fake Farm between 01-01-2026 and 06-07-2026?	☐ Yes ☐ No
What time would work best for one of the [LPHU] public health officers to contact you on this number?	

reset

- b. Some other sections like the, '[LPHU]' highlighted above, have text that may benefit from updating in the back end to better reflect your incident/LPHU. Try searching for square brackets '[' in the data dictionary or REDCap designer to see them all.

4. Data Dictionary (bulk survey template)

If you would like to edit or make bulk changes to the surveys the best way to do this efficiently is using the Data Dictionary. This could be particularly helpful if you have additional Infected Premises and would like to replicate the 'Avian Influenza Triage IPx' and 'Avian Influenza Contact Facility IPx Risk' instruments.

1. Navigate to the 'Data Dictionary' page via Project Home and Design -> Dictionary
2. Go to 'Step 1 – Download the Data Dictionary' and review survey / edit
3. For bulk changes we have designed the variable/text naming to be conducive to find and replace all duplicated 'IP1' with IPx for ease of scaling.
Eg find and replace 'IP1' with 'IP3' for the duplicated section.
4. Go to 'Step 3 – Navigate to 'Upload your Data Dictionary file' and upload the updated template you would like to use

you get some initial fields/forms built quickly or to make quick edits, but using the Data Dictionary file may be more helpful if you will be adding a large number of fields for this project.

This module may be used for making changes to the project, such as adding new fields or modifying existing fields, by using an offline method called the Data Dictionary. The Data Dictionary is a specifically formatted CSV file within which you may construct your project fields and afterward upload the file here to commit the changes to your project.

STEP 1: Download the Data Dictionary

Download your current data dictionary. Data dictionaries are stored in CSV format. Also, you can download those CSV files with different delimiters: Comma (,), Tab or Semicolon (;)

Download Data Dictionary

STEP 2: Edit the Data Dictionary

Edit your data dictionary, and save it in CSV format with any delimiter: Comma (,), Tab or Semicolon (;).

Need some help? If you wish to view an example of how your Data Dictionary may be formatted, you may download the [Data Dictionary demonstration file](#), or you may view the [Data Dictionary Tutorial Video \(10 min\)](#). For help setting up your Data Dictionary, you may also see the instructions listed on the [Help & FAQ](#).

STEP 3: Upload your Data Dictionary file (CSV file format only)

Click the 'Browse' or 'Choose File' button below to select the file on your computer, and upload it by clicking the 'Upload File' button. Once your file has been uploaded, changes will NOT immediately be made but will be displayed and checked for errors to ensure that all the formatting in your Data Dictionary is correct before official changes are made to the project.

Snapshot note: A snapshot of your project's current Data Dictionary will be created automatically during the Data Dictionary upload process before committing the new Data Dictionary. The snapshot can later be accessed and downloaded from the Project Revision History page.

Format for min/max validation values for date and datetime fields: DD/MM/YYYY or YYYY-MM-DD

CSV delimiter of data file: Comma (,)

Choose File No file chosen

Upload File

5. Ensure you press 'Upload File' once file is selected
6. If successful you should be taken to the following page where you need to select 'Commit Changes'

This module will allow you to create new data collection instruments/surveys or edit existing ones. Changes may be made by either using the **Online Designer** or **Upload Data Dictionary** (see tabs above), in which you may use either method or both. The Online Designer may help you get some initial fields/forms built quickly or to make quick edits, but using the Data Dictionary file may be more helpful if you will be adding a large number of fields for this project.

✔ **Your document was uploaded successfully and awaits your confirmation below.**

- You are now required to review any warnings below and then click the button at the bottom of the page to officially commit the field changes to the project. Follow the instructions below.
- The uploaded data dictionary **contains 211 fields**, which will replace the 1 fields that currently exist in the project (excluding 'Form Status' fields, which are automatically generated by REDCap).

Allowable warnings found in your Data Dictionary:

Variables/field names are recommended to be less than 26 characters in length. You may want to shorten the following variable names:

work_other_farm_contact_ip1 (A41)
high_risk_activities_other_ip1 (A42)
high_risk_activities_date_ip1 (A44)
high_risk_activities_ppe_date_ip1 (A48)
contact_animals_ppe_breach_ip1 (A52)
contact_animals_ppe_removal_ip1 (A53)
contact_animals_ppe_date_ip1 (A54)
contact_objects_ppe_breach_ip1 (A58)
contact_objects_ppe_removal_ip1 (A59)
contact_objects_ppe_date_ip1 (A60)
contact_other_ppe_breach_ip1 (A64)
contact_other_ppe_removal_ip1 (A65)
vicinity_animals_ppe_breach_ip1 (A70)
vicinity_animals_ppe_removal_ip1 (A71)
vicinity_animals_ppe_date_ip1 (A72)
vicinity_objects_ppe_breach_ip1 (A76)
vicinity_objects_ppe_removal_ip1 (A77)
vicinity_objects_ppe_date_ip1 (A78)
vicinity_other_ppe_breach_ip1 (A82)
vicinity_other_ppe_removal_ip1 (A83)

vicinity_other_ppe_date_ip2 (A142)
exposure_risk_assessment_ip2 (A144)
symptom_difficulty_breathing (A153)
symptom_productive_cough_fu (A185)
symptom_difficulty_breathing_fu (A187)

Are you ready to commit the changes to the project from the uploaded Data Dictionary?

(Click the button below to submit the changes.)

Commit Changes Cancel

5. Review set up of surveys

1. If you would like to add branding/additional formatting to your surveys, select the survey settings and update the 'Survey Design Options'

Data Collection Instruments

Form options: PDF Snapshots, Form Display Logic, PDF (all instruments), Descriptive Popups

Survey options: e-Consent, Survey Queue, Auto Invitation options, Survey Login, Survey Notifications, Survey Settings

Instrument name	Fields	PDF	Enabled as survey	Instrument actions	Survey related options
Contact Upload Variables	5		Enable	Choose action	
Avian Influenza Triage IP1	2		Enable	Choose action	Survey settings, Automated Invitations
Avian Influenza Triage IP2	2		Enable	Choose action	Survey settings, + Automated Invitations
Avian Influenza Contact Demographics	20		Enable	Choose action	
Avian Influenza Contact Facility IP1 Risk	39		Enable	Choose action	
Avian Influenza Contact Facility IP2 Risk	39		Enable	Choose action	
Avian Influenza Contact Symptoms Treatment	34		Enable	Choose action	
Avian Influenza Follow-Up	20		Enable	Choose action	Survey settings, + Automated Invitations
PHU Data Entry	10		Enable	Choose action	

2. Ensure you are happy with the 'Survey settings', particularly the 'Survey Design Options' where you can add your branding, 'Survey Instructions' text and 'Survey Completion Text' for **each survey**
3. Enable Surveys for IP2-IPX (if required)

6. User permissions

It is best practice to create role groups (easy to scale) with the access set to the minimum permissions required for that role. You can always add permissions and/or roles later and this protects from people accidentally breaking the project or editing / accessing data they shouldn't be.

For this set we suggest 3 role groups;

Operational: Primarily for PHOs and TL, access to data entry and editing, access to some reporting (see section 6)

Leadership: Leadership (such as ML, Directors and some DH representatives) may require oversight but not direct access to data entry/export, a group to allow for report viewing and any additional permissions deemed appropriate would be a good place to start.

Epi/Data: Full data downloading rights, APIs, Project editing, user access rights. If you have a large Epi/Data team you may want to break this down further.

It is also possible to add people in with individual rights, but this can get messy, I would avoid in a large project where possible.

As the project creator you may also need to update your own rights to access some features such as APIs (see section 9)

1. Navigate to 'User Rights', you can create new roles by selecting 'Create role'

Role name (click role name to edit role)	Username or users assigned to a role (click username to edit or assign to role)	Expiration (click expiration date to edit)	Project Design and Setup	User Rights	Data Access Groups	Data Viewing Rights	Data Export Rights
—	roemerry (Merryn Roe)	never	✓	✓	✓	View & Edit	

2. The template roles should look something like this:

Role name (click role name to edit role)	Username or users assigned to a role (click username to edit or assign to role)	Expiration (click expiration date to edit)	Project Design and Setup	User Rights	Data Access Groups	Data Viewing Rights	Data Export Rights	Alerts & Notifications	Add/Edit Reports	Stats & Charts	Calendar	Data Import Tool	Data Comparison Tool
—	roemerry (Merryn Roe)	never	✓	✓	✓	View & Edit		✓	✓	✓	✓	✓	✓
Epi/Data	(no users assigned)		✓	✓	✓	View & Edit	Full Data Set	✓	✓	✓	✓	✓	✓
Leadership	(no users assigned)		✗	✗	✗	Read Only	No Access	✓	✓	✓	✗	✗	✗
Operational	(no users assigned)		✗	✗	✗	View & Edit	Full Data Set	✗	✓	✓	✓	✗	✗

Logging	Email Logging	File Repository	Record Locking Customization	Lock/Unlock Records (instrument level)	Lock/Unlock Entire Records (record level)	Data Quality (create/edit rules)	Data Quality (execute rules)	API	REDCap Mobile App	Create Records	Rename Records	Delete Records	User Role ID (auto-generated)	Unique Role Name (auto-generated)
✓	✗	✓	✗	✗	✗	✓	✓	✗	✓	✓	✗	✗	—	—
✗	✗	✓	✗	✗	✗	✗	✗	Export	✗	✓	✗	✓	64	U-574KJK87AE
✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	65	U-614AXXPKBL
✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	63	U-759ABVJFAW

3. You can start adding individuals to your project by assigning them directly to a role, depending on your server you should be able to search and select the user you want. Users must already have a REDCap account to be added to a project.

4. See 'hpa_redcap_template\docs\Avian Influenza Exposure REDCap management - operational work instructions.docx' for user instructions (aimed at PHOs/TLs non-setup users)

7. Operational Reports

1. There are 5 reports already generated in this template, they are:

Name	Description	Filter logic
Interview Triage - Operational List	List of contacts who have indicated being onsite at key premises OR who have not responded to triaging text and require interview	<code>([exposure_ip1_yn] = "1" OR [exposure_ip2_yn] = "1")</code> <code>OR ([exposure_ip1_yn] = "" AND [exposure_ip2_yn] = "")</code> <code>AND</code> <code>([avian_influenza_contact_facility_ip1_risk_complete] != "1" OR</code> <code>[avian_influenza_contact_facility_ip2_risk_complete] != "1")</code>
High-Level Exposure Contact List	List of all individuals determined to have high-level exposures by PHOs	<code>[exposure_risk_assessment_ip1] = 0 OR</code> <code>[exposure_risk_assessment_ip2] = 0</code>
Symptomatic Contact List	List of all contacts who have ever reported experiencing symptoms during the period of interest, either in the original survey or automated SMS follow-up.	<code>([symptoms] = "1" OR [symptoms_yn_fu] = "1")</code>

	Please note that there may be multiple rows per contact on this report as we have a new row for each symptom follow up form response.	
Symptomatic Secondary Contacts List	List of secondary contacts that were reported as being unwell or experiencing any HPAI symptoms by interviewed contacts, either in the original survey or automated SMS follow-up survey.	([contact_symptoms_yn] = "1" OR [person_scoping_fu] = "1")
PHESS ID Linkage	A list of all records with identifiers (first name, last name, and birth date) and PHESS ID fields to enable and check bulk upload/import processes to and from	([exposure_ip1_yn] = "1" OR [exposure_ip2_yn] = "1") AND ([exposure_risk_assessment_ip1] != "" OR [exposure_risk_assessment_ip2] != "")

	PHES. Only viewable and editable by EDA users/users with access to the code packet.	
--	--	--

- Reports can be accessed through the reports page, **noting that anyone who can access the report will also be able to download the data in the report – consider report access with this in mind!**

REDCap HPAI survey PID 213

Data Exports, Reports, and Stats

VIDEO: How to use Data Exports, Reports, and Stats

+ Create New Report My Reports & Exports Other Export Options

This module allows you to easily view reports of your data, inspect plots and descriptive statistics of your data, as well as export your data to Microsoft Excel, SAS, Stata, R, or SPSS for analysis (if you have such privileges). If you wish to export your "entire" data set or view it as a report, then Report A is the best and quickest way. However, if you want to view or export data from only specific instruments (or events) on the fly, then Report B is the best choice. You may also create your own custom reports below (if you have such privileges) in which you can filter the report to specific fields, records, or events using a vast array of filtering tools to make sure you get the exact data you want. Once you have created a report, you may view it as a webpage, export it out of REDCap in a specified format (Excel, SAS, Stata, SPSS, R), or view the plots and descriptive statistics for that report.

My Reports & Exports

Report name	View/Export Options	Management Options	Report ID (auto-generated)	Unsave report name (auto-generated)
A All data (all records and fields)	View Report Export Data Stats & Charts			
B Selected Instruments (all records)	Make custom selections			
1 Interview Triage - Operational List	View Report Export Data Stats & Charts	Edit Copy Delete	67	R-575WCHEN4W
2 Symptomatic Case List	View Report Export Data Stats & Charts	Edit Copy Delete	72	R-0624R37K2
3 High-Risk Individuals Case List	View Report Export Data Stats & Charts	Edit Copy Delete	70	R-695VCWA8E4
4 Reported Symptomatic Contacts of Cases List	View Report Export Data Stats & Charts	Edit Copy Delete	71	R-7489TAEN8W

+ Create New Report

Here is an example of a report view:

REDCap HPAI survey PID 213

Data Exports, Reports, and Stats

VIDEO: How to use Data Exports, Reports, and Stats

+ Create New Report My Reports & Exports Other Export Options View Report: Symptomatic Case List

Number of results returned: 14
Total number of records queried: 39
(*records* = total available data across all events and/or instances)
Report execution time: 0.1 seconds


Symptomatic Case List

List of all individuals who have ever reported experiencing symptoms during the period of interest, either in the original survey or automated SMS follow-up.


Please note that there may be multiple rows per individual on this report as we have a new row for each symptom follow up form response.

Record ID	Repeat Instrument	Repeat Instance	Survey Identifier	Contact first name	Contact last name	Date of birth	Phone number	Do you currently have any flu-like symptoms, or had any symptoms since (period of interest date)?	What date did you first experience symptoms?	Survey Timestamp	Are you currently unwell, or have any signs of sickness?	PHO num
2				Fake	Name	10-11-1995	61405635059					Merrin
2	Avian Influenza Follow-Up	1								25-03-2026 16:16	Yes (1)	
2	Avian Influenza Follow-Up	2								26-03-2026 12:40	Yes (1)	
2				Jade	Sorenson	09-10-2002	409992526	No (0)				Jade
3	Avian Influenza Follow-Up	1								26-03-2026 12:40	Yes (1)	

- To share a report link – just use that page’s URL (see highlight), only those with access permissions will be able to view it:



- Reports can also be accessed (by users with the appropriate permission) through the Navigation Panel reports shortcut once created



- To review which users have permission to access a report, select 'Edit' on the report and update the user permissions through 'Custom user access' as needed. Noting that it is generally not advisable to make the reports publicly viewable.

REDCap

HPAI Exposure Management PID: 255

Data Exports, Reports, and Stats

VIDEO: How to use Data Exports, Reports, and Stats

+ Create New Report My Reports & Exports Other Export Options

This module allows you to easily view reports of your data, inspect plots and descriptive statistics of your data, as well as export your data to Microsoft Excel, SAS, Stata, R, or SPSS for analysis (if you have such privileges). If you wish to export your "entire" data set or view it as a report, then Report A is the best and quickest way. However, if you want to view or export data from only specific instruments (or events) on the fly, then Report B is the best choice. You may also create your own custom reports below (if you have such privileges) in which you can filter the report to specific fields, records, or events using a vast array of filtering tools to make sure you get the exact data you want. Once you have created a report, you may view it as a webpage, export it out of REDCap in a specified format (Excel, SAS, Stata, SPSS, R), or view the plots and descriptive statistics for that report.

My Reports & Exports

Report name	View/Export Options	Management Options	Report ID (auto-generated)	Unique report name (auto-generated)
A All data (all records and fields)	View Report Export Data Stats & Charts			
B Selected instruments (all records)	Make custom selections			
1 Interview Triage - Operational List	View Report Export Data Stats & Charts	Edit Copy Delete	104	R-975VCHEN4W
2 High-Level Exposure Contact List	View Report Export Data Stats & Charts	Edit Copy Delete	105	R-685VCH4E4
3 Symptomatic Contact List	View Report Export Data Stats & Charts	Edit Copy Delete	106	R-962VH337KE
4 Symptomatic Secondary Contacts List	View Report Export Data Stats & Charts	Edit Copy Delete	107	R-7489TA2HRW

+ Create New Report

Name of Report: Interview Triage - Operational List

Set as "public": ☐ Enabling this feature below will auto-generate a public link for viewing the report without needing to log in to REDCap.
Report is publicly viewable by anyone with the public link

Description (optional): Displayed on page below report name

List of contacts who have indicated being onsite at key premises OR who have not responded to triaging text and require interview

STEP 1

User Access: Choose who can edit and view this report


View Access: Choose who sees this report on their left-hand project menu ?

☒ All users - OR - ☐ Custom user access (Choose specific users, roles, or data access groups who will have access)

Edit Access: Choose who can edit, copy, or delete this report (requires user to have 'Add/Edit/Organize Reports' privileges)

☒ All users - OR - ☐ Custom user access (Choose specific users, roles, or data access groups who will have access)

- To make a new report you can by navigating to the 'Data Exports, Reports and Stats' panel and select 'Create New Report'



8. Alerts

"The Alerts & Notifications feature allows you to construct alerts and send customized notifications. These notifications may be sent to one or more recipients and can be triggered or scheduled when a form/survey is saved and/or based on conditional logic whenever data is saved or imported." - REDCap


For this use case we are going to set up alerts so that a list of contacts (with or without a REDCap account) receive an automated email should certain logic be met.

The alerts we have prepared for this tooling focus on alerting key individuals if any responses to the symptom follow up survey indicate:

- An individual has symptoms
- An individual reports another contact with symptoms

Similar alerts can be set to any logic, however being mindful that the alert will be sent before opportunity for human review of any data.


1. Navigate to 'Alerts & Notifications', you edit alerts by either editing and uploading the template (see **steps 2-3**) or directly editing the roles (see **step 4**)



2. Download template from `hpa_redcap_template\redcap_templates\HPAIExposureManagement_Alerts_Templates.csv`, save as and **ensure to edit the 'email-from, email-to, email-cc' rows (AA-AC)** to reflect the appropriate contact details.

Replace '[ADD EMAIL HERE]' with '[your.name@email.ending](#)' multiple recipients can be separated by ',' multiple recipients can be separated by ','

3. Select 'Upload Alerts' and upload the edited template .csv file (**Ensure you delete the old ones**)



4. You can also review a created alert by selecting 'Edit'

REDCap HPAI survey (PID: 253)

Alerts & Notifications

The Alerts & Notifications feature allows you to construct alerts and send customized notifications. These notifications may be sent to one or more recipients and can be triggered or scheduled when a form/survey is saved and/or based on conditional logic whenever data is saved or imported. When adding/editing an alert, you will need to 1) set how the alert gets triggered, 2) define when the notification should be sent (including how many times), and 3) specify the recipient, sender, message text, and other settings for the notification. For the message, you may utilize customized options such as rich text, the piping of field variables (including Smart Variables), and uploading multiple file attachments. [Learn more](#)

My Alerts **Notification Log**

[Add New Alert](#) [Re-evaluate Alerts](#)

[Upload or download Alerts](#) [Show 0 deactivated alert\(s\)](#)

Alert #1 [Edit](#) [Options](#) Unique Alert ID: A-2

If the following logic is TRUE when the instrument "Avian Influenza Follow-Up" is saved and has any form status: [symptoms_yn_fu] = '1'

[Send immediately](#)

[Send one time](#) (only once per record - i.e., never re-trigger)

Activity: 6 records were alerted ([view list](#)) [Last sent: 26/03/2026 2:28pm](#)

Email [Preview](#)

From: REDCap <merryn.roe@gvhealth.org.au>
To: jade.sorenson@gvhealth.org.au; merryn.roe@gvhealth.org.au
Subject: Avian Influenza Symptom Survey Alert
REDCap record ID: [record_id] Name: [first_name] Has...

Alert #2 [Edit](#) [Options](#) Unique Alert ID: A-3

If the following logic is TRUE when the instrument "Avian Influenza Case Symptoms Treatment" is saved and has any form status: [contact_symptoms_yn] = '1'

[Send immediately](#)

[Send one time](#) (only once per record - i.e., never re-trigger)

Activity: 1 record was alerted ([view list](#)) [Last sent: 26/03/2026 12:11pm](#)

Email [Preview](#)

From: REDCap <merryn.roe@gvhealth.org.au>
To: jade.sorenson@gvhealth.org.au; merryn.roe@gvhealth.org.au
Subject: Avian Influenza Symptomatic Contact Alert
REDCap record ID: [record_id] Name: [first_name] Has...

Edit Alert #1 (Unique Alert ID: A-2)

You may define the settings for your alert in Steps 1-3 below. After clicking the Save button at the bottom, your alert will immediately become active and may be triggered at any time thereafter. If you would like to remove or stop using an alert, it may be deactivated at any time. You may modify an existing alert at any time, even after some notifications have already been sent or scheduled.

Title of this alert:

STEP 1: Triggering the Alert

A) How will this alert be triggered?

☐ When a record is saved on a specific form/survey*

☒ If conditional logic is TRUE when a record is saved on a specific form/survey*

☐ When conditional logic is TRUE during a data import, data entry, or as the result of time-based logic [?](#)

B) Trigger the alert...

when "Avian Influenza Follow-Up" **is saved with any form status** (excludes data imports)

while the following logic is true:

[symptoms_yn_fu] = '1'

(e.g., [age] > 30 and [sex] = "1") [How to use 'stop logic' to disable a scheduled alert](#)

☒ **Ensure logic is still true before sending notification?** [?](#)

☐ **Allow pausing of recurrences?** (Existing interval will continue if the logic becomes true again after becoming false.) [?](#)

C) Trigger Limit: Trigger the alert... only once per record (i.e., never re-trigger)

(The trigger limit determines where and to what extent within a record that the alert will be triggered.)

* The alert will not be re-triggered if the form/survey is saved again, unless it is set to send Every time in Step 2 below.

STEP 2: Set the Alert Schedule

When to send the alert?

- ☒ Send immediately
- ☐ Send on next at time
- ☐ Send the alert days hours minutes
after
- ☐ Send at exact date/time:

Send it how many times?

- ☒ Just once
- ☐ Every time the form/survey in Step 1B Is
(excludes data imports)
- ☐ Multiple times on a recurring basis:
 - Send every days after initially being sent.
Tip: A monthly recurrence can be approximated as 30.44 days.
 - Send up to times total (including the first time sent).
Leave blank to continue sending forever.

Alert expiration:
(optional)

This alert will be auto-deactivated at the specified date/time above. Note: This will cause any already-scheduled notifications not to be sent after the expiration time.

STEP 3: Message Settings

Alert Type:

☒ Email
 ☐ SMS Text Message
 ☐ Voice Call
 ☐ SendGrid Template

Email From: REDCap →

* must provide value

Email To: →

+ Show more options

Or manually enter emails:

Subject: Avian Influenza Symptom Survey Alert

* must provide value

Message:

* must provide value

☐ Prevent piping of data for identifier fields ?

In the subject or message, you may use Piping and Smart Variables.

Example:
Hi [first_name]! Please complete this survey: [survey-link:followup_survey]

Learn about Data Collection Strategies for Repeating Surveys

Example of a repeating survey using recurring alerts:
Please complete your daily survey: [survey-link:daily_repeating_survey][new-instance]

Add attachments

Save Cancel

9. APIs and R code

Access the most up-to-date code ([hpa redcap template](#)) on GitHub (version controlled with live updates for bug fixes).

We recommend you download the full project folder setup from our source code on GitHub. Once downloaded you can rename the project folder and R project accordingly.

We'd recommend you create your own new GitHub repo for your project to manage version control and collaboration. If you have any changes you would like to contribute to the source code, please contact [MerrynRoe \(merryn.roe@gvhealth.org.au\)](mailto:merryn.roe@gvhealth.org.au).

1. Generate your API key in REDCap.


An API allows for instant data pulling from REDCap without having to download or manually export the data. This is more secure as long as you protect your API key.

This step may require admin approval and can take some time. I'd recommend trying to do this in advance.

		Page 27 of 37
Version: 1.1	Last Reviewed: August 2026	Due for Review: TBD
This document was last updated on 13/8/2026 - for most upto date versions please see hpa redcap template on GitHub		

- Copy your API key **DO NOT SHARE THIS WITH ANYONE!** API keys are unique per user.

- Set up your API key using [the keyring package in R](#) – this step only needs to be run once! See line 21 of ‘01_Creating contact uploads for REDCap.R’
- Ensure you update line 25 to reflect the link to your own REDCap server



- The code should now be ready to run!

10. Testing and moving to production mode

I would encourage you to test the project thoroughly (ideally as a preparedness exercise), **including the below steps 11-16**, with testers/fake data before moving the project to production mode.

If you are setting this tooling up for the first time to respond to an incident, test as much as time allows before moving to production mode.

Production mode is the secure, final stage for active data collection, designed to protect data integrity by preventing accidental structural changes (e.g., deleting fields or changing variable names).

- When ready to move to production mode go to ‘Setup’ in the navigation panel and work your way through the relevant checks by selecting ‘I’m done!’ on the relevant ones

(optional but handy!)

REDCap®

Logged in as roemerry | Log out

My Projects or Control Center

REDCap Messenger

Contact REDCap administrator

View project as user: -- select a user --

Enter PID to go to project

Project Home and Design

Home **Setup** Codebook

Designer Events Dictionary

Project status: Development

Data Collection

Survey Distribution Tools

Record Status Dashboard

Add / Edit Records

Applications

Project Dashboards

Alerts & Notifications

Multi-Language Management

Calendar

Data Exports, Reports, and Stats

Data Import Tool

Data Comparison Tool

Logging and Email Logging

Field Comment Log

File Repository

User Rights and DAGs

Customize & Manage Locking/E-signatures

Data Quality

HPAI Exposure Management PID: 247

Project Home Project Setup **Other Functionality** Project Revision History Edit Project Settings

Project status: Development Completed steps 2 of 8

Main project settings

Complete! Not complete?

Disable Use surveys in this project? [?]

Disable Use longitudinal data collection with defined events? [?]

Enable Use the MyCap participant-facing mobile app? [?] Learn more about MyCap

Modify project title, purpose, etc.

Design your data collection instruments & enable your surveys

Complete! Not complete?

Add or edit fields on your data collection instruments (survey and forms). This may be done by either using the Online Designer (online method) or by uploading a Data Dictionary (offline method). You may then enable your instruments to be used as surveys in the Online Designer. Quick links: [Download PDF of all instruments](#) OR [Download the current Data Dictionary](#)

Go to [Online Designer](#) or [Data Dictionary](#) Explore the [REDCap Instrument Library](#)

Have you checked the [Check For Identifiers](#) page to ensure all identifier fields have been tagged?

Learn how to use: [Smart Variables](#) [Piping](#) [Action Tags](#) [Field Embedding](#) [Special Functions](#)

Define your events and designate instruments for them

In progress

Create events for re-using data collection instruments and/or set up scheduling.

Go to [Define My Events](#) or [Designate Instruments for My Events](#)

Enable optional modules and customizations

Optional I'm done!

Modify Repeating Instruments [?]

Disable Auto-numbering for records [?]

Enable Scheduling module (longitudinal only) [?]

Enable Randomization module [?]

2. You can then select 'Move project to production'

User Rights and Permissions

Complete! Not complete?

You may grant other users access to this project or edit the user privileges of current users on this project by navigating to the User Rights page. Additionally, if you wish to limit user access to certain records/responses for this project, you may want to use Data Access Groups, in which only users within a given Data Access Group can access records created by users within that group.

Go to [User Rights](#) or [Data Access Groups](#)

Test your project thoroughly

Complete! Not complete?

It is important to test the essential components of your project before moving it into production. Try creating a few test records and entering some data for each to ensure that your data collection instruments look and behave how you expect, especially branching logic and calculations. Then review your test data by creating reports and exporting your data to view in Excel or a statistical analysis package. If you have surveys, complete the surveys as if you were a participant by using the Public Survey Link or Participant List by sending a survey invitation to yourself. If other project modules will be used regularly, test them out a bit too. The best way to test your project is to use it as if you were entering real production data, and it is always helpful to have colleagues (especially team members) take a look at your project to get a fresh set of eyes looking at it.

Move your project to production status

Not started

Move the project to production status so that real data may be collected. Once in production, you will not be able to edit the project fields in real time anymore. However, you can make edits in Draft Mode, which will be auto-approved or else might need to be approved by a REDCap administrator before taking effect.

Go to [Move project to production](#)

3. Ensure you delete all test data when you move to production mode

Move Project To Production Status?

Are you sure you wish to leave the DEVELOPMENT stage? If you proceed, the project will be moved to PRODUCTION status so that real data may be collected. If you select the 'Delete ALL data' option below, all current collected data, calendar events, and uploaded documents will be deleted, otherwise all will remain untouched as the project is moved to production.

★ Have you checked the [Check For Identifiers](#) page to ensure all identifier fields have been tagged?

Keep existing data or delete?

☐ Keep ALL data saved so far. (0 records)

☒ Delete ALL data in the project (including any survey responses), calendar events, documents uploaded onto forms/surveys, and all archived data export files stored in the File Repository, and any logged events that pertain to data collection.

Once in production, you will not be able to edit the project fields in real time anymore. However, you can make edits in Draft Mode, which will be auto-approved or else might need to be approved by a REDCap administrator before taking effect.

YES, Move to Production Status Cancel

4. Once in production mode if you need to make any changes you must first enter 'draft mode', this will then automatically review your changes to make sure it won't break your active project

REDCap

Logged in as roemerry | Log out

My Projects or Control Center

REDCap Messenger

Contact REDCap administrator

View project as user: -- select a user --

Enter PID to go to project

Project Home and Design

Home Setup Codebook

Designer Dictionary

Project status: **Production**

Data Collection

Survey Distribution Tools

Record Status Dashboard

Add / Edit Records

Show data collection instruments

Applications

Project Dashboards

Alerts & Notifications

Multi-Language Management

Project Home **Project Setup** **Online Designer** **Data Dictionary** **Codebook**

NOTE: The project is currently in PRODUCTION status, and thus changes cannot be made in real time to the project as when in Development status. However, changes to the project may be drafted in DRAFT MODE, after which such changes will be reviewed and approved by a REDCap administrator. Once those changes are approved, you will then receive an email confirmation informing you that those changes have taken effect on your production project.

Would you like to enter DRAFT MODE to begin drafting changes to the project?

Enter Draft Mode

Share your instruments with others via the REDCap Shared Library VIDEO: How to use this page

The Online Designer will allow you to make project modifications to fields and data collection instruments very easily using only your web browser. In order to make any modifications to your instruments listed below, you must first move the project into Draft Mode by clicking the 'Enter Draft Mode' button above. However, whether in Draft Mode or not, you are allowed to download the PDF or modify survey settings for any instruments below.

Data Collection Instruments

Form options:

PDF Snapshots

Form Display Logic

PDF (all instruments)

Descriptive Popups

Survey options:

e-Consent

Survey Queue

Survey Login

Survey Notifications

Survey Settings

Part 2: Use & testing

*Part 2 of the work instructions covers how to **use** and **test** the tooling workflow.*

11. Importing contact lists -> Triage SMS

1. Using the template file 'test_AI_contact_upload_template' (in the raw_data folder) add the contacts provided (or test contact details) into the spreadsheet.

Make sure you do not save the template file with any data in it as this will be pushed to Git with the current Gitignore settings (see .gitignore file). Ensure any data is saved in a version of the template file with a different name. ie 'Save as' with an appropriate name that removes '_template'. Eg.

'test_AI_contact_upload_DATE' or 'AI_contact_upload_DATE'

2. Open file '**01_Creating contact uploads for REDCap.R**' in your R project, edit lines:
 - a. 16 to reflect the file name of your new import .csv
Please keep record_id blank in this template as REDCap will autogenerate after internal de-duplication and matching
 - b. 111-112 to replace the 'default' email to one relevant to your unit
(I'd recommend a functional but general email address)
3. Run the code and it will produce a .csv in your output folder named
'DATE__import_to_redcap_for_triage.csv'

		Page 31 of 37
Version: 1.1	Last Reviewed: August 2026	Due for Review: TBD
This document was last updated on 13/8/2026 - for most upto date versions please see hpa redcap template on GitHub		

- Go to the 'Data Import Tool' and select the new file generated. Ensure you do not overwrite record IDs (numbering) as this is managed in the R script.

1.) You may import a modified version of a CSV data export file, or you can obtain a blank CSV data import template that you can save locally and add data that you wish to import. [Download your Data Import Template](#). Also download with other delimiters: [Semicolon \(;\)](#), [Tab](#) (with records in row format), or alternatively download the template with records in [column format](#). Also download with other delimiters: [Semicolon \(;\)](#), [Tab](#).

2.) Add data to the file, and save it. Be sure the Variables/Field Names are not changed or an error may occur. All multiple choice fields (e.g., dropdown, radio) must have the raw coded value (rather than the choice label) entered in those cells, or else it cannot be processed. These coded values can be found in the [Codebook](#).

3.) Choose your upload settings below, and select the data file located on your device. Then click the 'Upload File' button to begin the upload process. The data file will be checked for errors to ensure that all the data is in the correct format before it is fully imported into the project. By default, the data will be imported in real time; however, you may choose to import the data using a background process in which you will be notified via email once your data has been successfully imported.

TIP: If importing repeating instances for a repeating event or repeating instrument, you may [auto-number the instances](#) by providing a value of **new** for the 'redcap_repeat_instance' field in the dataset you are importing. This is useful because it allows you to import such data without the need to determine how many instances already exist for a given repeating event/instance prior to the import.

- Once data is uploaded you have the opportunity to review it before you import it:

Your document was uploaded successfully and is ready for review.
You are now required to view the Data Display Table below to approve all the data before it is officially imported into the project. Follow the instructions below.

Instructions for Data Review

The data you uploaded from the file is displayed in the Data Display Table below. Please inspect it carefully to ensure that it is all correct. After reviewing it, **click the 'Import Data' button at the bottom of this page** to import this data into the project.

KEY for Data Display Table below

Black text = New Data
Gray text = Existing data (will not change)
(Red text) = Data that will be overwritten

record_id	contact_name	contact_number	email
1 (new record)	Merryn	61405635059	merryn.roe@gvhealth.org.au
2 (new record)	Brandon	61402032932	PHUepi.analytics@gvhealth.org.au
3 (new record)	Jade	61409992526	PHUepi.analytics@gvhealth.org.au

Do you wish to import the new data (displayed above) into the project?
(Click the button below to import the data.)

Import Data Cancel

6. Now we can generate unique survey links for these individuals. Next navigate to 'Survey Distribution Tools' and ensure you have the correct survey selected. Then 'Export list'


The screenshot shows the REDCap interface for the 'HPAI Exposure Management' project. The left sidebar contains navigation options like 'My Projects', 'Control Center', and 'Survey Distribution Tools'. The main content area shows the 'Survey Distribution Tools' section with tabs for 'Public Survey Link', 'Participant List', and 'Survey Invitation Log'. The 'Participant List' tab is active, showing a table of participants. The 'Export list' button is circled in red.

7. Save the file in our raw_data folder and take note of the file name, it should be in the following format: 'HPAIExposureManagement_Participants_DATE_TIME.csv'. To avoid confusion, add '_trriage_link' to the end of the file name.
8. Open '02_Triaging survey links for SMS.R' and update:
 - a. The file name (from previous step) on line 45
 - b. You may need to update this script (lines 60-66) to reflect the format required by your own SMS services. This example is using Genesis.
9. This script will output a .csv formatted for the Genesis SMS system.
DO NOT OPEN THIS .csv BEFORE UPLOADING TO GENESIS.
 It breaks the phone formatting and will throw you a very frustrating error loop.
10. Follow your unit's protocol for sending the automated SMS, ensuring each individual is provided their own unique link from the 'survey_link' variable.
11. If new case lists are received repeat steps 11.1-11.10, noting IP sites may need to be updated in the code/REDCap templates if new sites are added.

12. Symptom Follow-up SMSs

Once the interview data is collected in REDCap (through PHO interview using REDCap as a data collection system), we are able to do daily exports for SMS symptom follow up. The code packet is designed to give you only the contact numbers and survey links of people who are meeting the criteria for SMS follow up on the day the code is run (high risk exposure within 10 days and have consented to SMS follow up).

1. Navigate to 'Survey Distribution Tools' and ensure you have the correct survey selected (this time the follow up survey). Then 'Export list'



REDCap®

Logged in as roemery | Log out

My Projects or Control Center

REDCap Messenger

Contact REDCap administrator

View project as user: -- select a user --

Enter PID to go to project

Project Home and Design

Home · Setup · Codebook

Designer · Events · Dictionary

Project status: Development

Data Collection

Survey Distribution Tools

Record Status Dashboard

Add / Edit Records

Applications

Project Dashboards

Alerts & Notifications

Multi-Language Management

Calendar

HPAI Exposure Management PID 347

Survey Distribution Tools

Public Survey Link Participant List Survey Invitation Log

The Participant List allows you to send a customized email to anyone in your list and track who responds to your survey. It is also possible to identify an individual's survey answers, if desired, by providing an identifier for each participant (this feature must first be enabled by clicking the 'Enable' button in the table below). [More details](#)

Survey Response Status: Anonymous*

Participant List below: "Avian Influenza Follow Up"

Displaying 1-3 of 3 Add participants Compose Survey Invitations

Export list

Email	Record	Participant Identifier	Responded?	Invitation Scheduled?	Invitation Sent?	Link	Survey Access Code and QR Code
[No email listed]		Disabled		-			
[No email listed]		Disabled		-			
[No email listed]		Disabled		-			

2. Save the file in our raw_data folder and take note of the file name, it should be in the following format: 'HPAIExposureManagement_Participants_DATE_TIME.csv'. To avoid confusion, add '_fu_link' to the end of the file name.
3. Open '03_Symptom FU survey links for SMS.R' and edit the following:
 - a. Line 102 to reflect your new file name (from previous step)
 - b. Line 116, follow up SMSs are currently set to send for up to 10 days post exposure, this may change depending on the situation, so refer to the 'Missing Ingredients' document for discussion with the incident management team.
 - c. You may need to update this script (lines 118-122) to reflect the format required by your own SMS services. This example is using Genesis.
4. Run the script and your SMS list will be provided in your output folder with the file name 'sms_list_symp_fu_DATE.csv'. As above please note this script is formatted for the Genesis SMS system.

DO NOT OPEN THIS .csv BEFORE UPLOADING TO GENESIS.

It breaks the phone formatting and will throw you a very frustrating error.

5. Follow your unit's protocol for sending the automated SMS, ensuring each individual is provided their own unique link from the 'survey_link' variable.
6. Repeat this step daily for daily SMSs

13. Preparing data for bulk uploads/reporting

The '04_Cleaning for reporting and PHESS.R' script completes the cleaning required to get the data reporting ready. Cleaning code may need to be adapted if you are using a different system to the PHESS Victorian surveillance system. This script is referenced in the following scripts so does not need to be run in isolation.

Version: 1.1		Last Reviewed: August 2026	Due for Review: TBD
Page 34 of 37			
This document was last updated on 13/8/2026 - for most upto date versions please see hpa_redcap_template on GitHub			

This script also calculates risk levels and produces a Quality Assurance check, comparing interviewer assessed risk level of the case with calculated risk level. This QA list will be deposited in the outputs folder and is designed to be passed onto operational leads as needed.

14. Exporting data for bulk uploads

The **'05_Bulk upload.R'** script reformats live REDCap interview data into the format required for bulk-uploads in PHESS. The output file will follow this naming convention 'phess_bulk_upload_DATE.csv' in your output folder. This script will check for previous bulk upload files and remove those entries from the next 'phess_bulk_upload_DATE.csv'. **If you have run the script but not performed the bulk upload, ensure you delete or move any previous bulk upload outputs or you run the risk of cases being skipped.**

A case is considered ready for bulk upload into PHESS when:

- they have been triaged and confirmed as contacts to the IP/s and
- all data fields required for a bulk upload are complete (including risk assessment).

Please note that there may be case number thresholds before a bulk upload to PHESS would be considered.

In the **'05_Bulk upload.R'** script, update line 77 with PHESS ID of outbreak. When you run the script there will be a message telling you which cases were included in the bulk upload and which were skipped because they are already listed in a bulk upload output.

Many of the specific HPAI questions do not exist in PHESS's current state. This 'bulk upload' functionality aims to add minimum data fields (determined in consultation with DH Principal Epidemiologists) to PHESS quickly without additional operational burden so PHESS can remain 'the source of truth'.

Once the bulk upload is complete, you can import the PHESS IDs en-mass to REDCap, see section 15 below.

15. Bulk Importing PHESS IDs into REDCap

Once records from the REDCap questionnaire have been bulk uploaded to PHESS and have an associated PHESS ID, the DH representative will send you a text file of the 'bulk upload report' that we can use to bulk import the PHESS IDs back into REDCap. This can be done for a subset of all records at a time, it is an iterative process and will not overwrite any record information.

1. Save the 'bulk upload report' .txt file from DH to your 'raw_data' folder
2. Open **'06_PHESS IDs into REDCap.R'** file and update line 36 to reflect the name of your most recent .txt file 'bulk upload report'

		Page 35 of 37
Version: 1.1	Last Reviewed: August 2026	Due for Review: TBD
This document was last updated on 13/8/2026 - for most upto date versions please see hpa_i_redcap_template on GitHub		

- Run '06_PHESS IDs into REDCap.R', which will produce a .csv file in your output folder called: 'PHESS import event name links DDMMYYYY.csv'
- Navigate to 'Data Import Tool' in the HPAI REDCap. Choose the output csv file from the bulk upload code and **upload file**, leaving the default settings as is.

- Check the imported data, ensuring that the following looks correct:
 - All identifier fields should be shown in grey text, meaning that they already exist in the REDCap records and are not being updated.
 - All PHESS IDs that **are being imported into REDCap for the first time** should be in black, meaning that this is new data being imported in.
 - There should be no red text in the import, as this is data that is being overwritten.

DATA DISPLAY TABLE				
record_id	first_name	last_name	birth_date	phe ss_id
6 (existing record)	Wos			5478943
7 (existing record)	Brandon	HS	1997-06-10	346574
8 (existing record)	Bran	Stark	1997-06-10	
9 (existing record)	George			
10 (existing record)	Georgolini	Martini		43254
18 (existing record)	Mickey	Musculus	1970-03-27	

An example of a subset of records being updated with fake PHESS IDs

- This step can be repeated for new subsets of records as PHESS IDs are created.
- The report 'PHESS ID Linkage' can be referenced to quickly identify which records have been updated with PHESS IDs in real-time.

16. Live refresh Situation Reports

The '**07_Basic Reporting Metrics.Qmd**' script is a simple example of a Quarto document which is able to provide live reports on the REDCap data. This could be useful for updating PHESS outbreak summary statistics, SitReps and/or reporting. Ensure you are mindful of meta-data privacy if using GitHub for version control of your active version of this doc.

Version Control

V1.0	Initial work instructions
V1.1	Incorporated changes from network beta testing and review